

DECASILIN- poncirus trifoliata fruit, peony root, platycodon root capsule
Chunwoo Pharmaceutical Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

ACTIVE INGREDIENT

Poncirus Trifoliata Fruit 17.12%% ----- ant-inflammatory
Peony Root 22.95% ----- ant-inflammatory
Platycodon Root 17.12% ----- ant-inflammatory
Ginger 5.82% ----- ant-inflammatory
Jujube 17.12% ----- ant-inflammatory
Licorice 17.12% ----- ant-inflammatory

INACTIVE INGREDIENT

Light Anhydrous silicic Acid, Lactose, Corn Starch, Food Red No. 40, Food Yellow No. 5, Food Blue No. 1

PURPOSE

Treats suppurative skin ailment with rubefaction and swell
■stye ■inflammation ■boil ■suppuration

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children.

WARNING

Do not take if you have

- a headache, a chill, or fever with the symptom
- an abscessus frigidus(cold abscessus), or a chronic abscess.
- galactose intolerance, lapp lactase deficiency or glucose-galactose malabsorption (this medicine contains lactose)

Ask a health professional before use it if you

- have high blood pressure
- have a problem with heart or kidney
- have edema
- are on other medication
- are pregnant, breast feeding, or have chance to get pregnant
- have a history of allergic reaction to medicines

- are under 12
- are sensitive or have a history of allergic reaction to Food Yellow No. 5 (Sunset Yellow FCF)

Stop using and ask doctor

■ If you have following symptom

- pseudoaldosteronism: reduce in urine volume, stiffness of hand, have swollen hands and feet, heavy feelings in eye lids, high blood pressure, or headache (taking Licorice more than 1 g a day for long period might cause symptoms of pseudoaldosteronism such as hypokalemia, rise in blood pressure, or low flow of sodium.)
- myopathy: if feeling impuissance side effect from Hypokalemia such as convulsion or numbness
- skin trouble: a rash, flare, or pruritus
- feeling discomfort on upper stomach
- if symptoms persist after 5~6 days of using.

When using this product

- using for long term is not recommended, but if needed, ask a health professions.
- Do not exceed the recommended dosage

Keep out of reach of Children

Other information

- keep in dry and cool area, out of direct sunlight if possible
- Keep this label and enclosed materials in the box. They contain important information and putting in other container may cause misuse.

USES

for oral use only

INDICATION & USAGE SECTION

Take two caplets three times a day while symptoms persist.

Decasilin / 1 tablet (600mg)

Drug Facts

Active ingredients

	<i>Purpose</i>
Poncirus Trifoliata Fruit 17.12%% -----	ant-inflammatory
Peony Root 22.95% -----	ant-inflammatory
Platycodon Root 17.12% -----	ant-inflammatory
Ginger 5.82% -----	ant-inflammatory
Jujube 17.12% -----	ant-inflammatory
Licorice 17.12% -----	ant-inflammatory

Uses

Treats suppurative skin ailment with rubefaction and swell

- stye ■ inflammation ■ boil ■ suppuration

Warnings

Do not take if you have

- a headache, a chill, or fever with the symptom
- an abscessus frigidus(cold abscessus), or a chronic abscess.

Do not take if you have

- galactose intolerance
- lactase deficiency
- glucose-galactose malabsorption (this medicine contains lactose)

Ask a health professional before use it if you have

- high blood pressure
- a problem with heart or kidney
- edema
- history of allergic reaction to medicines

Ask a health professional before use it if you are

- on other medication
- pregnant, breast feeding, or have chance to get pregnant
- under 12
- sensitive or have a history of allergic reaction to Food Yellow No. 5 (Sunset Yellow FCF)

Stop using and ask doctor if

- you have following symptom
 - pseudoaldosteronism: reduce in urine volume, stiffness of hand, have swollen hands and feet, heavy feelings in eye lids, high blood pressure, or headache (taking Licorice more than 1 g a day for long period might cause symptoms of pseudoaldosteronism such as hypokalemia, rise in blood pressure, or low flow of sodium.)
 - myopathy: if feeling impuissance side effect from Hypokalemia such as convulsion or numbness
 - skin trouble: a rash, flare, or pruritus
 - feeling discomfort on upper stomach
- symptoms persist after 5~6 days of using.

When using this product

- Do not use more than directed

Keep out of reach of Children

Other information

- keep in dry and cool area, out of direct sunlight if possible
- Keep this label and enclosed materials in the box. They contain important information and putting in other container may cause misuse.
- using for long term is not recommended, but if needed, ask a health professions

Directions

Take two caplets three times a day while symptoms persist.

Inactive Ingredients

Light Anhydrous silicic Acid, Lactose, Corn Starch, Food Red No. 40, Food Yellow No. 5, Food Blue No. 1

DECASILIN

poncirus trifoliata fruit, peony root, platycodon root capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72850-0005
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PONCIRUS TRIFOLIATA FRUIT (UNII: 44445L49J2) (PONCIRUS TRIFOLIATA FRUIT - UNII:44445L49J2)	PONCIRUS TRIFOLIATA FRUIT	17.12 in 100
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P) (PAEONIA LACTIFLORA ROOT - UNII:3Z3866YW6P)	PAEONIA LACTIFLORA ROOT	22.95 in 100
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	5.82 in 100
PLATYCODON GRANDIFLORUS ROOT (UNII: 2DF0NS0O2Z) (PLATYCODON GRANDIFLORUS ROOT - UNII:2DF0NS0O2Z)	PLATYCODON GRANDIFLORUS ROOT	17.12 in 100
JUJUBE FRUIT (UNII: G55HNL2C70) (JUJUBE FRUIT - UNII:G55HNL2C70)	JUJUBE FRUIT	17.12 in 100
LICORICE (UNII: 61ZBX54883) (LICORICE - UNII:61ZBX54883)	LICORICE	17.12 in 100

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics			
Color	red	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72850-0005-1	10 in 1 BLISTER PACK; Type 0: Not a Combination Product	10/19/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/19/2019	

Labeler - Chunwoo Pharmaceutical Co., Ltd. (688729065)

Registrant - Chunwoo Pharmaceutical Co., Ltd. (688729065)

Establishment

Name	Address	ID/FEI	Business Operations
Chunwoo Pharmaceutical Co., Ltd.		688729065	manufacture(72850-0005)