

**DIPHENHYDRAMINE HYDROCHLORIDE- diphenhydramine  
hydrochloride capsule, liquid filled  
Strive Pharmaceuticals Inc.**

-----  
**Nighttime Sleep-Aid  
Diphenhydramine HCl 50mg (Blue Softgel)**

***Drug Facts***

***Active ingredient (in each softgel)***

Diphenhydramine HCl 50 mg

***Purpose***

Nighttime sleep-aid

***Uses***

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

***Warnings***

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

**Ask a doctor before use if you have**

- glaucoma
- heart disease
- a breathing problem such as emphysema, asthma, or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives, tranquilizers, or any other sleep aid

**When using this product** • avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control

Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

### **Directions**

adults and children 12 years and over	take 1 softgel (50mg) at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

### **Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

### **Inactive ingredients**

edible ink, FD&C blue #1, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution

### **Questions or comments?**

**1-888-577-8033** Monday-Friday 8am-4pm EST

Compare to the active ingredient of **Unisom® SleepGels®\***

Maximum Strength

fall asleep fast safe, non-habit forming

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE**

This product is not manufactured or distributed by Chatem, Inc., owner of the registered trademark Unisom®.

Distributed by: Strive Pharmaceuticals Inc., East Brunswick, NJ 08816

Product of UAE

Packaged and Quality Assured in the USA

### **Packaging**

**16 SOFTGELS PACKAGE**



Compare to the active ingredient of **Unisom® SleepGels\*\***

NDC 70692-785-61

**Maximum Strength**  
**Nighttime Sleep-Aid**

DIPHENHYDRAMINE HCl, 50 mg  
Nighttime sleep-aid

☾ fall asleep fast  
safe, non-habit forming



16  
softgels



Compare to the active ingredient of **Unisom® SleepGels\*\***

NDC 70692-785-61


**Maximum Strength**  
**Nighttime Sleep-Aid**

DIPHENHYDRAMINE HCl, 50 mg  
Nighttime sleep-aid

☾ fall asleep fast  
safe, non-habit forming



16  
softgels

3 70692 78561 6

No Varnish

LOT:  
EXP:

**Drug Facts (continued)**

**Directions** ■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

**Other information** store at 20°-25°C (68°-77°F)

**Inactive ingredients** edible white ink, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution

**Questions or comments?**  
1-888-577-8633 Monday - Friday 8am - 4pm EST

Distributed by: Stone Pharmaceuticals Inc., East Brunswick, NJ 08816  
Product of India  
Packaged and Quality Assured in the USA  
C17069278561  
REV 03/02/2022

**Drug Facts**

**Active ingredient (in each softgel)** Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

**Use** ■ for relief of occasional sleeplessness

**Warnings**  
**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product avoid alcoholic drinks**

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

**If pregnant or breast-feeding, ask a health professional before use.** Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**150 SOFTGELS PACKAGE**



Compare to the active ingredient of **Unisom® Sleep Gels\*\***

NDC 70692-785-15

**Sealed**

**30M BOTTLE**

**Purpose**  
nighttime sleep-aid

fall asleep

safe, non-habit forming

antihistamines

by Chatham, Inc.

082023



00 6

Varnish

## 275 SOFTGELS PACKAGE

**RIGHT REMEDIES**

Compare to the active ingredient  
of **Unisom® SleepGels®**\*

NDC 70692-785-71

**Maximum Strength**

# Nighttime Sleep-Aid

DIPHENHYDRAMINE HCl, 50 mg  
Nighttime sleep-aid

★ fall asleep fast  
safe, non-habit forming

275  
softgels


Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE**

<b>Drug Facts</b>	<b>Purpose</b> Diphenhydramine HCl, 50 mg.....Nighttime sleep-aid
<b>Active ingredient (in each softgel)</b>	
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ for relief of occasional sleeplessness</li> <li>■ reduces time to fall asleep if you have difficulty falling asleep</li> </ul>
<b>Warnings</b>	<p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ for children under 12 years of age</li> <li>■ with any other product containing diphenhydramine, even one used on skin</li> <li>■ with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ glaucoma</li> <li>■ heart disease</li> <li>■ a breathing problem such as emphysema, asthma, or chronic bronchitis</li> <li>■ difficulty in urination due to enlargement of the prostate gland</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers, or any other sleep aid</b></p> <p><b>When using this product</b> ■ avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.</p> <p><b>Stop use and ask a doctor if</b> sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b></p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.</p>
<b>Questions or comments?</b>	1-888-577-9033 Monday - Friday 8am - 4pm EST

**Drug Facts (continued under label)**

\* This product is not manufactured or distributed by Chاتم, Inc., owner of the registered trademark Unisom®.

3 70692 00064 1

LOT: No Varnish  
EXP:

L87069278571 REV.00-12/2021

L87069278515 REV.00-

PEEL HERE

**RIGHT REMEDIES**

Compare to the active ingredient  
of **Unisom® SleepGels®**\*

NDC 70692-785-71

**Maximum Strength**

# Nighttime Sleep-Aid

DIPHENHYDRAMINE HCl, 50 mg  
Nighttime sleep-aid

★ fall asleep fast  
safe, non-habit forming

150  
softgels


Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE**

<b>Drug Facts (continued)</b>	<b>Purpose</b> Diphenhydramine HCl, 50 mg.....Nighttime sleep-aid
<b>Ask a doctor before use if you have</b>	<ul style="list-style-type: none"> <li>■ glaucoma</li> <li>■ heart disease</li> <li>■ a breathing problem such as emphysema, asthma, or chronic bronchitis</li> <li>■ difficulty in urination due to enlargement of the prostate gland</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers, or any other sleep aid</b></p> <p><b>When using this product</b> ■ avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.</p> <p><b>Stop use and ask a doctor if</b> sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b></p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.</p>
<b>Directions</b>	<p>adults and children 12 years and over</p> <p>take 1 softgel (50mg) at bedtime if needed, or as directed by a doctor</p> <p>children under 12 years</p> <p>do not use</p>
<b>Other information</b>	<ul style="list-style-type: none"> <li>■ store at 20-25°C (68-77°F)</li> <li>■ avoid excessive heat above 40°C (104°F)</li> <li>■ protect from light</li> </ul>
<b>Inactive ingredients</b>	edible ink, FD&C blue #1, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution
<b>Questions or comments?</b>	1-888-577-9033 Monday - Friday 8am - 4pm EST

**Drug Facts (continued under label)**

\* This product is not manufactured or distributed by Chاتم, Inc., owner of the registered trademark Unisom®.

3 70692 00064 1

LOT: No Varnish  
EXP:

L87069278571 REV.00-12/2021

L87069278515 REV.00-

PEEL HERE

**RIGHT REMEDIES**

Compare to the active ingredient  
of **Unisom® SleepGels®**\*

NDC 70692-785-71

**Maximum Strength**

# Nighttime Sleep-Aid

DIPHENHYDRAMINE HCl, 50 mg  
Nighttime sleep-aid

★ fall asleep fast  
safe, non-habit forming

150  
softgels


Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE**

<b>Drug Facts</b>	<b>Purpose</b> Diphenhydramine HCl, 50 mg.....Nighttime sleep-aid
<b>Active ingredient (in each softgel)</b>	
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ for relief of occasional sleeplessness</li> <li>■ reduces time to fall asleep if you have difficulty falling asleep</li> </ul>
<b>Warnings</b>	<p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ for children under 12 years of age</li> <li>■ with any other product containing diphenhydramine, even one used on skin</li> <li>■ with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ glaucoma</li> <li>■ heart disease</li> <li>■ a breathing problem such as emphysema, asthma, or chronic bronchitis</li> <li>■ difficulty in urination due to enlargement of the prostate gland</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives, tranquilizers, or any other sleep aid</b></p> <p><b>When using this product</b> ■ avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.</p> <p><b>Stop use and ask a doctor if</b> sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b></p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.</p>
<b>Directions</b>	<p>adults and children 12 years and over</p> <p>take 1 softgel (50mg) at bedtime if needed, or as directed by a doctor</p> <p>children under 12 years</p> <p>do not use</p>
<b>Other information</b>	<ul style="list-style-type: none"> <li>■ store at 20-25°C (68-77°F)</li> <li>■ avoid excessive heat above 40°C (104°F)</li> <li>■ protect from light</li> </ul>
<b>Inactive ingredients</b>	edible ink, FD&C blue #1, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution
<b>Questions or comments?</b>	1-888-577-9033 Monday - Friday 8am - 4pm EST

**Drug Facts (continued under label)**

\* This product is not manufactured or distributed by Chاتم, Inc., owner of the registered trademark Unisom®.

3 70692 00064 1

LOT: No Varnish  
EXP:

L87069278571 REV.00-12/2021

L87069278515 REV.00-

PEEL HERE

**Drug Facts (continued)**

**Directions**  
adults and children 12 years and over  
children under 12 years

**Other information**  
■ store at 20-25°C (68-77°F)  
■ avoid excessive heat above 40°C  
■ protect from light

**Inactive ingredients**  
edible ink, FD&C blue #1, gelatin, alcohol, medium chain triglycerid povidone, purified water, sorbitol

**Questions or comments?**  
1-888-577-8033, Monday-Friday!

Distributed by: Strive Pharmace  
Product of UAE  
Packaged and Quality Assured

**DRUG FACTS**

**Drug Facts**

<b>Active ingredient (in each softgel)</b>	<b>Purpose</b>
Diphenhydramine HCl 50 mg.....	Nighttime sleep-aid

**Uses**

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

**Ask a doctor before use if you have**

- glaucoma
- heart disease
- a breathing problem such as emphysema, asthma, or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives, tranquilizers, or any other sleep aid

**When using this product** ■ avoid alcoholic beverages and other drugs that cause drowsiness. Be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if** sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

**Drug Facts (continued)**

<b>Directions</b>	
adults and children 12 years and over	take 1 softgel (50mg) at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

**Inactive ingredients**  
edible ink, FD&C blue #1, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution

**Questions or comments?**  
1-888-577-8033 Monday-Friday 8am-4pm EST

<b>DIPHENHYDRAMINE HYDROCHLORIDE</b>			
diphenhydramine hydrochloride capsule, liquid filled			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70692-785
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>

<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	

### Product Characteristics

<b>Color</b>	blue (greenish blue - transparent)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Oblong)	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	785
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-785-61	16 in 1 BOTTLE; Type 0: Not a Combination Product	08/20/2019	
2	NDC:70692-785-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2023	
3	NDC:70692-785-71	275 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	08/20/2019	

**Labeler** - Strive Pharmaceuticals Inc. (080028013)

Revised: 1/2025

Strive Pharmaceuticals Inc.