MULBERRY TONER - allantoin liquid CORPORATION SORISO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

ALLANTOIN

water, sodium hyaluronate, carbomer, tocopheryl acetate, etc.

skin protectant

keep out or reach of the children

apply proper amount to the skin

- 1. Do not use in the following cases(Eczema and scalp wounds)
- 2.Side Effects
- 1)Due to the use of this druf if rash, irritation, itching and symptopms of hypersnesitivity occur dicontinue use and consult your phamacisr or doctor
- 3.General Precautions
- 1)If in contact with the eyes, wash out thoroughty with water If the symptoms are servere, seek medical advice immediately
- 2)This product is for exeternal use only. Do not use for internal use
- 4. Storage and handling precautions
- 1)If possible, avoid direct sunlight and store in cool and area of low humidity
- 2)In order to maintain the quality of the product and avoid misuse
- 3) Avoid placing the product near fire and store out in reach of children

for external use only

GINSENOSIDE RG1

Mulberry Toner

TO USE | After washing, rub gently from inside to outside with soaked cotton pads

INGREDIENTS | Water, Butylene Glycol, Glycerin, Magnolia Liliflora Bud Extract, Red Ginseng Extract (Rg1), Lespedeza Cuneata Extract, Astragalus Membranaceus Root Extract, Rehmannia Chinensis Root Extract. Cnidium Officinale Root Extract, Angelica Gigas Root Extract, Scutellaria Baicalensis Root Extract, Coptis Chinensis Root Extract, Phellodendron Amurense Bark Extract. Morus Alba Bark Extract, Platycodon Grandiflorum Root Extract, Perilla Frutescens Leaf Extract, Morus Alba Fruit Extract, PEG-40 Hydrogenated Castor Oil, Olive Oil PEG-7 Esters, Phenoxyethanol, Allantoin, Carbomer, Arginine, Disodium EDTA, Pentylene Glycol, Tocopheryl Acetate, Methylparaben, Sodium Lactate, Lactic Acid, Serine, Urea, Sorbitol. Hydroxyethylcellulose, Sodium Hyaluronate, Ethylparaben, Butylparaben, Sodium Chloride, Propylparaben, Isobutylparaben, Ethylhexylglycerin, Caprylyl Glycol, Fragrance

CAUTION AT USE

If the following symptoms develop during using the cosmetics, stop using it and consult with a dermatologist.

1) In case of Red spot, Swelling, Itching, Irritation



MULBERRY TONER

allantoin liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69969-004

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTO IN (UNII: 344S277G0Z) (ALLANTO IN - UNII:344S277G0Z)	ALLANTOIN	0.1 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)

l	P	ackaging			
l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1	NDC:69969-004-01	130 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	07/10/2015	

Labeler - CORPORATION SORISO (689515253)

Registrant - CORPORATION SORISO (689515253)

Establishment				
Name	Address	ID/FEI	Business Operations	
CORPORATION SORISO		689515253	manufacture(69969-004)	

Revised: 7/2015 CORPORATION SORISO