

PROGENA TICK BITE SUPPORT- avena sativa, carduus marianus, scrophularia nodosa, solidago virgaurea, arsenicum album, cina, conium maculatum, gelsemium sempervirens, lycopodium clavatum, mercuris vivus, phosphoricum acidum, phosphorus, selenium metallicum liquid
Meditrend, Inc. DBA Progena Professional Formulations

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Tick Bite Support

Active Ingredients: Avena sativa 3X, Carduus marianus 3X, Solidago virgaurea 3X, Scrophularia nodosa 8X, Arsenicum album 30C, Cina 30C, Conium maculatum 30C, Gelsemium sempervirens 30C, Lycopodium clavatum 30C, Mercuris vivus 30C, Phosphoricum acidum 30C, Phosphorus 30C, Selenium metallicum 30C.

Purpose: Promotes Immune Function to support symptoms from tick bites.

Use: This product is a homeopathic dilution formulated to promote immunity when experiencing symptoms from tick bites.*

Keep Out of Reach of Children. In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings:

- Use Only as directed.
- **Stop use and ask a doctor if** symptoms worsen or do not improve after 5 days.
- **If pregnant or breast-feeding**, consult a health professional before use.

Directions: • **Adults (12 and Older)** 15 drops under the tongue three times daily. • **Children (Under 12)** 6 drops under the tongue three times daily or as directed by your health care professional. • **Consult a Physician** for use in children under 12 years of age.

Other Information: Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

Inactive Ingredients: Demineralized Water and 25% USP Ethanol.

*www.meditrend.com/drugdisclaimer

Manufactured for Progena Professional Formulations
4820 Eubank Blvd. NE, ABQ., NM 87111, www.progena.com


NDC 62713-966-01

Tick Bite Support

Homeopathic Support for Liver, Nerves, GI Relief, Skin Ailments, Inflammatory Conditions, Emotional States and Sleep

PROGENA

NET 1FL OZ (30ml)
25% USP Ethanol



Drug Facts

Active Ingredients: Avena sativa 3X, Carduus marianus 3X, Solidago virgaurea 3X, Scrophularia nodosa 8X, Arsenicum album 30C, Cina 30C, Conium maculatum 30C, Gelsemium sempervirens 30C, Lycopodium clavatum 30C, Mercurius vivus 30C, Phosphoricum acidum 30C, Phosphorus 30C, Selenium metallicum 30C.

Purpose: Promotes Immune Function to support symptoms from tick bites.

Use: This product is a homeopathic dilution formulated to promote immunity when experiencing symptoms from tick bites.*

Warnings:

- Use only as directed.
- Stop use and ask a doctor if symptoms worsen or do not improve after 5 days.
- If pregnant or breastfeeding, consult a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: ■ Adults (12 and Older) 15 drops under the tongue three times daily; ■ Children (Under 12) 6 drops under the tongue three times daily or as directed by your health care professional. ■ Consult a Physician for use in children under 12 years of age.

Other Information: Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

Inactive Ingredients: Demineralized Water & 25% USP Ethanol.

*www.meditrend.com/drugdisclaimer

Manufactured for PROGENA Professional Formulations
4820 Eubank Blvd. NE, APO, NM 87111 www.progena.com

LOT

UPC FPO

PROGENA TICK BITE SUPPORT

avena sativa, carduus marianus, scrophularia nodosa, solidago virgaurea, arsenicum album, cina, conium maculatum, gelsemium sempervirens, lycopodium clavatum, mercuris vivus, phosphoricum acidum, phosphorus, selenium metallicum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62713-966
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	3 [hp_X] in 1 mL
SILYBUM MARIANUM SEED (UNII: U946SH95EE) (SILYBUM MARIANUM SEED - UNII:U946SH95EE)	SILYBUM MARIANUM SEED	3 [hp_X] in 1 mL
SCROPHULARIA NODOSA (UNII: 7H443NUB2T) (SCROPHULARIA NODOSA - UNII:7H443NUB2T)	SCROPHULARIA NODOSA	8 [hp_X] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	3 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	30 [hp_C] in 1 mL
ARTEMISIA CINA PRE-FLOWERING TOP (UNII: 28M1820ACT) (ARTEMISIA CINA PRE-FLOWERING TOP - UNII:28M1820ACT)	ARTEMISIA CINA PRE-FLOWERING TOP	30 [hp_C] in 1 mL
CONIUM MACULATUM FLOWERING TOP (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	30 [hp_C] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	30 [hp_C] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM	LYCOPODIUM CLAVATUM	30 [hp_C]

CLAVATUM SPORE - UNII:C88X29Y479)	SPORE	in 1 mL
MERCURY (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)	MERCURY	30 [hp_C] in 1 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	30 [hp_C] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	30 [hp_C] in 1 mL
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62713-966-01	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	10/15/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/15/2021	07/15/2025

Labeler - Meditrend, Inc. DBA Progena Professional Formulations (130104805)

Revised: 1/2025

Meditrend, Inc. DBA Progena Professional Formulations