## OXYGEN- oxygen gas Advantage Respiratory Services

-----

## Oxygen

OXYGEN, COMPRESSED USP UN1072

**OXYGEN 2** 


WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Caution: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect onoxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Use in accordance with the Material Safety Data Sheet (MSDS). CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

ADVANTAGE RESPIRATORY SERVICES

4766-F DUES DRIVE

CINCINNATI, OH 45246



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications,  $R_{\chi}$  only. Caution: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. **Produced by Air Liquefaction.** 

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

# ADVANTAGE RESPIRATORY SERVICES

4766-F DUES DRIVE • CINCINNATI, OH 45246 513-860-0333

40035 (R 01/05)

513-860-0333

#### **OXYGEN**

oxygen gas

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:69286-001	
Route of Administration	RESPIRATORY (INHALATION)			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	900 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69286-001- 01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	10/14/2014	
2	NDC:69286-001- 02	415 L in 1 CYLINDER; Type 0: Not a Combination Product	10/14/2014	
3	NDC:69286-001- 03	682 L in 1 CYLINDER; Type 0: Not a Combination Product	10/14/2014	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA205849	10/14/2014		

# **Labeler -** Advantage Respiratory Services (031800244)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Advantage Respiratory Services		031800244	manufacture(69286-001)	

Revised: 11/2023 Advantage Respiratory Services