

STYE RELIEF- apis mellifera - carbon disulfide - pulsatilla vulgaris - silicon dioxide - delphinium staphisagria seed - ointment

TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Stye Relief® Homeopathic Lubricating Eye Ointment

Apis HPUS 6c, 12c, 18c

Pulsatilla HPUS 6c, 12c, 18c

Silica HPUS 6c, 12c, 18c

Staphysagria HPUS 6c, 12c, 18c

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Apis HPUS - Discomfort and burning

Pulsatilla HPUS - Uncomfortable Swelling

Silica HPUS - Itching

Staphysagria HPUS - Watering and burning

Uses*

*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

- **For external use only.**
- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- **If pregnant or breast-feeding**, ask a health professional before use.
- Replace cap after every use.
- To avoid contamination - do not touch tip to any surface.
- Use within 30 days of opening, expiration date only refers to the unopened tube.
- Contact lens wearers: Consult a physician before use.

Do not use:

- Do not use if bottom ridge of tube cap is exposed and imprinted carton seal is not intact.
- Do not use if cap or tube is damaged.

Stop use and ask a doctor if:

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens.
- The condition last longer than 72 hours.

Keep out of reach of children

In case of accidental ingestion, get medical help or contact Poison Control Center right away.

Directions:

- Wash your hands.
- Open the cap and squeeze out approx. 1/8" of the ointment onto your finger tip.
- Gently apply the ointment directly to the sty.
- Replace cap after each use.
- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Apply 3-4 times a day.

Other information

- Non-prescription drug products cannot treat infections.
- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Keep tube tightly closed.

Stye Relief Homeopathic Sterile Lubricating Eye Ointment are homeopathic dilutions, see www.thereliefproducts.com for details.

Inactive Ingredients:

Lactose, Lanolin Alcohol, Microcrystalline Wax, Mineral Oil, Purified Water, Stearic Acid, Wheat Germ Oil, White Petrolatum.

Questions?

Call: 888-969-6855

VOID OF AQUEOUS
& COLOR

Drug Facts

Active ingredients Purpose

Apis HPUS 6C, 12C, 18C.....Discomfort, burning
Carboneum sulphuratum HPUS 6C, 12C, 18C...
.....Reoccurring swelling
Pulsatilla HPUS 6C, 12C, 18C.....Uncomfortable
swelling
Silicea HPUS 6C, 12C, 18C.....Itching
Staphysagria HPUS 6C, 12C, 18C.....Watery,
burning

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Red swollen bumps on the eyelids • Itching, burning or swollen eyelids; after serious causes have been ruled out by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. • This product is intended to complement, not replace standard medical treatment. • Initial worsening of symptoms may occur. • **If pregnant or breast-feeding**, ask a health professional before use. • Contact lens wearers: Consult a physician before use • **Keep out of reach of children.** • In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening. • **EXPIRATION DATE ONLY REFERS TO THE UNOPENED TUBE.** • The use of this container by more than one person may spread infection.

Do not use if: • Bottom ridge of tube is exposed or imprinted carton seals are not intact. • Cap or tube is damaged.

Stop use and ask a doctor if: • You experience eye pain or change in vision, continued redness or irritation of the eye. ▶

TUBE IMAGE IS ACTUAL SIZE

Drug Facts (continued)

- The condition worsens.
- Symptoms last longer than 72 hours.

Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Wash your hands. • Squeeze out approx. 1/8" of ointment onto fingertip. • Gently apply ointment directly to the sty. • Apply 3 - 4 times a day and at bedtime. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

• Non-prescription drug products cannot treat infections. • Store at room temperature 15° to 30° C (59° to 86°F) • Keep tube tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Sty Relief® Homeopathic Sterile Lubricating Eye Ointment is a homeopathic dilution, for details see www.thereliefproducts.com.

Inactive ingredients

Lanolin alcohol, Microcrystalline wax, Mineral oil, Purified water, Stearic acid, Wheat germ oil, White petrolatum.

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

TRP Sty
The Relief Products Relief®

PRESERVATIVE FREE

NDC # 17312-014-13

TRP
The Relief Products™



Stye Relief®



Sterile Eye Ointment
For Sty Symptoms

Temporarily Relieves:

- Red, swollen bumps
- Swollen eye lids
- Itching, burning



Stay Healthy, Naturally.™

100% Natural Active Ingredients

MADE IN THE USA



HOMEOPATHIC
Net wt. 0.14 oz (4 grams)



Also try our **PinkEye Relief®** and **AgingEye Relief®**. Both are Women's Most Recommended® products in their category.

Stye Relief®

Ungüento para los ojos estériles.

Para los Síntomas del Orzuelo

Alivia Temporalmente:

- Protuberancias rojas e hinchadas
- Párpados hinchados
- Comezón, quemazón

Drug Facts are in Spanish on the interior of this carton. Encuentra la información en español sobre este medicamento al interior de la caja.

© 2018. All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com





Stye Relief®
Sterile Eye Ointment *For Stye Symptoms*
Net wt. 0.14 oz (4 grams)

NDC # 17312-014-13
STERILE PRESERVATIVE FREE

Drug Facts
Active ingredients Apis HPUS 6C, 12C, 18C, Carboneum sulphuratum HPUS 6C, 12C, 18C, Pulsatilla HPUS 6C, 12C, 18C, Silicea HPUS 6C, 12C, 18C, Staphysagria HPUS 6C, 12C, 18C
Inactive ingredients Lanolin alcohol, Microcrystalline wax, Mineral oil, Purified water, Stearic acid, Wheat germ oil, White petrolatum.
Directions • Refer to outer carton for complete information.
• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Wash your hands.
• Squeeze out approx. 1/8" of the ointment onto your finger tip.
• Gently apply the ointment directly to the stye. • Apply 3 to 4 times a day and at bedtime. • Store at room temperature 15° to 30°C (59° to 86°F) • Keep tube tightly closed. • Stye Relief® homeopathic Sterile Lubricating Eye Ointment is a homeopathic dilution, for details see www.thereliefproducts.com.

TRP The Relief Products
Manufactured Exclusively for: TRP Company, Inc.
1575 Delucchi Lane #115, Reno, NV 89502
Do not use if bottom ridge of tube is exposed.

141111
H2018

Do not use if tamper evident carton seals are torn, broken or missing.

FDA Disclaimer: Homeopathic products are not evaluated by the Food and Drug Administration

STYE RELIEF

apis mellifera - carbon disulfide - pulsatilla vulgaris - silicon dioxide - delphinium staphisagria seed - ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_C] in 4 g
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	6 [hp_C] in 4 g
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_C] in 4 g
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	6 [hp_C] in 4 g
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	6 [hp_C] in 4 g

Inactive Ingredients

Ingredient Name	Strength
LACTOSE (UNII: J2B2A4N98G)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WHEAT GERM OIL (UNII: 14C97E680P)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-014-13	1 in 1 PACKAGE	08/27/2014	
1		4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/01/2011	

Labeler - TRP Company (105185719)**Registrant** - TRP Company (105185719)

Revised: 8/2018

TRP Company