

**ELECTROLYTE SOLUTION- electrolyte solution injection, solution
VetTek**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

ELECTROLYTE SOLUTION

INDICATIONS:

For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS:

Do not administer intraperitoneally to horses.

CAUTION:

This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses - 1000 to 2000 mL

Calves, Ponies and Foals - 500 to 1000 mL

Adult Sheep and Swine - 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

For Animal Use Only

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

COMPOSITION:

Each 500 mL of sterile aqueous solution contains:

Dextrose • H ₂ O.....	12.50 g
Sorbitol.....	12.50 g
Sodium Lactate.....	3.95 g
Sodium Chloride.....	2.40 g
Potassium Chloride.....	0.37 g
Magnesium Chloride • 6H ₂ O.....	0.21 g
Calcium Chloride • 2H ₂ O.....	0.19 g

Milliequivalents per liter

Cations

Sodium.....	153 mEq/L
Potassium.....	9 mEq/L
Calcium.....	6 mEq/L
Magnesium.....	4 mEq/L

Anions

Chloride.....	101 mEq/L
Lactate.....	71 mEq/L
Osmolarity (calc):	602 mOsmol/L

Store between 15°C and 30°C (59°F and 86°F).

TAKE TIME OBSERVE LABEL DIRECTIONS

KEEP OUT OF REACH OF CHILDREN

18-804-60

Rev. 10-06

Manufactured by
Nova-Tech, Inc.
Grand Island, NE 68801

Manufactured For
VETTEK
Blue Springs, MO 64014

WITH DEXTROSE

NET CONTENTS: 1000 mL

Lot No.

Exp. Date

**KEEP OUT OF REACH
OF CHILDREN**

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

CAUTION: This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

DOSAGE AND ADMINISTRATION: Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses – 1000 to 2000 mL
Calves, Ponies and Foals – 500 to 1000 mL
Adult Sheep and Swine – 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

18-894-60

Rev. 10-06

Manufactured by
Ncva-Tech, Inc.
Grand Island, NE 68801

Manufactured For
VETTEK
Blue Springs, MO 64014



NDC 60270-862-20

**ELECTROLYTE
SOLUTION**

WITH DEXTROSE

For Animal Use Only

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NET CONTENTS: 1000 mL

VETTEK™

COMPOSITION: Each 500 mL of sterile aqueous solution contains:
Dextrose • H₂O 12.50 g
Sorbitol 12.50 g
Sodium Lactate 3.95 g
Sodium Chloride 2.40 g
Potassium Chloride 0.37 g
Magnesium Chloride • 6H₂O 0.21 g
Calcium Chloride • 2H₂O 0.19 g

Milliequivalents per liter

Cations
Sodium 153 mEq/L
Potassium 9 mEq/L
Calcium 6 mEq/L
Magnesium 4 mEq/L

Anions
Chloride 101 mEq/L
Lactate 71 mEq/L
Osmolarity (calc): 602 mOsmol/L
Store between 15°C and 30°C (59°F and 86°F).



Lot No. Exp. Date



ELECTROLYTE SOLUTION

electrolyte solution injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:60270-862
Route of Administration	INTRAVENOUS, INTRAPERITONEAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dextrose Monohydrate (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	Dextrose Monohydrate	12.50 g in 1000 mL
Sorbitol (UNII: 506T60A25R) (SORBITOL - UNII:506T60A25R)	Sorbitol	12.50 g in 1000 mL
Sodium Lactate (UNII: TU7HW0W0QT) (LACTIC ACID - UNII:33X04XA5AT)	Sodium Lactate	3.95 g in 1000 mL
Sodium Chloride (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	Sodium Chloride	2.40 g in 1000 mL
Potassium Chloride (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	0.37 g in 1000 mL
Magnesium Chloride (UNII: 02F3473H9O) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	0.21 g in 1000 mL
Calcium Chloride (UNII: M4I0D6VV5M) (CALCIUM CATION - UNII:2M83C4R6ZB)	Calcium Chloride	0.19 g in 1000 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60270-862-20	1000 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved drug other		01/12/2018	
-----------------------	--	------------	--

Labeler - VetTek (056387798)

Registrant - VetTek (056387798)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture, api manufacture

Revised: 1/2018

VetTek