# SLEEP AID- diphenhydramine hcl capsule, liquid filled Allegiant Health

-----

#### 431 - Sleep Aid Diphenhydramine HCl 25mg

#### Active ingredient(s)

Diphenhydramine HCl 25 mg

#### **Purpose**

Nighttime sleep-aid

#### Use(s)

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

#### Warnings

#### Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

#### Ask a doctor before use if

- a breathing problem such as asthma, emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- heart disease

#### Ask a doctor or pharmacist before use if

you are taking sedatives or tranquilizers or any other sleep aid

#### When using this product

- avoid alcoholic beverages and other drugs that cause drowsiness
- drowsiness will occur
- be careful when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

if sleeplessness persists continuously for more than 2 weeks.

• Insomnia may be a symptom of serious underlying medical illness.

#### Pregnancy/Breastfeeding

ask a health professional before use.

#### Keep out of reach of children

Overdose warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

take only one dose per day (24 hours) - see Overdose warning

Adults and children 12 years and over: ONE dose = TWO 25 mg softgels (50 mg) at bed time if needed or as directed by a doctor

#### Other information

Do not use if blister unit is torn or open.

Do not use if imprinted safety seal under cap is broken or missing.

#### Storage

- store at 15-30° C (59-86° F)
- avoid excessive heat above 40° C (104° F) and high humidity
- Protect from light

#### **Inactive ingredients**

FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, purified water, sorbitol special, white edible ink

#### **Questions**

Call 1-888-952-0050 Monday through Friday 9AM - 5PM EST

#### **Principal Display Panel**





Sleep Aid 96ct

#### C1 0- AC1 61 9

Call 1-888-952-0050 Monday through Friday 9AM - 5PM EST

griedina or comments?

**Insclive ingredients**FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, purified water, sorbitol special, white edible ink

nado no mot si

**Other Information** metore at 15-30°C (59-86°F) meavoid excessive heat above 40°C (104°F) and high humidity metorect from light medo not use if blister unit

s qocto

warning Adults and children 12 years and over: ONE dose = TWO 25 mg softgels (50 mg) at bed time if needed or as directed

IIII Jake ouly one dose per day (24 hours) - see Overdose

suogoagg

увуус элүргі

Keep out of reach of children. Overdose warming: Taking more than directed can cause serious health problems. In case of overdose, get medical help or confact a Poison Control Center (1-800-222-1222)

lesu erofed

If pregnant or breast-feeding, ask a health professional

(pənuguoo) spara finag

sk a doctor if sleeplessness persists more than 2 weeks. Im Insomnia may be a ious underlying medical illness.

s product m svoid slooholic beversges that cause drowsiness m drowsiness will reful when driving a motor vehicle or

ruillizers or any other sleep aid

r pharmacist before use if you are taking

eseesip tueed IIII – pu

efore use if you have m a breathing a sathma, emphysema or chronic bronchitis in urination due to enlargement of

for children under 12 years of age mm with ct containing diphenhydramine, even one m with other drugs that cause drowsiness amines and nightlime cold/flu products

he relief of occasional sleeplessness to fall asleep if you have difficulty falling

**Jent' (in each soffgel)** Aughtime sleep-aid

977

# Health Azze S C C C

T T

Health A2Z®

\*Compare to ingredient in Z

# S Sighttime A C

Dibhenhydramine Hdi 25 m

Fast Acting
Non-Habit Forming



\*This product is not manufactured or distributed by Procter & Gamble, owner of t registered trademark Vicks® ZzzQuil®, and LiquiCaps®.

LB1931 R0621

#### **SLEEP AID**

diphenhydramine hcl capsule, liquid filled

Product In	nformation
------------	------------

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69168-431
--------------	----------------	--------------------	---------------

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients				
Ingredient Name	Strength			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				

Product Characteristics			
Color	purple	Score	no score
Shape	CAPSULE	Size	15mm
Flavor		Imprint Code	PC11
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69168- 431-96	96 in 1 BOTTLE; Type 0: Not a Combination Product	09/21/2021		
2	NDC:69168- 431-86	1 in 1 CARTON	09/21/2021		
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product			
3	NDC:69168- 431-03	250 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2023		

## **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M011	09/21/2021	

### Labeler - Allegiant Health (079501930)

Revised: 8/2021 Allegiant Health