

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled

Major Pharmaceuticals

DRUG FACTS

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 7 mg
- store at 25°C (77°F); excursion permitted between 15-30°C (59-86°F)

Inactive ingredients

citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

compare to the active ingredient in Colace[®] Regular Strength Stool Softener[†]
docusate sodium

docusate sodium 100 mg

stool softener laxative

- gentle
- dependable
- stimulant-free

softgels

[†]This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Colace[®] Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by:

MAJOR[®] PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.major-rugby.com

Product Label


MAJOR® NDC 0904-7280-60
compare to the active ingredient in Colace® Regular Strength Stool Softener!

docusate sodium

docusate sodium 100 mg
stool softener laxative

- gentle
- dependable
- stimulant-free

100 softgels



actual size

Drug Facts
Active ingredient (in each softgel) Purpose
Docusate sodium 100 mg.....Stool softener laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 12 to 72 hours

Warnings
Do not use if you are presently taking mineral oil, unless told to do so by a doctor.


Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that lasts over 2 weeks

Drug Facts (continued under label)

This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Colace® Regular Strength Stool Softener.

Distributed by:
MAJOR PHARMACEUTICALS, Indianapolis, IN 46268
(800) 616-2471
www.major-rugby.com

Rev. 08/24 M-58 Re-order No. 701322



Product of China
PLD-1794A
LB0009998

Lot No.: 3 09047 28060 5
Exp. Date:

PEEL HERE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts (continued)

Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information
■ each softgel contains: sodium 7 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

MAJOR Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7280(NDC:53345-008)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE (Oval)	Size	13mm
Flavor		Imprint Code	PC1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7280-80	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2022	
2	NDC:0904-7280-60	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/15/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/15/2022	

Labeler - Major Pharmaceuticals (191427277)

Revised: 9/2024

Major Pharmaceuticals