

BANOPHEN- diphenhydramine hydrochloride, zinc acetate cream

Major Pharmaceuticals

Major Pharmaceuticals Banophen™ Drug Facts

Active ingredient

Diphenhydramine hydrochloride 2%

Zinc acetate 0.1%

Purpose

Topical analgesic

Skin protectant

Uses

- temporarily relieves pain and itching associated with:
- insect bites
- minor burns
- sunburn
- minor skin irritations
- minor cuts
- scrapes
- rashes due to poison ivy, poison oak and poison sumac
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product

- avoid contact with the eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

Questions or comments?

1-800-616-2471

Principal Display Panel

EXTRA STRENGTH ITCH RELIEF

COMPARE TO Active Ingredients Of EXTRA STRENGTH BENADRYL® CREAM

EXTRA STRENGTH

Banophen™

Relieves Itches From Insect Bites And Skin Irritations

EXTRA STRENGTH

Banophen™

Anti-Itch Cream

Topical Analgesic / Skin Protectant

NET WT 1 OZ (28 g)

EXTRA STRENGTH ITCH RELIEF

COMPARE TO Active Ingredients Of
EXTRA STRENGTH BENADRYL® CREAM*



NDC 0904-5354-31

EXTRA STRENGTH

Banophen™

Relieves Itches From Insect Bites And Skin Irritations

EXTRA STRENGTH ITCH RELIEF

EXTRA STRENGTH

Banophen™

Anti-Itch Cream
Topical Analgesic / Skin Protectant



NET WT 1 OZ
(28 g)



3 09045 35431 5
: 62264 5C C4

GEODE AREA

Drug Facts

Active ingredients

Diphenhydramine hydrochloride 2%.....Topical analgesic
Zinc acetate 0.1%.....Skin protectant

Purpose

Uses

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor skin irritations
 - minor burrs
 - minor cuts
 - sunburn
 - scrapes
 - rashes due to poison ivy, poison oak and poison sumac
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product ■ avoid contact with the eyes ▶

Drug Facts (continued)

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

Questions or comments? 1-800-616-2471

*Major® Banophen™ is not manufactured or distributed by Johnson & Johnson Consumer Products Company, distributor of Extra Strength Benadryl® Cream.

Distributed by: MAJOR® PHARMACEUTICALS
17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152
M-05 REV. 03/20 Re-Order No. 700740

GEODE AREA

BANOPHEN

diphenhydramine hydrochloride, zinc acetate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-5354
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	2 g in 100 g
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	0.1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIETHYLENE GLYCOL MONO- AND DIPALMITOSTEARATE (UNII: 94YQ11Y95F)	
PEG-20 STEARATE (UNII: NBX892EA57)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-5354-31	1 in 1 CARTON	06/19/2009	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/19/2009	

Labeler - Major Pharmaceuticals (191427277)