

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - SHELL BEIGE- titanium dioxide lotion
NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - ALMOND- titanium dioxide lotion
NSE Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nu Colour® Bioadaptive BB+ Foundation

Drug Facts

Active Ingredient

Titanium Dioxide 11%

Purpose

Sunscreen

Use

- Helps prevent sunburn.
- Higher SPF gives more sun protection.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- Smooth over face and neck, blending well. Seal with powder if desired.

Warnings

- **For external use only.**
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if a rash occurs.
- When using this product, keep out of eyes.
- Rinse with water to remove.
- **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours

- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information

- Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloctyl Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isostearate, Magnesium Stearate, Distearidimonium Hectorite, Magnesium Sulfate, Phenoxyethanol, Tribehenin, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propanediol, 1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions?

1-888-742-7626

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Shell Beige

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35

30 mL e 1 Fl Oz

Glue Seam

Drug Facts (continued)

6 months of age. Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information: ■ Protect this product from excessive heat and direct sun.

Drug Facts (continued)

Inactive Ingredients: Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol, Diacetyl/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butylolyl Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isostearate, Magnesium Stearate, Distardimonium Hectorite, Magnesium Sulfate, Phenoxethanol, Tribehennin, Sorbitan Sesquiosulfate, Ethylhexyl Palmitate, Triethoxycarbonylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propylene Glycol.

Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions? 1-888-742-7626




SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.
©2021 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM



Please recycle—check your local capabilities.
94515957/1

30 mL e 1 Fl Oz



Broad Spectrum
SPF 35

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

NU

NU COLOUR®

Top

Drug Facts

Active Ingredient


Titanium Dioxide 11%..... Sunscreen

Use: ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired.

Drug Facts (continued)

Warnings: ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally 15 minutes before sun exposure. ■ Children under



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Almond

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35

30 mL e 1 Fl Oz

Glue Seam

Drug Facts (continued)

6 months of age: Ask a doctor ■ Peppily at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early-skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information: ■ Protect this product from excessive heat and direct sun. ▶

Drug Facts (continued)

Inactive Ingredients: Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butylolol Salicylate, Squalane, Cetyl PEG/PPG-10 Dimethicone, Perilylene Glycol, Dimethicone Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isostearate, Magnesium Stearate, Distardimonium Heclorite, Magnesium Sulfate, Phenoxethanol, Triphenyl Sorbitan Sesquiolate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydropernated Olive Oil Ursaponitables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trilydroxyalatin, Glucosamman, Propanediol, ▶

Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499)

Questions? 1-888-742-7626



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.
©2021 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM



Please recycle—check your local capabilities.
945139571

30 mL e 1 Fl Oz

Broad Spectrum
SPF 35

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

NU

NU COLOUR®

Top

Drug Facts

Active Ingredient

Titanium Dioxide 11%..... Sunscreen


Use: ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ It used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired. ▶

Purpose

Drug Facts (continued)

Warnings: ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally 15 minutes before sun exposure. ■ Children under



NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - SHELL BEIGE

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62839-3957
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	110 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Phenyl Trimethicone (UNII: DR0K5NOJ4R)	
Dimethicone (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
Butylene Glycol (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
Mica (UNII: V8A1AW0880)	
Squalane (UNII: GW89575KF9)	
Pentylene Glycol (UNII: 50C1307PZG)	
Hexyl Laurate (UNII: 4CG9F9W01Q)	
Glycerin (UNII: PDC6A3C0OX)	
Polyglyceryl-4 Isostearate (UNII: 820DPX33S7)	
Magnesium Stearate (UNII: 70097M6I30)	
Disteardimonium Hectorite (UNII: X687XDK09L)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
Phenoxyethanol (UNII: HIE492ZZ3T)	

FERRIC OXIDE RED (UNII: 1K09F3G675)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
Ethylhexyl Palmitate (UNII: 2865993309)
Triethoxycaprylylsilane (UNII: LDC331P08E)
Stearic Acid (UNII: 4ELV7Z65AP)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
Hydrogenated Olive Oil Unsaponifiables (UNII: B8MIX97W95)
ALUMINUM OXIDE (UNII: LMI26O6933)
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
Ethylhexylglycerin (UNII: 147D247K3P)
ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
COCOA (UNII: D9108TZ9KG)
Trihydroxystearin (UNII: 06YD7896S3)
Propanediol (UNII: 5965N8W85T)
1,2-Hexanediol (UNII: TR046Y3K1G)
STANNIC OXIDE (UNII: KM7N50LOS6)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
KONJAC MANNAN (UNII: 36W3E5TAMG)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-3957-1	1 in 1 CARTON	02/03/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/03/2022	

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - ALMOND

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62839-3951
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)		Titanium Dioxide	110 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
Water (UNII: 059QF0KO0R)				
Phenyl Trimethicone (UNII: DR0K5NOJ4R)				
Dimethicone (UNII: 92RU3N3Y1O)				
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)				
Butylene Glycol (UNII: 3XUS85K0RA)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)				
Squalane (UNII: GW89575KF9)				
Mica (UNII: V8A1AW0880)				
Pentylene Glycol (UNII: 50C1307PZG)				
Hexyl Laurate (UNII: 4CG9F9W01Q)				
Glycerin (UNII: PDC6A3C0OX)				
Polyglyceryl-4 Isostearate (UNII: 820DPX33S7)				
Magnesium Stearate (UNII: 70097M6I30)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
Disteardimonium Hectorite (UNII: X687XDK09L)				
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)				
Phenoxyethanol (UNII: HIE492ZZ3T)				
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)				
TRIBEHENIN (UNII: 8OC9U7TQZ0)				
Ethylhexyl Palmitate (UNII: 2865993309)				
FERROSO FERRIC OXIDE (UNII: XM0M87F357)				
Triethoxycaprylylsilane (UNII: LDC331P08E)				
Stearic Acid (UNII: 4ELV7Z65AP)				
Hydrogenated Olive Oil Unsaponifiables (UNII: B8MIX97W95)				
ALUMINUM OXIDE (UNII: LMI26O6933)				
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)				
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)				
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)				
Ethylhexylglycerin (UNII: 147D247K3P)				
ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
COCOA (UNII: D9108TZ9KG)				
Trihydroxystearin (UNII: 06YD7896S3)				
Propanediol (UNII: 5965N8W85T)				
1,2-Hexanediol (UNII: TR046Y3K1G)				
STANNIC OXIDE (UNII: KM7N50LOS6)				
HYALURONATE SODIUM (UNII: YSE9PPT4TH)				
KONJAC MANNAN (UNII: 36W3E5TAMG)				
Packaging				
#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:62839-3951-1	1 in 1 CARTON	02/03/2022	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/03/2022	

Labeler - NSE Products, Inc. (803486393)

Revised: 2/2022

NSE Products, Inc.