

**CHILDRENS TYLENOL- acetaminophen tablet, chewable**  
**Johnson & Johnson Consumer Inc.**

-----  
**Children's Tylenol**

***Drug Facts***

**Active ingredient (in each chewable tablet)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- **chew or crush tablets completely before swallowing; do not swallow tablets whole**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (tablets) *</b>
under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

\* or as directed by a doctor

**Other information**

- store between 20-25°C (68-77°F). Avoid high humidity. Protect from light.
- **do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

**Inactive ingredients**

anhydrous citric acid, cellulose acetate, crospovidone, D&C red no. 7 calcium lake, D&C red no. 30 aluminum lake, dextrose, FD&C blue no. 1 aluminum lake, flavor, magnesium stearate, povidone, sucralose

**Questions or comments?**

call **1-800-458-1635** (toll-free) or **215-273-8755** (collect)

**PRINCIPAL DISPLAY PANEL**

NDC 50580-522-24

***Children's***

**TYLENOL**®

**Acetaminophen**

Pain Reliever  
Fever Reducer

Ibuprofen Free

Aspirin Free

***Pain+Fever***

*Ages 2-11*

***Chewables***

Chew or crush tablets completely  
before swallowing

**160 mg**

**Per Tablet**

**24** Chewable Tablets

160 mg each

Actual Size

***Grape*** Flavor



## CHILDRENS TYLENOL

acetaminophen tablet, chewable

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:50580-522

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	160 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSPVIDONE (UNII: 2S7830E561)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
CELLULOSE ACETATE (UNII: 3J2P07GVB6)				
D&C RED NO. 7 (UNII: ECW0LZ41X8)				
D&C RED NO. 30 (UNII: 2S42T2808B)				
ALUMINUM OXIDE (UNII: LMI26O6933)				
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)				
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	purple	Score	2 pieces	
Shape	ROUND	Size	16mm	
Flavor	GRAPE	Imprint Code	TY;160;HALF;HALF	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-522-24	1 in 1 CARTON	02/27/2017	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M013	02/27/2017	

**Labeler** - Johnson & Johnson Consumer Inc. (878046358)