

SUNSCREEN- avobenzene, homosalate, octisalate, octocrylene lotion
Amazon.com Services LLC

Solimo 924.000/924AA
Sport Sunscreen Lotion SPF 50

active ingredients

Avobenzene 3%

Homosalate 10%

Octisalate 4.5%

Octocrylene 8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control right away.

Directions

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply: ■ after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

inactive ingredients

water, aluminum starch octenylsuccinate, styrene/acrylates copolymer, glycerin, polyester-7, silica, chlorphenesin, arachidyl alcohol, beeswax, benzyl alcohol, neopentyl glycol diheptanoate, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance

ADVERSE REACTION

DIST. BY: Amazon.com Services, LLC

Seattle, WA 98109

1-877-485-0385

©2019 Amazon.com, Inc or it affiliates.

All rights reserved

May stain or damage some fabrics or surfaces

principal display panel

SOLIMO

Sport Sunscreen Lotion

BROAD SPECTRUM SPF 50

Water resistant (80 minutes)

UVA/UVB protection

Oxybenzone & Octinoxate free

8 FL OZ (236 mL)



Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 4.5%	Sunscreen
Octocrylene 8%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sunprotection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
 Do not use ■ on damaged or broken skin
 When using this product ■ keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if ■ rash occurs
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure
 ■ apply to all skin exposed to the sun
 ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m. – 2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 ■ children under 6 months of age: Ask a doctor

Other information ■ protect the product in this container from excessive heat and direct sun

Inactive ingredients water, aluminum starch octo-ylsuccinate, styrene/acrylates copolymer, glycerin, polyester-7, silica, chlorphenesin, arachidyl alcohol, beeswax, benzyl alcohol, neopentyl glycol diheptanoate, acrylates/C10-30 alkyl acrylate crosscopolymer, behenyl alcohol, tocopherol, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance

SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-924
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)
GLYCERIN (UNII: PDC6A3C0OX)
POLYESTER-7 (UNII: 0841698D2F)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CHLORPHENESIN (UNII: I670DAL4SZ)
WATER (UNII: 059QF0KO0R)
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)
YELLOW WAX (UNII: 2ZA36H0S2V)
BENZYL ALCOHOL (UNII: LKG8494WBH)
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)
DOCOSANOL (UNII: 9G1OE216XY)
TOCOPHEROL (UNII: R0ZB2556P8)
ARACHIDYL GLUCOSIDE (UNII: 6JVW35J0OJ)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
PEG-100 STEARATE (UNII: YD01N1999R)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-924-34	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/08/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/08/2019	

Labeler - Amazon.com Services LLC (128990418)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(72288-924)