

**ALLERGY RELIEF-D- cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release**  
**STRATEGIC SOURCING SERVICES LLC**

-----  
**Allergy relief-D**

**Drug Facts**

---

<b>Active ingredients (in each extended-release tablet)</b>	<b>Purposes</b>
Cetirizine HCl, USP 5 mg	Antihistamine
Pseudoephedrine HCl, USP 120 mg	Nasal decongestant

---

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of nose or throat
  - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

### **When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

### **If pregnant or breast-feeding**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at **1-800-222-1222**.

### **Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### **Other information**

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is opened or if the blister unit is broken**
- see side panel for batch number and expiration date

### **Inactive ingredients**

hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

### **Imprinting Ink Contents**

ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

## Questions?

Call **833-358-6431** Monday to Friday 9:00 am to 7:00 pm EST

**Distributed by:** McKesson Corp., via Strategic Sourcing Services LLC. Memphis, TN 38141

## PRINCIPAL DISPLAY PANEL - 24 Tablet Blister Card Carton

NDC 70677-1020-1

COMPARE TO ZYRTEC-D®  
12 HR ACTIVE INGREDIENTS\*

Foster & Thrive™

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride  
Extended-release Tablets, USP 5 mg/120 mg  
ANTIHISTAMINE/NASAL DECONGESTANT

Indoor & Outdoor Allergies | Allergy & Sinus

12 hour relief of:

- Sneezing
- Itchy, Watery Eyes
- Sinus Pressure
- Runny Nose
- Itchy Throat or Nose
- Nasal Congestion

ACTUAL SIZE

24 TABLETS (4 blister cards of 6 tablets each)



Expiration Date:  
Batch No.

Non Varnish Area

**Drug Facts (continued)**

**Warnings**

- Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- Ask a doctor before use if you have: heart disease, thyroid disease, diabetes, glaucoma, high blood pressure, trouble urinating due to an enlarged prostate gland, liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product do not use more than directed alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery

**Drug Facts (continued)**

**Drug Facts**

Stop use and ask a doctor if:

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever
- If pregnant or breast-feeding: not recommended. If breast-feeding: ask a health professional before use.
- If pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions**

- do not break or chew tablet; swallow tablet whole
- adults and children take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
- adults 65 years and over ask a doctor
- children under 12 years of age ask a doctor
- consumers with liver or kidney disease ask a doctor

**Other Information**

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

**Drug Facts**

**Active Ingredients (in each extended-release tablet)**

Cetirizine HCl USP 5 mg.  
Pseudoephedrine HCl USP 120 mg.  
Methylphenylpropane  
Anthistamine  
Nasal Decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itching of nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores free breathing through the nose

NDC 70677-1020-1

COMPARE TO ZYRTEC-D®  
12 HR ACTIVE INGREDIENTS\*

Foster  Thrive™

ORIGINAL PRESCRIPTION STRENGTH

# All Day Allergy-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride  
Extended-release Tablets, USP 5 mg/120 mg  
ANTIHISTAMINE/NASAL DECONGESTANT

Indoor & Outdoor Allergies | Allergy & Sinus

12 hour relief of:

- Sneezing
- Itchy, Watery Eyes
- Sinus Pressure
- Runny Nose
- Itchy Throat or Nose
- Nasal Congestion

**24 TABLETS (4 blister cards of 6 tablets each)**

 ACTUAL SIZE

\*All trademarks are property of their respective owners. This product is not affiliated with the owners/makers of Zyrtec-D®.

©2023 McKesson Corporation  
Distributed by: McKesson Corp., via Strategic Sourcing Services LLC, Memphis, TN 38141  
Money Back Guarantee  
www.fosterandthrive.com  
PLD-4604A 18000810 Rev 04/23  
Product of India

0 10939 95538 8

**Drug Facts (continued)**

**Inactive ingredients** hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

Printing Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

**Questions?** Call 833-358-6431 Monday to Friday 9:00 am to 7:00 pm EST

**DO NOT USE IF INDIVIDUAL BLISTER UNIT IS OPEN OR TORN.**



5239596

# ALLERGY RELIEF-D

cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1020
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>HYDROXYPROPYL CELLULOSE (1600000 WAMW)</b> (UNII: RFW2ET671P)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>BUTYL ALCOHOL</b> (UNII: 8PJ61P6TS3)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>HYDROXYETHYL CELLULOSE (4000 MPAS AT 1%)</b> (UNII: ZYD53NBL45)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND (circular)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	915
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1020-1	4 in 1 CARTON	08/11/2023	

<b>1</b>	6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA090922	08/11/2023	

**Labeler** - STRATEGIC SOURCING SERVICES LLC (116956644)

**Registrant** - Sun Pharmaceutical Industries Limited (650172430)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Sun Pharmaceutical Industries Limited		650445203	MANUFACTURE(70677-1020)

Revised: 8/2023

STRATEGIC SOURCING SERVICES LLC