PNV PRENATAL VITAMIN PLUS VITAMIN A- .alpha.-tocopherol acetate, dl-, ascorbic acid, cholecalciferol, cyanocobalamin, folic acid, ferrous fumarate, calcium phosphate, dibasic, anhydrous, niacinamide, pyridoxine hydrochloride, riboflavin, thiamine mononitrate, and vitamin a acetate tablet Sancilio & Company Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PNV Prenatal Health[™] - Prenatal Vitamins

PNV tablets are formulated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period, for both lactating and non-lactating mothers, and is useful for improving nutritional status prior to conception.

Each PNV tablet contains:

VITAMINS:	
Vitamin A (as acetate)	2500 IU
Vitamin C (as Ascorbic Acid)	60 mg
Vitamin D3 (as Cholecalciferol)	400 IU
Vitamin E (as Tocopheryl acetate)	15 IU
Vitamin B1 (as Thiamine Mononitrate)	1.05 mg
Vitamin B2 (as Riboflavin, USP)	1.2 mg
Niacin (as Niacinamide)	13.5 mg
Vitamin B6 (as Pyridoxine HCL)	1.05 mg
Folic Acid	1 mg
Vitamin B12 (as Cyanocobalamin)	4.5 mcg
MINERAL:	
Iron (as ferrous fumarate)	27 mg
Calcium (as Dibasic Calcium Phosphate)	50 mg

OTHER INGREDIENTS

Microcrystalline Cellulose, Croscarmellose Sodium, Citric Acid, Talc and Magnesium Stearate.

DIRECTIONS

One tablet daily with a meal, or as directed by a physician.

CAUTION

Folic acid may partially correct the hematological damage due to vitamin B12 deficiency of pernicious anemia, while the associated neurological damage progresses.

WARNING

Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS

In some cases, allergic hypersensitivity has been reported following administration of folic acid. Mild gastrointestinal disturbances may occur with products containing ferrous fumarate (iron), but usually subside with continuation of therapy.

STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59°-86°F). PROTECT FROM EXCESS HEAT AND MOISTURE. Dispense in a tight, light-resistant container with child-resistant closure.

This medical food product is formulated to be administered orally, under the supervision of a physician and is intended for the management of a dietary deficiency of folic acid and iron for which a distinctive nutritional requirement, based on recognized scientific principles, has been established by medical evaluation. The numeric identifier on this product's labeling is an assigned product code for use with pharmacy-level, health insurance and state level reimbursement programs and is not intended to denote registration or approval from the FDA.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

DO NOT USE IF INNER SAFETY SEAL IS BROKEN OR MISSING.

Manufactured by: **Sancilio & Company, Inc.**, Riviera Beach, FL 33404 (800) SCI-8711

© 2011 Sancilio & Company, Inc.

REV: 12/07/12

PRINCIPAL DISPLAY PANEL - 400 Tablet Bottle Label

44946-1046-4 Rx only

PNV Prenatal Health PNV Prenatal Vitamins

FOLIC ACID + IRON MULTIVITAMIN PLUS VITAMIN A Tablets

Provides vitamin and mineral supplementation throughout pregnancy and postnatal period

Sugar & Gluten Free

SCI Sancilio & Company, Inc Developing good science into great medicine

400 Tablets

W Prenatal Health™ - Prenatal Vitamins	The Pressing Pressing A4946-1046-4 Rx only		ADVERSE REACTIONS: In some cases, allergic hypersensitivity has been reported following administration of folic acid. Mild gastrointestinal disturbances may occur with products
$\mathcal{W}_{\mathcal{V}}$ tablets are formulated to provide vitamin and neral supplementation throughout pregnancy and during the stnatal period, for both lactating and non-lactating mothers, d is useful for improving nutritional status prior to conception.	(Ph/)		containing ferrous fumarate (iron), but usually subside with continuation of therapy. STORE AT CONTROLLED ROOM TEMPERATURE 15 ³ -30°C (59 ⁶ -86 ⁶ F), PROTECT FROM EXCESS HEAT AND MOISTURE.
ch PNV tablet contains: TAMINS:	FOLIC ACID + IRON		Dispense in a tight, light-resistant container with child-resistant closure.
Tamin A (as acetate) 2500 IU tamin C (as Accorbic Acid) .60 mg tamin D (as Cholecalciferol) 400 IU tamin E (as Tocopheryl acetate) .15 IU tamin B (as Thiamine Mononitrate) .05 mg tamin B (as Thiamine Mononitrate) .12 mg acin (as Nacionamide) .13.5 mg tamin B (as Pridoxine HCL) .105 mg tamin B (as Pyridoxine HCL) .105 mg tamin B (as Cyanocobalamin) .4.5 mcg	MULTIVITAMIN PLUS VITAMIN A Tablets		This medical food product is formulated to be administered orally, under the supervision of a physician and is intended if the management of a dietary deficiency of folia caid and iron for which a distinctive nutritional requirement, based on recognized scientific principles, has been established by medical evaluation. The numeric identifier on this product's labeling is an assigned product code for use with pharmacy- level, health insurance and state level reimbursement programs and is not intended to denote registration or
NERAL: n (as ferrous fumarate)			approval from the FDA. KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.
HER INGREDIENTS: Microcrystalline Cellulose, Croscarmellose dium, Citric Acid, Talc and Magnesium Stearate. RECTIONS: One tablet daily with a meal, or as directed by a ysician. JITION: Folic acid may partially correct the hematological	Provides vitamin and mineral supplementation throughout pregnancy	A.C.	DO NOT USE IF INNER SAFETY SEAL IS BROKEN OR MISSING.
mage due to vitamin B12 deficiency of pernicious anemia, ile the associated neurological damage progresses.	and postnatal period	a Schwarte	Manufactured by: Sancilio & Company, Inc., Riviera Beach, FL 33404 (800) SCI-8711
ARNINS: Accidential overdose of iron-containing products is a adding cause of fatal poisoning in children under 6. Keep this product t of the reach of children, in case of accidential overdose, call a coro or poison control center immediately.	Scol Sancilie & Company, Inc	400	© 2011 Sancilio & Company, Inc. REV: 12/12/12
	Demisping good science into prest mediam	TABLETS	LOT/EXP

PNV PRENATAL VITAMIN PLUS VITAMIN A

.alpha.-tocopherol acetate, dl-, ascorbic acid, cholecalciferol, cyanocobalamin, folic acid, ferrous fumarate, calcium phosphate, dibasic, anhydrous, niacinamide, pyridoxine hydrochloride, riboflavin, thiamine mononitrate, and vitamin a acetate tablet

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:44946-1046
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
.AlphaTocopherol Acetate, DL- (UNII: WR1WPI7EW8) (.AlphaTocopherol, DL UNII:7QWA1RIO01)	.AlphaTocopherol, DL-	15 [iU]
Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	60 mg
Cholecalciferol (UNII: 1C6V77QF41) (Cholecalciferol - UNII:1C6V77QF41)	Cholecalciferol	400 [iU]
Cyanocobalamin (UNII: P6 YC3EG204) (Cyanocobalamin - UNII:P6 YC3EG204)	Cyanocobalamin	4.5 ug
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	1 mg
Ferrous fumarate (UNII: R5L488RY0Q) (Ferrous cation - UNII:GW895810WR)	Ferrous cation	27 mg
Calcium Phosphate, Dibasic, Anhydrous (UNII: L11K75P92J) (CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS - UNII:L11K75P92J)	Calcium Phosphate, Dibasic, Anhydrous	50 mg
Niacinamide (UNII: 25X5118RD4) (Niacinamide - UNII:25X5118RD4)	Niacinamide	13.5 mg
Pyridoxine Hydrochloride (UNII: 68Y4CF58BV) (Pyridoxine - UNII:KV2JZ1BI6Z)	Pyridoxine Hydrochloride	1.05 mg
Riboflavin (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Riboflavin	1.2 mg
Thiamine Mononitrate (UNII: 8K0104919X) (Thiamine Ion - UNII:4ABT0J945J)	Thiamine	1.05 mg
Vitamin A Acetate (UNII: 3LE3D9D6OY) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	2500 [iU]

Inactive Ingredients	
Ingredient Name	Strength
Cellulose, Microcrystalline (UNII: OP1R32D61U)	

Anhydro	us Citric Acid (U	NII: XF417D3PSL)				
Talc (UN	NII: 7SEV7J4R1U)					
Magnesi	um stearate (UNI	II: 70097M6I30)				
	ct Characteris					
Color		N (Light brown to brown-speckled)		Score		no score
Shape	OVAL (capsule-shaped)		Size		18 mm
Flavor				Imprin	t Code	
Contains	s					
Contains	S					
Contains	S					
Contains Packag						
Packag		Package Description	Marketing	s Start Date	Ma	urketing End Date
Packag #	ging	Package Description 30 in 1 BOTTLE, PLASTIC	Marketing	s Start Date	Ma	urketing End Date
Packag #] 1 NDC:44	ging Item Code		Marketing	s Start Date	Ma	nrketing End Date
Packag #] 1 NDC:4- 2 NDC:4-	ging Item Code 4946-1046-0	30 in 1 BOTTLE, PLASTIC	Marketing	s Start Date	Ma	rketing End Date
Packag #] 1 NDC:4- 2 NDC:4-	ging Item Code 4946-1046-0 4946-1046-2	30 in 1 BOTTLE, PLASTIC 90 in 1 BOTTLE, PLASTIC	Marketing	s Start Date	Ma	urketing End Date
Packag #] 1 NDC:4- 2 NDC:4-	ging Item Code 4946-1046-0 4946-1046-2	30 in 1 BOTTLE, PLASTIC 90 in 1 BOTTLE, PLASTIC	Marketing	s Start Date	Ma	nrketing End Date
 Packag 1 NDC:44 2 NDC:44 3 NDC:44 	ging Item Code (4946-1046-0 (4946-1046-2 (4946-1046-4	30 in 1 BOTTLE, PLASTIC 90 in 1 BOTTLE, PLASTIC 400 in 1 BOTTLE, PLASTIC	Marketing	s Start Date	Ma	urketing End Date
 Packag 1 NDC:44 2 NDC:44 3 NDC:44 	ging Item Code 4946-1046-0 4946-1046-2	30 in 1 BOTTLE, PLASTIC 90 in 1 BOTTLE, PLASTIC 400 in 1 BOTTLE, PLASTIC	Marketing	s Start Date	Ma	rketing End Date
Packag 1 NDC:4 NDC:4 NDC:4 NDC:4 NDC:4 NDC:4 NDC:4	ging Item Code (4946-1046-0 (4946-1046-2 (4946-1046-4	30 in 1 BOTTLE, PLASTIC 90 in 1 BOTTLE, PLASTIC 400 in 1 BOTTLE, PLASTIC mation				

Labeler - Sancilio & Company Inc (176681257)

Revised: 12/2012

Sancilio & Company Inc