

**QUICK-SAN- sanitizing teat dip liquid
IBA**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Quick-San

Active Ingredients

ACTIVE INGREDIENTS:

Hydrogen Peroxide.....0.60%
Lactic Acid.....0.50%

INERT INGREDIENTS:

Glycerin.....2.00%
Other InertsL.....96.90%
(Includes Buffering Agents, Stabilizing Agents, Wetting Agents
and Colorants)
TOTAL.....100.00%

GENERAL RECOMMENDATION

GENERAL RECOMMENDATION

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes visibly dirty, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION

**KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD.
DO NOT TAKE INTERNALLY. PROTECT EYES AND MUCOUS MEMBRANES
FROM CONTACT WITH THIS PRODUCT.**

FIRST AID PROCEDURES

FIRST AID PROCEDURES

EYE CONTACT: AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH EYE WITH LARGE QUANTITIES OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUE. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE. IF IRRIGATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION

FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

RECOMMENDED PROCEDURES FOR TEAT SANITATION

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip, foam or spray the cow's teats full length with **QUICK-SAN** Teat Dip.
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if foaming or spraying) with a clean, single, service paper towel(s) to avoid contamination of milk.
6. Attach milking unit.

B. POST-MILKING (POST-DIPPING)

1. Immediately after milking, dip or spray all teats full length with **QUICK-SAN** Teat Dip. **Ensure good coverage of all sides of the teats and teat orifices.**

WARNING

WARNING

DO NOT MIX QUICK-SAN TEAT DIP WITH ANY OTHER PRODUCT.

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

Not For Human Use

Quick-San

NDC 29983-1054-6



QUICK-SAN

SANITIZING TEAT DIP

A Highly Effective Pre-Milking and Post-Milking Teat Dip
Contains **TWO** Germicides and Glycerin as a Humectant and Skin Conditioner

ACTIVE INGREDIENTS:

Hydrogen Peroxide..... 0.60%

Lactic Acid 0.50%

INERT INGREDIENTS:

Glycerin 2.00%

Other Inerts: 96.90%

(Includes Buffering Agents, Stabilizing Agents, Wetting Agents and Colorants)

TOTAL: 100.00%

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes visibly dirty, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION

KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY. PROTECT EYES AND MUCOUS MEMBRANES FROM CONTACT WITH THIS PRODUCT.


FIRST AID PROCEDURES

EYE CONTACT: AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH EYE WITH LARGE QUANTITIES OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUE. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300



RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip, foam or spray the cow's teats full length with QUICK-SAN Teat Dip.
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if foaming or spraying) with a clean, single service paper towel(s) to avoid contamination of milk.
6. Attach milking unit.

B. POST-MILKING (POST-DIPPING)

1. Immediately after milking, dip or spray all teats full length with QUICK-SAN Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT MIX QUICK-SAN TEAT DIP WITH ANY OTHER PRODUCT.

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

Not For Human Use

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:

LOT NO.:

NET CONTENTS: 15 GALLONS

IBA STOCK # 260502

321W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

QUICK-SAN

sanitizing teat dip liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1054
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	.60 kg in 100 kg
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	.50 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:29983-1054-4	19.14 kg in 1 PAIL		
2	NDC:29983-1054-6	57.42 kg in 1 DRUM		
3	NDC:29983-1054-8	210.56 kg in 1 DRUM		
4	NDC:29983-1054-9	1052.78 kg in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/27/2010	

Labeler - IBA (019494160)

Registrant - IBA (019494160)

Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc. DBA Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack

Revised: 12/2025

IBA