

FIRST AID ANTIBIOTIC- bacitracin ointment
HyVee Inc

Hy-Vee, Inc. First Aid Antibiotic Drug Facts

Active ingredient (each gram contains)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions or comments?

1-800-289-8343

Principal Display Panel

First Aid Antibiotic Ointment

Helps prevent infection in minor cuts, scrapes, and burns

Hy•Vee®

First Aid Antibiotic

Bacitracin

NET WT 1 OZ (28 g)

First Aid Antibiotic Ointment

Helps prevent infection
in minor cuts, scrapes, and burns



NDC 42507-536-64

First Aid Antibiotic

Bacitracin

NET WT 1 OZ (28 g)



0 75450 82457 5

: 53664 2H C1

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOWN PARKWAY
WEST DES MOINES, IA 50266 PERA1025
SATISFACTION GUARANTEED
OR PURCHASE PRICE REFUNDED
FOR INFORMATION CALL 1-800-289-8343
www.hy-vee.com



smartlabel®
Scan here for more
information or
call 1-800-289-8343



First Aid Antibiotic

Drug Facts

Active ingredient (each gram contains)

Bacitracin 500 units.....First aid antibiotic

Purpose

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information ■ store at 20°-25°C (68°-77°F)

Inactive ingredients light mineral oil, white petrolatum

Questions or comments? 1-800-289-8343

FIRST AID ANTIBIOTIC

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-536
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-536-64	1 in 1 CARTON	04/23/2026	
1	NDC:42507-536-28	28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	04/23/2026	

Labeler - HyVee Inc (006925671)

Revised: 5/2026

HyVee Inc