

**OXYGEN- oxygen gas**  
**Haun Welding Supply, Inc.**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUIFACTION OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

CONTENTS: LTRS CU. FT.

HAUN COMPANIES 5921 COURT STREET ROAD . SYRACUSE, NY 13206 315-463-5241



OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUIFACTION OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

HAUN COMPANIES 5921 COURT STREET ROAD . SYRACUSE, NY 13206 315-463-5241

**OXYGEN,  
COMPRESSED  
USP**

**UN1072**

**Produced by Air Liquefaction**



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx required.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.



**NO SMOKING  
NO VAPING**



CAS 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

**HAUN COMPANIES**

5921 COURT STREET ROAD • SYRACUSE, NY 13206

315-463-5241

40035 001  
(06/25)

**OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 Produced by Air Liquefaction.  
DO NOT REMOVE THIS PRODUCT LABEL.**


**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and

store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

HAUN COMPANIES 5921 COURT STREET ROAD . SYRACUSE, NY 13206 315-463-5241



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10526-005
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10526-005-01	37 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
2	NDC:10526-005-02	103 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
3	NDC:10526-005-03	150 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
4	NDC:10526-	171 L in 1 CYLINDER; Type 0: Not a Combination	01/01/1990	

4	005-04	Product	01/01/1990	
5	NDC:10526-005-05	210 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
6	NDC:10526-005-06	248 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
7	NDC:10526-005-07	415 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
8	NDC:10526-005-08	588 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
9	NDC:10526-005-09	682 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
10	NDC:10526-005-10	1724 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
11	NDC:10526-005-11	3453 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
12	NDC:10526-005-12	7507 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
13	NDC:10526-005-13	212 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
14	NDC:10526-005-14	424 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
15	NDC:10526-005-15	692 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
16	NDC:10526-005-16	2678 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
17	NDC:10526-005-17	3606 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
18	NDC:10526-005-18	6999 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
19	NDC:10526-005-19	9427 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/1990	

**Labeler** - Haun Welding Supply, Inc. (002257939)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		002680155	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		042526819	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		048861798	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		080314181	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		118090467	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		166399860	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		781675418	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		781675731	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		831413542	manufacture(10526-005)

## Establishment

Name	Address	ID/FEI	Business Operations
Haun Welding Supply, Inc.		860049902	manufacture(10526-005)

Revised: 12/2025

Haun Welding Supply, Inc.