

**MINOXIDIL- minoxidil solution**  
**Walgreens**

-----

**Minoxidil Topical Solution for Men**

**Drug Facts**

**Active ingredient**

Minoxidil, USP 5% w/v

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

**Warnings**

**For external use only. For use by men only.**

**Flammable:** Keep away from fire or flame

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have**

heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with minoxidil topical solution 5% for men
- In clinical studies with mostly white men aged 18 to 49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men provided more hair regrowth than minoxidil topical solution 2%
- store at controlled room temperature 20° to 25°C (68° to 77°F)

**Inactive ingredients**

alcohol (30% v/v), propylene glycol (50% v/v), purified water

**Questions?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal display panel**

Compare to the active ingredient in Men's Rogaine®††

Minoxidil Topical Solution, USP 5%,

**HAIR REGROWTH TREATMENT**

For Men Topical Solution

Unscented Extra Strength

- Reactivates hair follicles to stimulate regrowth
- Clinically proven to help regrow hair
- For best results, apply directly to scalp twice daily

mL (FL OZ) BOTTLE

††This product is not affiliated with, manufactured by, or produced by the makers or owners of Rogaine®.

DISTRIBUTED BY: **WALGREEN CO.**

**DEERFIELD, IL 60015**

**Package label**



**WALGREENS Hair Regrowth Treatment**

**MINOXIDIL**

minoxidil solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9971
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9971-02	1 in 1 CARTON	10/14/2022	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:0363-9971-06	3 in 1 BOTTLE	10/14/2022	
2		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075518	10/14/2022	

**Labeler** - Walgreens (008965063)

Revised: 10/2023

Walgreens