

**MULTI-SYMPTOM MAPAP COLD FORMULA- acetaminophen,
dextromethorphan hbr, phenylephrine hcl tablet, film coated
Major Pharmaceuticals**

Major 44-470C-CMS

Active ingredients (in each caplet)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

Uses

- temporarily relieves these common cold and flu symptoms:
 - minor aches and pains
 - nasal congestion
 - headache
 - cough
 - sinus congestion and pressure
 - sore throat
- helps clear nasal passages
- promotes nasal and sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- thyroid disease
- high blood pressure
- liver disease
- heart disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - swallow whole - do not crush, chew, or dissolve
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

MAJOR®

NDC 0904-5786-24

MULTI-SYMPTOM

Mapap®

COLD FORMULA

CAPLETS

ACETAMINOPHEN

DEXTROMETHORPHAN HBr

PHENYLEPHRINE HCl

Pain Reliever / Fever Reducer

Cough Suppressant • Nasal Decongestant

For Relief of: Fever, Headache,
Sore Throat, Nasal Congestion, Cough

DAYTIME

ASPIRIN FREE

24 CAPLETS

with Cool

Blast Flavor

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 REV0722H47008

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.majorpharmaceuticals.com

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

Drug Facts (continued)

Uses ■ temporarily relieves these common cold and flu symptoms: ■ minor aches and pains ■ nasal congestion ■ headache ■ cough ■ sinus congestion and pressure ■ sore throat ■ helps clear nasal passages

Drug Facts (continued)

Active ingredients (in each caplet)
 Acetaminophen 325 mg ■ Pain reliever/fever reducer
 Dextromethorphan Hbr 10 mg ■ Cough suppressant
 Phenylephrine HCl 5 mg ■ Nasal decongestant

Purpose

Drug Facts
 KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

NDC 0904-5786-24

MAJOR®

MULTI-SYMPTOM

Māpap®

COLD FORMULA

CAPLETS

ACETAMINOPHEN
DEXTROMETHORPHAN HBr
PHENYLEPHRINE HCl

Pain Reliever / Fever Reducer
Cough Suppressant • Nasal Decongestant

**For Relief of: Fever, Headache,
 Sore Throat, Nasal Congestion, Cough**

DAYTIME

ASPIRIN FREE

24 CAPLETS with Cool Blast Flavor



Actual Size

No print area

Lot no. & Exp. Date

Questions or comments? 1-800-426-9391

Drug Facts (continued)
 sucralose, talc, titanium dioxide

Rev. 11/22 M-17 Re-order No. 006363



3 090451 78624 6

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

PARENTS:
 Learn about teen medicine abuse
 www.StopMedicineAbuse.org

50844 REV0722H47008

Distributed by:
MAJOR® PHARMACEUTICALS
 Indianapolis, IN 46268
(800) 616-2471
 www.majorpharmaceuticals.com

between 15°-30°C (59°-86°F)

inert: xanthine gum, croscarmellose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, stearic acid

B-12 RI

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor	MENTHOL	Imprint Code	44;470
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-5786-24	2 in 1 CARTON	07/15/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/15/2005	

Labeler - Major Pharmaceuticals (191427277)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0904-5786) , pack(0904-5786)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0904-5786)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0904-5786)

Revised: 11/2023

Major Pharmaceuticals