

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE-  
aluminum hydroxide, magnesium hydroxide, and simethicone suspension**  
Rising Pharma Holdings, Inc.

-----  
**Aluminum Hydroxide, Magnesium Hydroxide and Simethicone 1,200-1,200-120  
mg/30 mL, 2,400-2,400-240 mg/30 mL**

**Drug Facts**

**1,200-1,200-120 mg/30 mL**

**Active ingredient per 30mL (1 Unit  
Dose)**

Aluminum hydroxide 1,200mg (equivalent to dried gel USP)  
Magnesium hydroxide 1,200mg  
Simethicone 120mg

**2,400-2,400-240 mg/30 mL**

**Active ingredient per 30mL (1 Unit Dose)**

Aluminum hydroxide 2,400mg (equivalent to dried gel USP)  
Magnesium hydroxide 2,400mg  
Simethicone 240mg

**Purpose**

Antacid  
Antigas

**Uses**

- relieves
- heartburn
  - sour stomach
  - acid indigestion
  - the symptoms referred to as gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium restricted diet

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.  
Antacids may interact with certain prescription drugs

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a healthcare professional before use

**Keep out of reach of children.** In case of accidental overdose, get medical help or  
contact a Poison Control Center right away (1-800-222-1222)

**Directions • shake well before use**

**1,200-1,200-120 mg/30 mL**

- Do not use more than 4 unit dose (120 mL) in a 24 hour period or use the maximum

dose for more than 2 weeks

<b>age</b>	<b>dose</b>
Adults and children over 12 years of age	Take 30 mL, one unit dose, between meals and at bedtime, or as directed by a doctor. Do not exceed 4 x 30 mL unit dose (120 mL) in a 24 hour period
Children under 12 years of age	Ask a doctor

### **2,400-2,400-240 mg/30 mL**

- Do not use more than 2 unit dose (60 mL) in a 24 hour period or use the maximum dose for more than 2 weeks

<b>age</b>	<b>dose</b>
Adults and children over 12 years of age	Take 30 mL, one unit dose, one to two times daily or as directed by a doctor. Do not exceed 2 x 30 mL unit dose (60 mL) in a 24 hour period
Children under 12 years of age	Ask a doctor

### **Other information**

#### **1,200-1,200-120 mg/30 mL**

- **each 30 mL (unit dose) contains** magnesium 510 mg and sodium 18 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- protect from freezing
- do not use if lid is torn or broke

#### **2,400-2,400-240 mg/30 mL**

- **each 30 mL (unit dose) contains** magnesium 990 mg and sodium 6 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- protect from freezing
- do not use if lid is torn or broken

#### **1,200-1,200-120 mg/30 mL / 2,400-2,400-240 mg/30 mL**

**Inactive ingredients** benzyl alcohol, butylparaben, carboxy-methylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

### **NDC Information -**

#### **1,200-1,200-120 mg/30 mL**

**Each 30 mL** of Aluminium Hydroxide / Magnesium Hydroxide / Simethicone contains Aluminum hydroxide 1,200 mg, Magnesium hydroxide 1,200 mg and Simethicone 120 mg and is supplied in the following oral dosage forms:

**NDC 57237-316-03 unit dose cup 30 mL**

**NDC 57237-316-31 (100 x 30 mL) unit-dose cups**

#### **2,400-2,400-240 mg/30 mL**

Each 30 mL of Aluminium Hydroxide / Magnesium Hydroxide / Simethicone contains Aluminum hydroxide 2,400 mg, Magnesium hydroxide 2,400 mg and Simethicone 240 mg and is supplied in the following oral dosage forms:

**NDC 57237-324-03 unit dose cup 30 mL**  
**NDC 57237-324-31 (100 x 30 mL) unit-dose cups**

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

**1,200-1,200-120 mg/30 mL**

**Case Label NDC 57237-316-31**



NDC 57237-316-31

**Aluminum Hydroxide,  
Magnesium Hydroxide  
and Simethicone**

**Antacid &  
Antigas**

1,200-1,200-120 mg/30 mL

- Sugar Free

**USUAL DOSAGE:** See attached Drug Facts

FOR INSTITUTIONAL USE ONLY

**100 x 30 mL Unit-Dose Cups**

**Drug Facts**

**Active ingredient per 30mL (1 Unit Dose)**  
 Aluminum hydroxide 1,200mg (equivalent to dried gel USP)  
 Magnesium hydroxide 1,200mg  
 Simethicone 120mg

**Purpose**  
 Antacid  
 Antigas

**Uses relieves** • heartburn • sour stomach • acid indigestion • the symptoms related to gas

**Warnings**  
 Ask a doctor before use if you have • kidney disease • a magnesium restricted diet  
 Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs

**Stop use and ask a doctor if symptoms last more than 2 weeks**  
 If pregnant or breast-feeding, ask a healthcare professional before use  
 Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions** • shake well before use  
 • Do not use more than 4 unit dose (120mL) in a 24 hour period or use the maximum dose for more than 2 weeks

age	dose
Adults and children over 12 years of age	Take 30mL, one unit dose, between meals and at bedtime, or as directed by a doctor. Do not exceed 4 x 30 mL unit dose (120mL) in a 24 hour period
Children under 12 years of age	Ask a doctor

**Other information**  
 • each 30mL (unit dose) contains magnesium 510 mg and sodium 18 mg  
 • store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]  
 • protect from freezing  
 • do not use if lid is torn or broke

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments?** Call 1-844-474-7464

**Distributed by:**  
 Rising Pharma Holdings, Inc.  
 East Brunswick, NJ 08816  
 FG-30/lss.: 04/2023



NDC 57237-316-31

**Aluminum Hydroxide,  
Magnesium Hydroxide and Simethicone**



**1,200-1,200-120 mg/30 mL**

100 x 30 mL Unit-Dose Cups



LOT#  
Exp. Date:

Unvarnished Area

**1,200-1,200-120 mg/30 mL**

**Lid Label NDC 57237-316-03**

**Delivers 30 mL**

**Aluminum Hydroxide / Magnesium Hydroxide / Simethicone**

**ANTACID & ANTIGAS**

**1,200-1,200-120 mg/30 mL**

Shake Well | For Institutional Use Only | See Label

Dist. By: Rising Pharma Holdings, Inc., NJ, 08816 Iss. 06/2023 FG-30



Exp. yyyy/mm Lot# XXXXXX

5723731603



**2,400-2,400-240 mg/30 mL**

Case Label NDC 57237-324-31



**Aluminum Hydroxide,  
Magnesium Hydroxide  
and Simethicone**

**Antacid &  
Antigas**

2,400-2,400-240 mg/30 mL

- Sugar Free

**USUAL DOSAGE:** See attached Drug Facts

FOR INSTITUTIONAL USE ONLY

100 x 30 mL Unit-Dose Cups

**Drug Facts**

**Active ingredient per 30mL (1 Unit Dose)**

Aluminum hydroxide 2,400mg.....	Antacid
Magnesium hydroxide 2,400mg.....	Antacid
Simethicone 240mg.....	Antigas

**Uses relieves:** heartburn • sour stomach • acid indigestion • the symptoms related to as gas

**Warnings**

Ask a doctor before use if you have • kidney disease • a magnesium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a healthcare professional before use

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions** - shake well before use

- Do not use more than 2 unit dose (60mL) in a 24 hour period or use the maximum dose for more than 2 weeks

age	dose
Adults and children over 12 years of age	Take 30mL, one unit dose, one to two times daily or as directed by a doctor. Do not exceed 2 x 30 mL unit dose (60mL) in a 24 hour period
Children under 12 years of age	Ask a doctor

**Other information**

- each 30mL (unit dose) contains magnesium 980 mg and sodium 6 mg
- store at 20° to 25°C (68° to 77°F). (See USP Controlled Room Temperature)
- protect from freezing
- do not use if lid is torn or broken

**Inactive ingredients:** benzyl alcohol, butylparaben, carbonylmethylcellulose, sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution.

**Questions or comments?** Call 1-844-474-7464

Distributed by:  
Rising Pharma Holdings, Inc.  
East Brunswick, NJ 08816  
FG-44/Iss.: 07/2023



N 3 57237 32431 8

NDC 57237-324-31



N 3 57237 32431 8

**Aluminum Hydroxide,  
Magnesium Hydroxide and Simethicone**

2,400-2,400-240 mg/30 mL

100 x 30 mL Unit-Dose Cups



LOT# Unvarnished Area

Exp. Date:

2,400-2,400-240 mg/30 mL  
Lid Label NDC 57237-324-03

Delivers 30 mL

**Aluminum Hydroxide / Magnesium Hydroxide / Simethicone**

ANTACID & ANTIGAS

2,400-2,400-240 mg/30 mL

Shake Well | For Institutional Use Only | See Label

Dist. By: Rising Pharma Holdings, Inc., NJ, 08816 Iss. 08/2023 FG-44



Exp. yyyy/mm Lot# XXXXXX



5723732403

<b>ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE</b>			
aluminum hydroxide, magnesium hydroxide, and simethicone suspension			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57237-316
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	1200 mg in 30 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 30 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	120 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QP1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	PEPPERMINT	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57237-316-31	100 in 1 BOX, UNIT-DOSE	08/15/2023	
1	NDC:57237-316-03	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001.15	08/15/2023	

## ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57237-324
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	2400 mg in 30 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	2400 mg in 30 mL

<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	240 mg in 30 mL	
<b>Inactive Ingredients</b>				
		<b>Ingredient Name</b>	<b>Strength</b>	
		<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)		
		<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)		
		<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)		
		<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)		
		<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)		
		<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)		
		<b>WATER</b> (UNII: 059QF0K00R)		
		<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)		
		<b>SORBITOL SOLUTION</b> (UNII: 8KWBE207O2)		
<b>Product Characteristics</b>				
<b>Color</b>			<b>Score</b>	
<b>Shape</b>			<b>Size</b>	
<b>Flavor</b>		CHERRY	<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:57237-324-31	100 in 1 BOX, UNIT-DOSE	07/05/2023	
1	NDC:57237-324-03	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M001.15	07/05/2023		

**Labeler** - Rising Pharma Holdings, Inc. (116880195)

Revised: 7/2025

Rising Pharma Holdings, Inc.