

OHM IMMUNOLOGICAL ACUTE TERRAIN- aconitum napellus, aranea diadema, arnica montana, asclepias vincetoxicum, baptisia tinctoria, bryonia alba, echinacea angustifolia, equisetum hyemale, eupatorium perforliatum, gelsemium sempervirens, hepar sulphuris calcareum, juglans regia, phytolacca decandra, sanguinaria canadensis, sarsaparilla, sulphur, zincum metallicum liquid
OHM PHARMA INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

OHM IMMUNOLOGICAL ACUTE TERRAIN

ACTIVE INGREDIENTS (HPUS*): Equal amounts of: Aconitum Napellus 7X, Aranea Diadema 9X, Arnica Montana 6X, Asclepias Vincetoxicum 12X, Baptisia Tinctoria 8X, Bryonia Alba 10X, Echinacea Angustifolia 6X, Equisetum Hyemale 7X, Eupatorium Perforiatum 10X, Gelsemium Sempervirens 8X, Hepar Sulphuris Calcareum 12X, Juglans Regia 6X, Phytolacca Decandra 10X, Sanguinaria Canadensis 8X, Sarsaparilla 9X, Sulphur 10X, Zincum Metallicum 12X.

*The letters "HPUS" indicate the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

USES: Temporarily relieves weak immune system response in acute pathologies. Improves acute immune responsiveness.**

**This statement has not been evaluated by the FDA.

It is based on documented Homeopathic Materia Medica.

WARNINGS:

IF PREGNANT OR BREAST-FEEDING, ask a health professional before use. If symptoms worsen or persist for more than 5 days, discontinue use and contact a health care professional.

KEEP OUT OF THE REACH OF CHILDREN.

DIRECTIONS: To open ampoule snap top up and away from you. Using pipette place entire content under the tongue, hold it for 30 seconds and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional.

Children under 12 years use 1/2 the adult dose.

Discard unused solution. Solution does not contain any preservatives.

Not for injection.

OTHER INFORMATION: Store at controlled room temperature. Tamper evident seal. Do not use if box seal is missing or broken.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067

Made in USA

www.ohmpharma.com

Weak immune system response relief

NDC: 66096-186-06

OHM IMMUNOLOGICAL ACUTE TERRAIN
HOMEOPATHIC MEDICINE

Pharmaceutical Grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each.

NDC: 66096-186-06

OHM IMMUNOLOGICAL ACUTE TERRAIN

HOMEOPATHIC MEDICINE

Pharmaceutical grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each.

DRUG FACTS

ACTIVE INGREDIENTS (HPUS*): Equal amounts of: Aconitum Napellus 7X, Aranea Diadema 9X, Arnica Montana 6X, Asclepias Vincetoxicum 12X, Baptisia Tinctoria 8X, Bryonia Alba 10X, Echinacea Angustifolia 6X, Equisetum Hyemale 7X, Eupatorium Perforliatum 10X, Gelsemium Sempervirens 8X, Hepar Sulphuris Calcereum 12X, Juglans Regia 6X, Phytolacca Decandra 10X, Sanguinaria Canadensis 8X, Sarsaparilla 9X, Sulphur 10X, Zincum Metallicum 12X.

USES: Temporarily relieves weak immune system response in acute pathologies. Improves acute immune responsiveness.**

WARNINGS:

IF PREGNANT OR BREAST- FEEDING, ask a health professional before use. KEEP OUT OF THE REACH OF CHILDREN. If symptoms worsen or persist for more than 5 days, discontinue use and contact a health care professional.

DRUG FACTS (continued)

DIRECTIONS: To open ampoule snap top up and away from you. Using pipette place entire content under the tongue, hold it for 30 seconds and swallow.

POSODOGY: Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional. Children under 12 years: use 1/2 the adult dose. Discard unused solution. Solution does not contain any preservatives. Not for injection.

*The letters "HPUS" indicate the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

OTHER INFORMATION: Store at controlled room temperature. Tamper evident seal. Do not use if box seal is missing or broken.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067

** This statement has not been evaluated by the FDA. It is based on documented Homeopathic Materia Medica.



3 66096 18606 7

Lot:

Exp:

Made in USA

www.ohmpharma.com



ohm
PHARMA

NDC: 66096-186-06

OHM-INMA

MEDICAMENTO HOMEOPATICO

Pharmaceutical grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each. PARA USO ORAL.

DRUG FACTS

ACTIVE INGREDIENTS (HPUS): 100 ml contains: Aconitum Napellus 7X, Aranea Diadema 9X, Arnica Montana 6X, Asclepias Vincetoxicum 12X, Baptisia Tinctoria 8X, Bryonia Alba 10X, Echinacea Angustifolia 6X, Equisetum Hyemale 7X, Eupatorium Perforliatum 10X, Gelsemium Sempervirens 8X, Hepar Sulphuris Calcereum 12X, Juglans Regia 6X, Phytolacca Decandra 10X, Sanguinaria Canadensis 8X, Sarsaparilla 9X, Sulphur 10X, Zincum Metallicum 12X; 0.58 ml each.

INDICACIONES: Venta bajo prescripción medica.

WARNINGS:

IF PREGNANT OR BREAST- FEEDING, ask a health professional before use. KEEP OUT OF THE REACH OF CHILDREN. If symptoms worsen or persist for more than 5 days, discontinue use and contact a health care professional.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

DRUG FACTS (continued)

DIRECTIONS: To open ampoule snap top up and away from you. Using pipette place entire content under the tongue, hold it for 30 seconds and swallow.

POSODOGY: Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional. Children under 12 years: use 1/2 the adult dose. Discard unused solution. Solution does not contain any preservatives.

CONDICIONES Y ADVERTENCIAS: Conservar el medicamento protegido del calor, luz y humedad. Almacenar a no mas de 30°C. Mantengase fuera del alcance de los niños. Hipersensibilidad a alguno de sus componentes.

R.S. INVIMA No: MH2010-0001592

Importado y Distribuido para Colombia por OHM PHARMA COLOMBIA Ltda
Calle 37 Sur # 28 C 57, Medellin, Antioquia. Tel: (57) 4-379-5995

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067



3 66096 18606 7

Lot:

Exp:

Made in USA

www.ohmpharma.com



ohm
PHARMA



ohm
PHARMA

OHM-INMA
OHM Immunological Acute
Terrain

2.2 ml Drinkable Ampoule

OHM PHARMA INC., USA

INV. Reg: MH2010-0001592

Exp:
Lot:

Para Uso Oral



Your Partner in Homeopathy

Description:

Homeopathic medication. Please see box label.

Instructions for opening:

Please make sure that all content of the ampoule is below the narrow neck. Ampoules are pre-scored. It is not necessary to use an ampoule opener. If you are using one, push the narrow flanged end of the ampoule opener over the top of the ampoule until the flange snaps in place on the neck of the vial. Snap the ampoule top slightly upward and away from you. To withdraw the content, tilt the open ampoule, squeeze the bulb of the pipette and insert the tip into the ampoule. Slowly release the pressure on the bulb until content is withdrawn from ampoule. Content of ampoules may be placed directly from the pipette under the tongue, or content may be emptied into a glass with some filtered or purified water. The liquid should be retained in the mouth for 30 seconds in order to improve the absorption.

BE CAREFUL OF SHARP EDGES AFTER OPENING AMPOULE.

Dosage form:

Liquid ampoules. For package content please see box label.

Active ingredients:

Please see box label.

Inactive ingredient:

Please see box label.

Pharmacological class:

OTC homeopathic drug.

Indications and usage:

To be used according to standard homeopathic indications. Please see box label.

Contraindications:

Contraindicated in patients with a known hypersensitivity to any of its ingredients.

Adverse reactions:

In rare cases, patients with a hypersensitivity to any of the ingredients may experience an allergic reaction after administration.

Precautions:

No harmful or potentially hazardous side effects are known. Homeopathic drugs can be safely administered to children.

Interactions with other medicines:

None known.

Drug abuse and dependence:

Not applicable for homeopathic drugs.

Warning:

Keep out of the reach of children. As with any drug if you are pregnant or nursing a baby, seek the advice of a health professional before using this homeopathic drug. If symptoms persist or worsen, discontinue use and contact a health professional.

Dosage:

Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional. *Children under 12 years:* use half the adult dose.

Administration:

According to health care practitioner.

Overdosage:

Overdosage is extremely rare due to the nature of homeopathic drugs but care must be taken not to exceed the recommended dosage.

Storage conditions:

Store at controlled room temperature, between 59°F and 86°F (15°C and 30°C). Protect from direct light. Store the ampoule in the box until time of use. Avoid freezing and excessive heat. Discard any unused solution after the ampoule has been opened. Do not store opened ampoules.

SOLUTION DOES NOT CONTAIN ANY PRESERVATIVES.

Last document revision:

January 2015

Manufacturer:

OHM PHARMA INC.
USA
www.ohmpharma.com





ohm
PHARMA

Su Socio en Homeopatía

Descripción:

Medicamento Homeopático. Por favor vea la etiqueta en la caja.

Instrucciones para abrir la ampolleta:

Por favor asegúrese que el contenido de la ampolleta este por debajo del cuello angosto. Las ampolletas vienen con un precorte. No es necesario utilizar el tubillo plástico para abrir la ampolleta, si lo desea utilizar, presione la parte que tiene las presillas sobre la parte superior de la ampolleta hasta que las presillas lleguen al cuello angosto de la ampolleta. Presione el cuello en contra de usted y levemente hacia arriba. Para extraer el contenido ladee la ampolleta abierta, presione el bulbo del gotero e inserte la punta en la ampolleta. Lentamente libere la presión hasta que el contenido sea extraído. El contenido de la ampolleta puede ser colocado directamente debajo de la lengua o en un vaso con poca agua filtrada o destilada. La solución debe ser mantenida en la boca por 30 segundos para aumentar la absorción.

TENGA PRECAUCIÓN CON LOS BORDES AFILADOS DE LA AMPOLLETA UNA VEZ ABIERTA.

Forma Farmacéutica:

Ampolletas líquidas.
Para contenido del empaque ver etiqueta en la caja.

Ingredientes Activos:

Ver etiqueta en la caja.

Ingredientes Inactivos:

Ver etiqueta en la caja.

Clase Farmacológica:

Medicamento Homeopático OTC.

Indicaciones:

Utilizar según indicaciones estándares para medicamentos homeopáticos. Ver etiqueta en la caja.

Contraindicaciones:

Contraindicado en pacientes con conocida hipersensibilidad a alguno de los componentes.

Efectos Adversos:

En casos excepcionales, pacientes con hipersensibilidad a algún componente pueden presentar una reacción alérgica posterior a la administración.

Precauciones:

No se conocen efectos perjudiciales o potencialmente nocivos.
Los medicamentos homeopáticos pueden ser administrados con seguridad en niños.

Interacción medicamentosa:

Ninguna conocida.

Abuso o dependencia:

No es aplicable a los medicamentos homeopáticos.

Advertencia:

Mantenga esta y todas las medicinas fuera del alcance de los niños. Como con cualquier medicina si usted esta embarazada o lactando consulte a su medico. Si los síntomas persisten o empeoran, suspenda el uso y consulte a su medico.

Posología:

Adultos y niños mayores de 12 años: En general, 1 ampolleta de 1-3 veces al día o según sea ordenado por el medico.
Niños menores de 12 años: La 1/2 de la dosis del adulto.

Administración:

Según prescripción médica.

Sobredosis:

Sobredosis es extremadamente inusual dada la característica del medicamento homeopático, pero se recomienda no exceder la dosis recomendada.

Condiciones de Almacenamiento:

Almacénese a temperatura entre 15°C and 30°C (59°F and 86°F). Proteger de la luz directa. Conserve la ampolleta en la caja hasta antes de administrarse. Evite congelar o exponer al medicamento a temperaturas extremas. Deseche cualquier residuo no administrado después de haber abierto la ampolleta. No almacene ampolletas abiertas.

ESTE MEDICAMENTO NO CONTIENE PRESERVATIVOS.

Fecha de Expiración:

Ver fecha de expiración impresa en cada ampolleta individual.

Ultima Revisión del Documento:

Enero 2015

Manufacturado por:

OHM PHARMA INC.
USA
www.ohmpharma.com



OHM IMMUNOLOGICAL ACUTE TERRAIN

aconitum napellus, aranea diadema, arnica montana, asclepias vincetoxicum, baptisia tinctoria, bryonia alba, echinacea angustifolia, equisetum hyemale, eupatorium perforliatum, gelsemium sempervirens, hepar sulphuris calcareum, juglans regia, phytolacca decandra, sanguinaria canadensis, sarsaparilla, sulphur, zincum metallicum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66096-186
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	7 [hp_X] in 1 mL
ARANEUS DIADEMATUS (UNII: 6T6CO7R3Z5) (ARANEUS DIADEMATUS - UNII:6T6CO7R3Z5)	ARANEUS DIADEMATUS	9 [hp_X] in 1 mL

ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	6 [hp_X] in 1 mL
CYNANCHUM VINCETOXICUM ROOT (UNII: 9R858U917W) (CYNANCHUM VINCETOXICUM ROOT - UNII:9R858U917W)	CYNANCHUM VINCETOXICUM ROOT	12 [hp_X] in 1 mL
BAPTISIA TINCTORIA (UNII: 5K1UO2888Y) (BAPTISIA TINCTORIA - UNII:5K1UO2888Y)	BAPTISIA TINCTORIA	8 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	10 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	6 [hp_X] in 1 mL
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	7 [hp_X] in 1 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	10 [hp_X] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	8 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 mL
JUGLANS REGIA LEAF (UNII: 85HKB87105) (JUGLANS REGIA LEAF - UNII:85HKB87105)	JUGLANS REGIA LEAF	6 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	10 [hp_X] in 1 mL
SANGUINARIA CANADENSIS ROOT (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	8 [hp_X] in 1 mL
SMLAX REGELII ROOT (UNII: 2H1576D5WG) (SARSAPARILLA - UNII:2H1576D5WG)	SMLAX REGELII ROOT	9 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	10 [hp_X] in 1 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	12 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66096-186-06	12 in 1 BOX		
1		2.2 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/23/2015	

Labeler - OHM PHARMA INC. (030572478)

Registrant - OHM PHARMA INC. (030572478)

Establishment

Name	Address	ID/FEI	Business Operations
OHM PHARMA INC.		030572478	manufacture(66096-186)

Revised: 1/2016

OHM PHARMA INC.