

**RENOVE ROYAL PERFECT COLOR CONTROL CUSHION SPF 37 / PA- titanium dioxide, zinc oxide cream**

**Y.S. Health Corp.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Renove Royal Perfect Color Control Cushion SPF 37+ / PA++**

**Drug Facts**

**ACTIVE INGREDIENTS**

Titanium Dioxide 8.14%

Zinc Oxide 6.86%

Ethylhexyl methoxycinnamate 4.0%

**PURPOSE**

Sunscreen

**USES**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**WARNINGS**

- For external use only

**Do not use on**

damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- Apply liberally 15 minutes before sun exposure.
- Reapply after 80 minutes of swimming or sweating.
- Immediately after towel drying
- At least every 2 hours
- Sun protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 years of age: Ask a doctor.

## **INACTIVE INGREDIENTS**

1. Water, Cyclopentasiloxane, Butylene Glycol, Ethylhexyl Methoxycinnamate, Phenyl Trimethicone, C12-15 Alkyl Benzoate, Cetyl PEG/PPg-10/1 Dimethicone, Talc, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Silica, Hydrogenated Polyisobutene, Mica, Niacinamide, Dipropylene Glycol Dibenzoate, Portulaca Oleracea Extract, Sorbitan Isostearate, Acrylates/Stearyl Acrylate/Dimethicone Methacrylate Copolymer, Centella Asiatica Extract, Iron Oxides(CI 77492), Disteardimonium Hectorite, Polymethyl Methacrylate, Sodium Chloride, Fragrance, PPG-15 Stearyl Ether Benzoate, Triethoxycaprylylsilane, Phenoxyethanol, Sorbitan Sesquioleate, Caprylic/Capric Triglyceride, Calcium Stearate, Iron Oxides(CI 77491), Nylon-12, Ethylhexylglycerin, Iron Oxides(CI 77499), Methicone, Tocopheryl Acetate, Lecithin, Polyhydroxystearic Acid, Ethylhexyl Palmitate, Isostearic Acid, Isopropyl Myristate, Polyglyceryl-3 Polyricinoleate, Polyethylene, Disodium EDTA, Trimethylsiloxysilicate, Adenosine, 1,2-Hexanediol, Royal Jelly Extract

## **OTHER INFORMATION**

Protect this product from excessive heat and direct sun.

## **Product Label**



## RENOVE ROYAL PERFECT COLOR CONTROL CUSHION SPF 37 / PA

titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:60782-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	81.4 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	68.6 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	40 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)
TALC (UNII: 7SEV7J4R1U)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
MICA (UNII: V8A1AW0880)
NIACINAMIDE (UNII: 25X51I8RD4)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)
PURSLANE (UNII: M6S840WYG5)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
CENTELLA ASIATICA (UNII: 7M867G6T1U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
TRICAPRIN (UNII: O1PB8EU98M)
CALCIUM STEARATE (UNII: 776XM7047L)
NYLON-12 (UNII: 446U8J075B)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISOSTEARIC ACID (UNII: X33R8U0062)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ADENOSINE (UNII: K72T3FS567)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60782-002-00	2 in 1 BOX		
1		15 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/04/2015	

**Labeler** - Y.S. Health Corp. (612982504)

**Registrant** - Y.S. Health Corp. (612982504)

Revised: 1/2016

Y.S. Health Corp.