

BENZOAZELINE 10- benzoyl peroxide cream
Noon Aesthetics M.R. Ltd

BenzoAzeline 10

Drug Facts

Active Ingredient

Benzoyl Peroxide 10%

Purpose

Acne Medication

Uses

- For the treatment of acne.

Warnings

For external use only.

Do not use if you

- have very sensitive skin.
- are sensitive to benzoyl peroxide.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of children.

- If swallowed, get help or contact a Poison Control Center right away.

Directions

Sensitivity Test for a New User.

Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.

- Clean the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water (Aqua), Azelaic Acid, Strontium Chloride Hexahydrate, Dimethyl Sulfone, Potassium Azeloyl Diglycinate, Propanediol, Propylene Glycol, Ethanol, Oleic Acid, Glyceryl Stearate, PEG-100 Stearate, Benzyl Benzoate, Arachidyl Alcohol, Cetearyl Glucoside, Cetearyl Alcohol, Xylitol, Anhydroxylitol, Phenoxyethanol, Behenyl Alcohol, Hydroxyethyl Acrylate/ Sodium Acryloyldimethyl Taurate Copolymer, Arachidyl Glucoside, Xylitylglucoside, Disodium EDTA, Caprylyl Glycol, Glucose.

Developed + Dist by
noon
AESTHETICS

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton

no
on
AESTHETICS

BenzoAzeline 10
ACNE TREATMENT

+ DERMSHIELD™

NDC 78863-1310-1

50 mL / 1.75 Fl. Oz. e

noonaesthetics.com



CORRECT | Ac, Rs

PARACEUTICAL

Maximum Potent Formula
for Acne Treatment

Benzoyl Peroxide 10%
Azelaic Acid 13%

Patented DermShield™
+ Follicle Technologies



AESTHETICS

BenzoAzeline 10
ACNE TREATMENT

+ DERMSHIELD™

NDC 78863-1310-1

50 mL / 1.75 Fl. Oz. E



Drug Facts

Active Ingredient	Purpose
Benzoyl Peroxide 10%	Acne Medication

Uses

- For the treatment of acne.

Warnings

For external use only.

Do not use if you

- have very sensitive skin.
- are sensitive to benzoyl peroxide.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe.
- Keep out of reach of children.
- If swallowed, get help or contact a Poison Control Center right away.

Directions

Sensitivity Test for a New User:

- Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- Clean the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water (Aqua), Azelaic Acid, Strontium Chloride Hexahydrate, Dimethyl Sulfone, Potassium Azeloyl Diglycinate, Propandiol, Propylene Glycol, Ethanol, Citric Acid, Glyceryl Stearate, FCC-100 Stearate, Benzyl Benzoate, Arachidyl Alcohol, Cetearyl Glucoside, Cetearyl Alcohol, Xylitol, Anhydroxylitol, Phenoxethanol, Behenyl Alcohol, Hydroxyethyl Acrylate, Sodium Acryloyldimethyl Taurate Copolymer, Arachidyl Glucoside, Xylitylglucoside, Titanium Dioxide, Caprylyl Glycol, Glucose.

Developed & Dist by
noona
AESTHETICS

TEL 02-559
Made in Israel
noonaesthetics.com



BENZOAZELINE 10

benzoyl peroxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78863-1310
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	1000 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
AZELAIC ACID (UNII: F2VW3D43YT)	
POTASSIUM AZELOYL DIGLYCINATE (UNII: N02RVN6NYP)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
STRONTIUM CHLORIDE HEXAHYDRATE (UNII: O09USB7Z44)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
PROPANEDIOL (UNII: 5965N8W85T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
OLEIC ACID (UNII: 2UMI9U37CP)	
PEG-100 MONOSTEARATE (UNII: YD01N1999R)	
BENZYL BENZOATE (UNII: N863NB338G)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
XYLITOL (UNII: VCQ006KQ1E)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
DOCOSANOL (UNII: 9G1OE216XY)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
ARACHIDYL GLUCOSIDE (UNII: 6JVV35J00J)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1310-1	1 in 1 CARTON	03/01/2024	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:78863-1310-2	1 in 1 CARTON	03/01/2024	
2		15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	03/01/2024	

Labeler - Noon Aesthetics M.R. Ltd (600185560)

Establishment

Name	Address	ID/FEI	Business Operations
Noon Aesthetics M.R. Ltd		600185560	MANUFACTURE(78863-1310)

Revised: 1/2026

Noon Aesthetics M.R. Ltd