STOOL SOFTENER LAXATIVE- docusate sodium, sennosides tablet Family Dollar (FAMILY WELLNESS)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Stimulant laxative

Uses

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12	take 2-4
	tablets daily
children 6 to under 12	take 1-2
years of age	tablets daily
children 2 to under 6	take up to 1
years of age	tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red # 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS OF COLACE® 2-IN-1*

STOOL SOFTENER

With Stimulant Laxative

Docusate sodium 50 mg

Sennosides 8.6 mg

Relieves Constipation

TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS

BROKEN OR MISSING.


 \dagger This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace @ 2-IN-1.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

500 VOLVO PARKWAY,

CHESAPEAKE, VA 23320

Product Label



Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	Inactive ingredients camauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellos magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide	Other information = each tablet contains: calcium 21 mg = each tablet contains: sodium 5 mg V store at 25°C (77°F); excursions perm 15-30°C (59-86°F)	children under 2	children 2 to under 6 years of age	children 6 to under 12 years of age	adults and children 12 years and over	Directions take only by mouth. Doss daily dose, preferably in 1	before use. Keep out of reach of child medical help or contact a P	If pregnant or breast-feed	Stop use and ask a doctor if you have or fail to have a bowel movement after These may indicate a serious condition.	Ask a doctor before use if you have stomach pain I nausea I von noticed a sudden change in bowel t over a period of 2 weeks	Drug Facts (continued)
nents? day-Friday 9AM-5PM EST	Inactive ingredients camauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red ≢40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide	ther information each tablet contains: calcium 21 mg each tablet contains: sodium 5 mg VERY LOW SODIUM store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	ask a doctor	take up to 1 tablet daily	take 1-2 tablets daily	take 2-4 tablets daily	Directions take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.	before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	If pregnant or breast-feeding, ask a health professional	Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.	sk a doctor before use if you have stomach pain Indusea I vomiting noticed a sudden change in bowel habits that lasts over a period of 2 weeks	ed)

FAMILY WELLNESS Stool Softener with Laxative

STOOL SOFTENER LAXATIVE

docusate sodium, sennosides tablet

Product Information HUMAN OTC DRUG Item Code (Source) NDC:55319-878 Route of Administration ORAL ORAL ORAL ORAL

		ive Moiety				
		ngredient Name		Basis of	Strength	Strength
DOCUSATE SODIU	JM (UNII: FC)5Q2T2JA0) (DOCUSA	TE - UNII:M7P27195A	G) DOCUSATE	SODIUM	50 mg
SENNOSIDES (UNII	I: 3FYP5M0I	JX) (SENNOSIDES - U	NII:3FYP5M0IJX)	SENNOSIDE	S	8.6 mg
Inactive Ingre	edients					
		Ingredier	nt Name		9	Strength
CARNAUBA WAX (
		I (UNII: M280L1HH48)				
			III: O/ISZ9/GEP)			
HYPROMELLOSES						
MAGNESIUM STEA		LLINE (UNII: OP1R32				
SODIUM BENZOAT		•				
STEARIC ACID (UN						
TALC (UNII: 7SEV7)		- /				
TITANIUM DIOXID		FIX9V2JP)				
SILICON DIOXIDE	(UNII: ETJ72	Z6XBU4)				
ALUMINUM OXIDE	(UNII: LMI2	606933)				
ALUMINUM OXIDE FD&C RED NO. 40						
FD&C RED NO. 40	UNII: WZE		WJQ0SDW1A)			
FD&C RED NO. 40	UNII: WZE	39127XOA)	WJQOS DW1A)			
FD&C RED NO. 40) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3	WJQOS DW1A)			
FD&C RED NO. 40 POLYETHYLENE G) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3	WJQOSDWIA) Score		no score	
FD&C RED NO. 40 POLYETHYLENE G Product Chara) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3			no score 10mm	
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3 iCS red	Score			
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3 iCS red	Score Size		10mm	
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape Flavor) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3 iCS red	Score Size		10mm	
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape Flavor Contains) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3 iCS red	Score Size		10mm	
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape Flavor) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3 iCS red	Score Size		10mm	
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape Flavor Contains) (UNII: WZ E S lycol, UI	39127XOA) NSPECIFIED (UNII: 3 iCS red	Score Size Imprint Code	Marketing Star Date	10mm TCL097	eting End Date
FD&C RED NO. 40 POLYETHYLENE G Polyethylene G Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-) (UNII: WZ E GLYCOL, UI	B9127XOA) NSPECIFIED (UNII: 3 ICS red ROUND Package Desc DTTLE, PLASTIC; Type	Score Size Imprint Code	-	10mm TCL097	Date
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-) (UNII: WZ E GLYCOL, UI Acteristi	B9127XOA) NSPECIFIED (UNII: 3 ICS red ROUND Package Desc DTTLE, PLASTIC; Type	Score Size Imprint Code	Date	10mm TCL097	Date
FD&C RED NO. 40 POLYETHYLENE G Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319-	0 (UNII: WZ E GLYCOL, UI Acteristi 100 in 1 B(Combinatio	B9127XOA) SPECIFIED (UNII: 3 CS red ROUND Package Desc DTTLE, PLASTIC; Type on Product	Score Size Imprint Code	Date	10mm TCL097	Date
FD&C RED NO. 40 POLYETHYLENE G Color Shape Flavor Contains Packaging # Item Code 1 NDC:55319- 878-10	0 (UNII: WZ E LYCOL, UI acterist acterist 100 in 1 B(Combination Inform	B9127XOA) SPECIFIED (UNII: 3 CS red ROUND Package Desc DTTLE, PLASTIC; Type on Product	Score Size Imprint Code ription e 0: Not a	Date	t Marke	Date

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)