

WEST DIP- iodine solution
DeLaval, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DeLavalWest Dip®

Ready-To-Use Disinfecting Teat Dip

Aids in reducing the spread of mastitis-causing organisms

ACTIVE INGREDIENTS:

Iodine* 1.0%

* From polyethoxy polypropoxy polyethoxy ethanol-iodine complex

OTHER INGREDIENTS:

Emollient** 4.0%

**From glycerin

KEEP OUT OF REACH OF CHILDREN

! CAUTION

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Keep out of eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use

Additional Information on Safety Data Sheet

PRODUCT BENEFITS

- Mild pH-balanced formula.
- Cosmetic-grade complexors plus glycerin.
- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.
- Sprayable.

DIRECTIONS FOR USE

GENERAL INSTRUCTIONS:

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use **West Dip**[®] teat dip for cleaning or sanitizing equipment.

TEAT DIPPING INSTRUCTIONS:

PRE-DIPPING

If you choose to use **West Dip**[®]:

- Make sure udders and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with **West Dip**[®].
- Allow 30 to 60 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.
- Attach milker unit.

POST-DIPPING

- Immediately after removing inflations, dip or spray cow's teats with **West Dip**[®]. Do not wipe.
- If outside temperature is below freezing, allow **West Dip**[®] teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

NET CONTENTS: **US Gal. (L)**

LOT NO.:

EXP. DATE:

Manufactured for **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.,

© 2024, Made in USA

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CUIDADO

0127
NDC NUMBER: 55756-127

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Keep out of eyes.
If in Eyes: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.
If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Safety Data Sheet

PRODUCT BENEFITS

- Mild pH-balanced formula.
- Cosmetic-grade complexors plus glycerin.
- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.
- Sprayable.

DIRECTIONS FOR USE
GENERAL INSTRUCTIONS:

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use **West Dip**® teat dip for cleaning or sanitizing equipment.

TEAT DIPPING INSTRUCTIONS:

<p>PRE-DIPPING</p> <p>If you choose to use West Dip®:</p> <ul style="list-style-type: none"> • Make sure udders and teats are clean and dry. • Check foremilk and udder for mastitis. • Dip or spray cow's teats with West Dip®. • Allow 30 to 60 seconds contact time. • Dry cow's teats with a single service paper towel before milking. • Attach milker unit. 	<p>POST-DIPPING</p> <ul style="list-style-type: none"> • Immediately after removing inflations, dip or spray cow's teats with West Dip®. Do not wipe. • If outside temperature is below freezing, allow West Dip® teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.
--	---

Manufactured for: DeLaval, Inc.
 11100 N. Congress Avenue
 Kansas City, MO 64153
 Phone: 816-891-7700
 Manufactured by: WestAgro, Inc.,
 © 2024, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:

Add image transcription here...

WEST DIP			
iodine solution			
Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-127
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10.2 g in 1 L
Inactive Ingredients			
	Ingredient Name		Strength
	SODIUM HYDROXIDE (UNII: 55X04QC32I)		
	ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	XANTHAN GUM (UNII: TTV12P4NEE)		

SODIUM IODIDE (UNII: F5WR8N145C)	
POLOXAMER 335 (UNII: G6DQL26D50)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-127-02	56.8 L in 1 PAIL		
2	NDC:55756-127-01	208.4 L in 1 DRUM		
3	NDC:55756-127-27	1042.2 L in 1 TANK		
4	NDC:55756-127-23	18927 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

Labeler - DeLaval, Inc. (173704867)

Registrant - DeLaval, Inc. (173704867)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label