

UTERCLEANSE- urea tablet
MWI/Vet One

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

UterCleanse

For intrauterine or topical use only

Keep out of reach of children.

For veterinary use only.

INDICATIONS

For use as an antiseptic and proteolytic aid in beef and dairy cattle and sheep.

ACTIVE INGREDIENTS: Each Bolus contains:

Urea 13.4 g

INACTIVE INGREDIENTS: Microcrystalline Cellulose, DiTab, Sodium Starch Glycolate, Magnesium Stearate, Sipernat 22, Stearic Acid, FD&C Red #40 Lake.

PRECAUTIONS

Do not administer orally. Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and external genital parts of the animal with soap and water before inserting boluses or flush. Do not use in deep wounds or for burns.

STORAGE

Keep container tightly closed when not in use. Store in a cool, dry place.

DOSAGE AND ADMINISTRATION

Insert boluses into uterus or dissolve in 16 oz. warm water and make a flush.

☐**Cattle**☐: 2 - 4 boluses

☐**SHEEP**☐: 1/2 - 1 bolus

For topical application, dissolve 4 boluses in 16 oz. of warm water and thoroughly flush wound. Repeat treatment in 24 to 48 hours, if necessary.

☐**TAKE TIME OBSERVE LABEL DIRECTIONS**

50 Boluses



UterCleanse™

Bolus

ACTIVE INGREDIENTS: Each Bolus contains:
Urea..... 13.4 g

INACTIVE INGREDIENTS: Microcrystalline Cellulose, DiTab, Sodium Starch Glycolate, Magnesium Stearate, Sipernat 22, Stearic Acid, FD&C Red #40 Lake.

INDICATIONS: For use as an antiseptic and proteolytic aid in beef and dairy cattle and sheep.

PRECAUTIONS: Do not administer orally. Strict cleanliness must be observed to prevent introduction of further infections. Thoroughly cleanse hands and arms of operator and external genital parts of the animal with soap and water before inserting boluses or flush. Do not use in deep wounds or for burns.

STORAGE: Keep container tightly closed when not in use. Store in a cool, dry place.

Distributed by: MWI
Boise, ID 83705
www.VetOne.net
Rev. 06/16



For intrauterine or topical use only

Keep out of reach of children.
For veterinary use only.



Net Contents: 50 Boluses

DOSAGE & ADMINISTRATION: Insert boluses into uterus or dissolve in 16 oz. warm water to make a flush.

CATTLE: 2 - 4 boluses

SHEEP: ½ - 1 bolus

For topical application, dissolve 4 boluses in 16 oz. of warm water and thoroughly flush wound. Repeat treatment in 24 to 48 hours if necessary.

TAKE TIME



OBSERVE LABEL DIRECTIONS



U-7622-02

Lot #:

Exp.:

UTERCLEANSE

urea tablet

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-588
Route of Administration	INTRAUTERINE, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UREA (UNII: 8 W8 T178 47W) (UREA - UNII:8 W8 T178 47W)	UREA	13 g

Product Characteristics

Color	pink (Pink)	Score	2 pieces
Shape	OVAL (Oblong)	Size	6 mm
Flavor		Imprint Code	;
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-588-00	50 in 1 JAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	------------------------------------------	----------------------	--------------------

unapproved drug other	07/09/2013	
-----------------------	------------	--

Labeler - MWI/Vet One (019926120)

Revised: 4/2018

MWI/Vet One