CYTOKINE 8- salicylic acid Woorhi Mechatronics Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ACTIVE INGREDIENT

Salicylic Acid 0.25%

INACTIVE INGREDIENTS

Water, Alcohol, Arctium Lappa Root Extract, Acanthopanax Senticosus (Eleuthero) Root Extract, Curcuma Longa (Turmeric) Root Extract, Swertia Japonica Extract, Houttuynia Cordata Extract, Camellia Sinensis Leaf Extract, Perilla Frutescens Leaf Extract, Glycerin, Biota Orientalis Leaf Extract, Hibiscus Syriacus Bark Extract, Butylene Glycol, PEG-60 Hydrogenated Castor Oil, Menthol, Niacinamide, 1,2-Hexanediol, Panthenol, FRAGRANCE, Sodium Citrate, Lawsonia Inermis (Henna) Extract, Butylene Glycol, Tocopheryl Acetate, Biotin, Copper Tripeptide-1

PURPOSE

Alleviation of Alopecia

WARNINGS

Discontinue use if signs of irritation or rashes appear and consult with the dermatologist if symptoms persist.

Do not use on wounds, animal bites or serious burn.

Keep out of reach of children.

Keep away from direct.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Uses

■ Helps alleviate alopecia

Directions

[CLEAN FOLLICLE SPRAY]

- Before using, shaking it thoroughly.
- Spray it onto the scalp 3~5 times every morning/evening and massage it for absorption.

[CLEAN FOLLICLE TONIC]

- Before using, shaking it thoroughly.
- Pour it into enclosed CYTOKINE-8 powder solution and mix together.
- Apply on scalp and massage on the scalp area to be absorbed.

QUESTIONS

PACKAGE LABEL - CYTOKINE 8

NOITUJOS AIAH VFMVA2 CALOKINE-8 MILH AON

ALWAYS CYTOKINE-8 WITH YOU

HAIR SOLUTION MINIPIN SCALP SET

8weeks program for hair loss. Designed for easy and regularly use at home.

 ★ 8times Care Mourishing

M Protecting

Powder (100mg X 4ea) + Tonic + Spray 2 bottle (30ml X 2ea)

Cytokine-8 Scalp Solution



ALWAYS CYTOKINE-8 WITH YOU

HAIR SOLUTION

VFMVA2 CALOKINE-8 MILH AON

[Jolume]

402, C-dong, 47 beon-gil 4, Gajeong-ro, Seo-gu, Incheon, Korea 58, Sanbon-ro 48beon-gil, Gunpo-si, Gyeonggi-do, Republic of Korea Manufacturer: KOREA BEAUTY MEDIPHARM CO., LTD. Distributor: Manufactured for Woorhi Mechatronics Co., Ltd

Sodium Citrate, Lawsonia Inermis (Henna) Extract, Butylene Glycol, Tocopheryl Acetate, Biotin, Copper Tripeptide-1 Biota Orientalis Leaf Extract, Hibiscus Syriacus Bark Extract, Butylene Glycol, PEG-60 Hydrogenated Castor Olif, Menthol, Niacinamide, J.2-Hexanediol, Panthenol, FRAGRANCE, Water, Alcohol, Arctium Lappa Root Extract, Acanthopanax Sentiocous (Eleuthero) Root Extract, Curcuma Longa (Turmeric) Root Extract, Swertia Japonica Extract, Houttuynia Condata Extract, Campellia Sinerais Leaf Extract, Perilla Furtescens Leaf Extract, Glycerin, Leaf Condata Extract, Campellia Sinerais Leaf Extract, Perilla Furtescens Leaf Extract, Glycerin, [Inactive ingredients]

идря://аму.со.кг/







402, C-dong, 47 beon-gil 4, Gajeong-ro, Seo-gu, Incheon, Korea 58, Sanbon-ro 48beon-gil, Gunpo-si, Gyeonggi-do, Republic of Korea Manufacturer: KOREA BEAUTY MEDIPHARM CO., LTD. Distributor: Manufactured for Woorhi Mechatronics Co., Ltd

Sodium Citrate, Lawsonia Inermis (Henna) Extract, Butylene Glycol, Tocopheryl Acetate, Biotin, Copper Tripeptide-1

Biota Orientalis Leaf Extract, Hibiscus Syriacus Bark Extract, Butylene Glycol, PEG-60 Hydrogenzted Castor Oil, Menthol, Niacinamide, 1,2-Hexanediol, Panthenol, FRAGFRANCE, Water, Alcohol, Arctium Lappa Root Extract, Acanthopanax Senticosus (Eleuthero) Root Extract, Curcuma Longa (Turmeric) Root Extract, Swertia Japonica Extract, Houttuynia Cordata Extract, Camelia Sinensis Leaf Extract, Perilla Futescens Leaf Extract, Glycerin, Library Laborator (Library Laborator) [Inactive ingredients]

[Directions]

Before using, shaking it thoroughly.

Bour it into endosed CYTOKINE-8 powdersolution and mix together.

Poply on scalp and massage on the scalp area to be absorbed. Keep out of reach of children. Keep away from direct. symptoms persist.

Do not use on wounds, animal bites or serious burn. [Warnings] Discontinue use if signs of imitation or rashes appear and consult with the demastologist if e-motorns nersist. Uses ■ Helps alleviate alopecia [Active ingredients] Salicylic Acid 0.25% [Purpose] Alleviation of Alopecia

	[Juniphon III]
irections] Before using, shaking it thoroughly. Spray it onto the scalp 3–5 times every morning/evening and massage it for absorption.	
il feigolotermab artr ittiw flueno:	Warnings] Succordinue use if signs of inflation or rashes appear and a symptoms persist. Oo not use on wounds, animal bites or serious burn. Geep out of reach of drildren. Geep away from direct.
s etys alleviate alopecia	
[Purpose] Alleviation of Alopecia	Pcd ve in Bredients] %25.0 bis A sil cylic Acid 0.25%
	Orug Facts

CLEAN FOLLICLE SPRAY

CYTOKINE 8

salicylic acid kit

Product Information

HUMAN OTC DRUG NDC:72729-060 Product Type Item Code (Source)

Drug Facts

CLEAN FOLLICLE TONIC

Packaging

l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:72729-060-01	1 in 1 CARTON; Type 0: Not a Combination Product	02/01/2021	

Ouantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, SPRAY	30 mL
Part 2	1 BOTTLE	30 mL

Part 1 of 2

CLEAN FOLLICLE

salicylic acid spray

Product Information

Route of Administration TOPICAL

	Active 1	Ingredient	Active	Moiety
--	----------	------------	--------	--------

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Salicylic Acid (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	Salicylic Acid	0.07 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
Alcohol (UNII: 3K9958V90M)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2021	

Part 2 of 2

CLEAN FOLLICLE TONIC

salicylic acid liquid

Product Information

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Salicylic Acid (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) Salicylic Acid 0.07 g in 30 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
Alcohol (UNII: 3K9958V90M)			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

	Marketing Infor	mation		
ı	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other		02/01/2021	
Mr. J. P. J. T. C.			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2021	

Labeler - Woorhi Mechatronics Co., Ltd. (557837985)

Registrant - Woorhi Mechatronics Co., Ltd. (557837985)

Establishment			
Name	Address	ID/FEI	Business Operations
Woorhi Mechatronics Co., Ltd.		557837985	manufacture(72729-060)

Revised: 2/2021 Woorhi Mechatronics Co., Ltd.