

RITE AID EXTRA STRENGTH- aluminum hydroxide and magnesium carbonate tablet, chewable
RITE AID CORPORATION

Extra Strength 100 Chewable Antacid Tablets

Active ingredients (in each tablet)

Aluminum hydroxide 160 mg

Magnesium carbonate 105 mg

Purpose

Antacid

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Antacids may interact with certain prescription drugs
- on a sodium-restricted diet

When using this product

- do not take more than 16 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions

- chew 2 to 4 tablets four times a day
- take after meals and at bedtime or as needed

- for best results follow by a half glass of water or other liquid
- do not swallow tablets whole

Other information

- **each tablet contains:** sodium 19 mg, magnesium 31 mg
- **Do not use if printed seal under cap is torn or missing**
- Store at up to 25°C (77°F) in a dry place.

Inactive ingredients

alginic acid, calcium stearate, compressible sugar, flavor, sodium bicarbonate, starch (corn), sucrose.

Questions or comments?

1-866-467-2748

Principal Display Panel

RITE AID PHARMACY®

NDC 11822-1051-0

Compare to the active ingredients Gaviscon® Extra Strength.

Extra Strength

Antacid

Aluminum Hydroxide, 160 mg

Magnesium Carbonate, 105 mg

fast-acting
heartburn relief
helps keep acid down for hours

100 CHEWABLE TABLETS

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE

CAMP HILL, PA 17011

MADE IN USA

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

*This product is not manufactured or distributed by GlaxoSmithKline, the distributor of Gaviscon® Extra Strength Antacid.

Compare to the active ingredients in **Gaviscon® Extra Strength Antacid***

NDC 11822-1051-0

EXTRA STRENGTH ANTACID TABLETS

ALUMINUM HYDROXIDE 160 mg
MAGNESIUM CARBONATE 105 mg

Fast acting heartburn relief
Helps keep acid down for hours

ORIGINAL FLAVOR

100 CHEWABLE TABLETS

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each tablet)
Aluminum hydroxide 160 mg.....Antacid
Magnesium carbonate 105 mg.....Antacid

Purpose
Antacid

Uses relieves ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach associated with these symptoms

Warnings
Ask a doctor or pharmacist before use if you are
■ taking a prescription drug. Antacids may interact with certain prescription drugs. ■ if you are on a sodium-restricted diet

When using this product
■ do not take more than 16 tablets in 24 hours
■ do not use the maximum dosage for more than 2 weeks

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions
■ chew 2 to 4 tablets completely four times a day or as directed by a doctor
■ take after meals and at bedtime or as needed
■ for best results follow by a half glass of water or other liquid
■ **DO NOT SWALLOW TABLETS WHOLE**

Other information
■ each tablet contains: magnesium 31 mg, sodium 19 mg
■ store at room temperature

Inactive ingredients alginic acid, calcium stearate, compressible sugar, flavor, sodium bicarbonate, starch (corn), sucrose.

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by GlaxoSmithKline, the distributor of Gaviscon® Extra Strength Antacid.

WARNING
Consuming this product can expose you to chemicals including lead, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

DISTRIBUTED BY: RITE AID
200 NEULBERRY COMMONS
LETTERS, PA, 17319
www.riteaid.com

SATISFACTION GUARANTEE:
If you're not satisfied, we'll happily refund your money.

LOT: 105100P1TLR
EXP: 0 11822 26630 7

RITE AID EXTRA STRENGTH

aluminum hydroxide and magnesium carbonate tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11822-1051 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---------------------|----------|
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IU0) | ALUMINUM HYDROXIDE | 160 mg |
| MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D) | MAGNESIUM CARBONATE | 105 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALGINIC ACID (UNII: 8C3Z4148WZ) | |
| CALCIUM STEARATE (UNII: 776XM7047L) | |
| CORN SYRUP (UNII: 9G5L16BK6N) | |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) | |
| STARCH, CORN (UNII: O8232NY3S) | |
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|---------------|-------|---------------------|----------|
| Color | WHITE | Score | no score |
| Shape | ROUND | Size | 17mm |
| Flavor | | Imprint Code | RP105 |

Contains**Packaging**

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:11822-1051-0 | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 03/14/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M001 | 03/14/2019 | |

Labeler - RITE AID CORPORATION (014578892)

Revised: 10/2024

RITE AID CORPORATION