# FIRST AID SENSITIVE ANTI-ITCH- pramoxine hydrochloride 1.0% lotion Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Drug Facts**

### Active ingredient Purpose

Pramoxine Hydrochloride 1.0%.....External Analgesic

### Uses

For temporary relief of pain and itching associated with

- minor burns sunburn minor cuts scrapes insect bites
- minor skin irritations

### **Warnings**

For external use only When using this product

• avoid contact with the eyes.

### Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

• To open, squeeze cap tightly and turn pump counter-clockwise. • Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. • Children under 2 years of age: Consult a doctor

### **Inactive ingredients**

Aloe Barbadensis Leaf Juice

Carbomer

Cetvl Alcohol

Chamomilla Recutita (Matricaria) Flower Extract

Ethylhexylglycerin

Glyceryl Stearate

Isopropyl Myristate

PEG-100 Stearate

PEG-8 Stearate

Petrolatum

Phenoxyethanol

Sodium Hydroxide

Stearic Acid

Water



\*Compare to the active ingredient in Sarna® Sensitive

# first aid sensitive anti-itch lotion

pramoxine hydrochloride 1%

helps to relieve itching associated with: dry, sensitive skin eczema

steroid-free and fragrance-free moisturizing

7.5 FL 0Z (222 mL)

## **Drug Facts**

### Active ingredient

Purpose

Pramoxine Hydrochloride 1.0%......

..External Analgesic

USES For temporary relief of pain and itching associated with
minor burns
sunburn
minor cuts
scrapes
insect bites

· minor skin irritations

### Warnings

For external use only

### When using this product

avoid contact with the eyes.

### Stop use and ask a doctor if

- · condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

To open, squeeze cap tightly and turn pump counter-clockwise.
Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
Children under 2 years of age: Consult a doctor.

### Inactive ingredients

Aloe Barbadensis Leaf Juice, Carbomer, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Ethylhexylglycerin, Glyceryl Stearate, Isopropyl Myristate, PEG-100 Stearate, PEG-8 Stearate, Petrolatum, Phenoxyethanol, Sodium Hydroxide, Stearic Acid, Water.

ITEM 0370227



DISTRIBUTED BY: RITE AID, 30 HUNTER LANE CAMP HILL, PA 17011

MADE IN USA

\*This product is not manufactured or distributed by Stiefel Laboratories, Inc., owners of the registered trademark Sarna®.



IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

### FIRST AID SENSITIVE ANTI-ITCH

pramoxine hydrochloride 1.0% lotion

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-1236

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Pramovina Hydrochlorida (UNII: 88 AVR86715) (PRAMOVINE - UNII: 068 X8/F056)	Pramovine Hydrochloride	1 σ in 100 mI

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
Cetyl Alcohol (UNII: 936JST6JCN)	
CHAMO MILE (UNII: FGL3685T2X)	
Ethylhexylglycerin (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4)	
Isopropyl Myristate (UNII: 0 RE8 K4LNJS)	
PEG-100 Stearate (UNII: YD01N1999R)	
PEG-8 Stearate (UNII: 2P9L47VI5E)	
Petrolatum (UNII: 4T6H12BN9U)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Water (UNII: 059QF0KO0R)	

]	Packaging			
7	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11822-1236-6	222 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/31/2012	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	12/31/2012		

# **Labeler -** Rite Aid (014578892)

# Registrant - Product Quest Mfg (927768135)

Establishment					
Name	Address	ID/FEI	Business Operations		
Product Quest Mfg		927768135	manufacture(11822-1236), label(11822-1236)		

Revised: 6/2018 Rite Aid