

**QUICK-SAN 10X CONCENTRATE- non-iodine sanitizing teat dip liquid  
IBA**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Quick-San 10X Concentrate**

**ACTIVE INGREDIENT**

Hydrogen Peroxide.....6.00%

(Provides A Full .6% Hydrogen Peroxide When Mixed At The Recommended Dilution Ratio)

Lactic Acid.....5.00%

(Provides A Full .5% Lactic Acid When Mixed At The Recommended Dilution Ratio)

**INERT INGREDIENTS**

Glycerin.....20.00%

(Provides A Total 2% Glycerin At The Recommended Dilution Ratio)

Other Inerts.....69.00%

(Includes Buffering Agents, Stabilizing Agents, and Surfactants)

TOTAL.....100.00%

**GENERAL RECOMMENDATIONS**

A.) A quality water supply is required for mixing.

- 1.) Hardness <2 grains or 35 ppm
- 2.) Iron must be 0.0 ppm
- 3.) pH 6.5-7.0

B.) CONCENTRATE should be mixed into ready-to-use product within 30 days of delivery,

C.) Keep CONCENTRATE out of direct sunlight and store in a cool place

D.) QUICK-SAN 10X CONCENTRATE contains a high level of Hydrogen Peroxide and should be handled with care. This concentration can be detrimental to the skin, eyes and soft tissues.

**FIRST AID PROCEDURES**

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AND EASY TO DO. CONTINUE RINSING WITH WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

IF SWALLOWED: RINSE MOUTH WITH WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.

IF ON SKIN: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING AND WASH BEFORE RE-USE. WASH SKIN WITH PLENTY OF WATER FOR 15 MINUTES. IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE/ATTENTION

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION  
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

## **MIXING GUIDELINES FOR QUICK- SAN 10X TEAT DIP CONCENTRATE**

1. Clean mixing equipment, clean transfer lines, clean and sanitize packing containers.
2. Use only equipment that is compatible with Hydrogen Peroxide and Acids.
3. Start with QUICK- SAN 10X CONCENTRATE.
4. Water volume to QUICK- SAN 10X CONCENTRATE ratio at least 5:1.
5. With agitation, slowly add the QUICK- SAN 10X CONCENTRATE to the water.
6. Use additional water to rinse QUICK- SAN 10X CONCENTRATE residue from QUICK- SAN 10X CONCENTRATE container and add to mixture.
7. Continue mixing to a uniform blend.
8. Continue mixing while adding the balance of water or skin conditioners to the desired concentration.
9. Test for Hydrogen Peroxide strength pH.
10. Assign a lot number , record test results and retain a sample of finished product.
11. Fill properly labeled containers suitable for Hydrogen Peroxide based products.

CAUTION: KEEP OUT OF REACH OF CHILDREN, STORE LOCKED UP.  
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

DILUTE 1 PART  
QUICK- SAN 10X TEAT DIP  
CONCENTRATE  
Per 9 Parts Potable,  
Tepid Water.

AN AID IN THE  
PREVENTION OF NEW  
INTRAMAMMARY  
INFECTIONS

## **WARNING**

- QUICK-SAN 10X NPE FREE TEAT DIP CONCENTRATE MUST BE DILUTED BEFORE USE. DO NOT MIX WITH ANYTHING BUT POTABLE WATER.
- WEAR SAFETY EQUIPMENT. A MINIMUM OF SAFETY GOGGLES AND RUBBER GLOVES.
- VENTED BUNGS ARE REQUIRED ON THE CONTAINER OF READY-TO-USE PRODUCT.
- SECURE BUNGS/CAPS TO ENSURE THE PRODUCT INTEGRITY.
- USE DEDICATED EQUIPMENT FOR BLENDING QUICK-SAN 10X CONCENTRATE. DO NOT USE EQUIPMENT THAT HAS CONTACT WITH OTHER CHEMICALS.
- DO NOT LET THE QUICK-SAN 10X CONCENTRATE OR READY-TO-USE PRODUCT COME INTO CONTACT WITH BLACK STEEL AND IRON, SOFT METALS, ALLOYS OF

SOFT METALS, WOODOR PAPER.

- DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
- PROTECT THIS PRODUCT FROM FREEZING

## Quick-San 10X Concentrate

NDC 29983-1070-9



# QUICK-SAN 10X CONCENTRATE

## A DUAL GERMICIDE, NPE FREE, NON-IODINE TEAT DIP

<p><b>ACTIVE INGREDIENTS:</b></p> <p>Hydrogen Peroxide ..... 6.00% (Provides A Full .6% Hydrogen Peroxide When Mixed At The Recommended Dilution Ratio)</p> <p>Lactic Acid ..... 5.00% (Provides a Full .5% Lactic Acid When Mixed At The Recommended Dilution Ratio)</p> <p><b>INERT INGREDIENTS:</b></p> <p>Glycerin ..... 20.00% (Provides a total of 2% Glycerin At The Recommended Dilution Ratio)</p> <p>Other Inerts ..... 69.00% (Includes Buffering Agents, Stabilizing Agents and Surfactants)</p> <p><b>TOTAL:</b> ..... 100.00%</p> <p><b>GENERAL RECOMMENDATIONS</b></p> <p>A.) A quality water supply is required for mixing.</p> <ol style="list-style-type: none"> <li>1.) Hardness &lt; 2 grains or 35 ppm.</li> <li>2.) Iron must be 0.0 ppm.</li> <li>3.) pH 6.5 - 7.0.</li> </ol> <p>B.) <b>CONCENTRATE</b> should be mixed into ready-to-use product within 30 days of delivery.</p> <p>C.) Keep <b>CONCENTRATE</b> out of direct sunlight and store in a cool place.</p> <p>D.) <b>QUICK-SAN 10X CONCENTRATE</b> contains a high level of Hydrogen Peroxide and should be handled with care. This concentration can be detrimental to the skin, eyes and soft tissues.</p> <p><b>CAUTION: KEEP OUT OF REACH OF CHILDREN. STORE LOCKED UP. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.</b></p> <p style="text-align: center;"><b>FIRST AID PROCEDURES</b></p> <p><b>IF IN EYES:</b> RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AND EASY TO DO. CONTINUE RINSING WITH WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.</p> <p><b>IF SWALLOWED:</b> RINSE MOUTH WITH WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ADVICE/ATTENTION.</p> <p><b>IF ON SKIN:</b> IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING AND WASH BEFORE RE-USE. WASH SKIN WITH PLENTY OF WATER FOR 15 MINUTES. IF SKIN IRRITATION OCCURS, GET IMMEDIATE MEDICAL ADVICE/ATTENTION.</p> <p style="text-align: center;"><b>ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300</b></p>	<p>Dilute 1 Part <b>QUICK-SAN 10X TEAT DIP CONCENTRATE</b> Per 9 Parts Potable, Tepid Water.</p> <p style="margin-top: 20px;"><b>AN AID IN THE PREVENTION OF NEW INTRAMAMMARY INFECTIONS</b></p> <p style="margin-top: 20px;"><b>Not For Human Use</b></p>	<p><b>MIXING GUIDELINES FOR QUICK-SAN 10X TEAT DIP CONCENTRATE</b></p> <ol style="list-style-type: none"> <li>1. Clean mixing equipment, clean transfer lines, clean and sanitize packaging containers.</li> <li>2. Use only equipment that is compatible with Hydrogen Peroxide and Acids.</li> <li>3. Start with <b>QUICK-SAN 10X CONCENTRATE</b>.</li> <li>4. Water volume to <b>QUICK-SAN 10X CONCENTRATE</b> ratio at least 5:1.</li> <li>5. With agitation, slowly add the <b>QUICK-SAN 10X CONCENTRATE</b> to the water.</li> <li>6. Use additional water to rinse <b>QUICK-SAN 10X CONCENTRATE</b> residue from <b>QUICK-SAN 10X CONCENTRATE</b> container and add to mixture.</li> <li>7. Continue mixing to a uniform blend.</li> <li>8. Continue mixing while adding the balance of water or skin conditioners to the desired concentration.</li> <li>9. Test for Hydrogen Peroxide strength and pH.</li> <li>10. Assign a lot number, record test results and retain a sample of finished product.</li> <li>11. Fill properly labeled containers suitable for Hydrogen Peroxide based products.</li> </ol> <p><b>RECOMMENDED PROCEDURES FOR TEAT SANITATION</b></p> <p><b>A. PRE-MILKING (PRE-DIPPING)</b></p> <ol style="list-style-type: none"> <li>1. Remove visible soils from the teats.</li> <li>2. Observe foremilk by stripping two or three streams of milk into a strip cup.</li> <li>3. Dip, foam or spray the cow's teats full length with QUICK-SAN Teat Dip.</li> <li>4. Wait approximately 30 seconds.</li> <li>5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if foaming or spraying) with a clean, single service paper towel(s) to avoid contamination of milk.</li> <li>6. Attach milking unit.</li> </ol> <p><b>B. POST-MILKING (POST-DIPPING)</b></p> <ol style="list-style-type: none"> <li>1. Immediately after milking, dip or spray all teats full length with QUICK-SAN Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.</li> </ol> <p style="text-align: center;"><b>WARNING</b></p> <ul style="list-style-type: none"> <li>• QUICK-SAN 10X NPE FREE TEAT DIP CONCENTRATE <b>MUST BE DILUTED BEFORE USE. DO NOT MIX WITH ANYTHING BUT POTABLE WATER.</b></li> <li>• WEAR SAFETY EQUIPMENT. A MINIMUM OF SAFETY GOGGLES AND RUBBER GLOVES.</li> <li>• VENTED BUNGS ARE REQUIRED ON THE CONTAINER OF READY-TO-USE PRODUCT.</li> <li>• SECURE BUNGS/CAPS TO ENSURE THE PRODUCT INTEGRITY.</li> <li>• USE DEDICATED EQUIPMENT FOR BLENDING QUICK-SAN 10X CONCENTRATE. DO NOT USE EQUIPMENT THAT HAS CONTACT WITH OTHER CHEMICALS.</li> <li>• DO NOT LET THE QUICK-SAN 10X CONCENTRATE OR READY-TO-USE PRODUCT COME IN CONTACT WITH BLACK STEEL AND IRON, SOFT METALS, ALLOYS OF SOFT METALS, WOOD OR PAPER.</li> <li>• DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.</li> <li>• PROTECT THIS PRODUCT FROM FREEZING.</li> </ul>
--	--	--

**A PART OF THE COMPLETE IBA SANITATION PROGRAM**

EXP. DATE:                      LOT NO.:                      NET CONTENTS: 250 GALLONS (946.353 LITERS)    IBA STOCK # 261000    124W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

## QUICK-SAN 10X CONCENTRATE

non-iodine sanitizing teat dip liquid

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1070
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE -	HYDROGEN	6 kg

UNII:BBX060AN9V)	PEROXIDE	in 100 kg
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	5 kg in 100 kg

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1070-7	114.26 kg in 1 DRUM		
2	NDC:29983-1070-9	1038.73 kg in 1 CONTAINER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2017	

**Labeler** - IBA (019494160)

**Registrant** - IBA (019494160)

### Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc DBA Custom Chemical Formulator Inc		028311595	manufacture, api manufacture, pack

Revised: 12/2025

IBA