

DUOCARE CLINICAL ORAL RINSE- cetylpyridinium chloride mouthwash
Medline Industries, LP

030 DuoCare™ Clinical Oral Rinse

Active ingredient

Cetylpyridinium Chloride 0.1%

Purpose

Antigingivitis/Antiplaque

Uses

- helps prevent and reduce plaque that leads to gingivitis and bleeding gums

Warnings

Stop use and ask a doctor if

- gingivitis, bleeding, or redness persists for more than 2 weeks
- you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs or symptoms of periodontitis, a serious form of gum disease.

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and older: swish 7 ml of rinse between your teeth for approximately one minute and then spit out. Do not swallow the rinse.
- Use up to 4 times daily or as directed by dentist or doctor.
- children 6 years to under 12 years of age: supervise use.
- children under 6 years of age: consult a dentist or a doctor.

Other information

- avoid excessive heat and protect from freezing
- shield from direct sunlight

Inactive ingredients

citric acid, glycerin, methyl salicylate, poloxamer 407, purified water, sodium citrate, sucralose, supermint

Manufacturing Information

Manufactured for:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in the USA with U.S. and Foreign Components.

www.medline.com

1-800-MEDLINE (633-5463)

REF: MDS096316

V1 RC22ANO

Package Label



NDC#: 53329-030-13

DuoCare™

CLINICAL ORAL RINSE

2_{IN}1

**CLEANSER &
MOISTURIZER**

- + 0.1% Cetylpyridinium Chloride
- + Antigingivitis/Antiplaque
- + Alcohol Free

Single patient use. Non-sterile. Protect from freezing, avoid excessive heat. Not made with natural rubber latex.

2 FL OZ (59 ml)

REF MDS096316

DUOCARE CLINICAL ORAL RINSE

cetylpyridinium chloride mouthwash

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:53329-030

Route of Administration DENTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P) (CETYLPYRIDINIUM - UNII:CUB7JI0JV3)	CETYLPYRIDINIUM CHLORIDE	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POLOXAMER 407 (UNII: TUF2IWW3M2)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-030-13	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2018	
2	NDC:53329-030-07	7 mL in 1 POUCH; Type 0: Not a Combination Product	11/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	11/01/2018	

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 10/2023

Medline Industries, LP