

**REVERS LIGHTENING REGIMEN FOR THE APPEARANCE OF STUBBORN DARK MARKS, PATCHES AND AGE SPOTS TRAVEL SIZE- hydroquinone, avobenzone, homosalate, octisalate, octocrylene
Rodan & Fields**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Deep Exfoliating Wash

30 mL / 1.0 Fl. Oz. U.S.

Product Details

Directions

Wet skin with lukewarm water. Using fingertips, gently and evenly massage a thin, even layer over the entire face for 30-60 seconds, avoiding contact with eyes. Rinse thoroughly with water and pat dry. Use once every other day for the first week and increase to twice daily as tolerated.

Warnings

For external use only. When using this product keep out of eyes. Rinse with water to remove. If irritation or rash occurs, discontinue use and consult your doctor. Keep out of reach of children. If product is swallowed, seek medical attention.

Ingredients

Water/Aqua/Eau, C12-15 Alkyl Benzoate, Diethylhexyl Sebacate, Polylactic Acid, Cetearyl Alcohol, Jojoba Esters, PEG-40 Stearate, Glyceryl Stearate, Ammonium Laureth Sulfate, Magnesium Aluminum Silicate, Pentylene Glycol, Potassium Cetyl Phosphate, Cetareth-20, Hydroxyacetophenone, Lactic Acid, Mentha Piperita (Peppermint) Oil, Fragrance/ Parfum, Xanthan Gum, Glycolic Acid, Sodium Magnesium Silicate, Propylene Glycol, Citric Acid, Phenoxyethanol, Potassium Sorbate, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140), Yellow 6 (CI 15985).

Skin Lightening Toner

30 mL / 1.0 Fl. Oz. U.S.

Drug Facts

Active Ingredient

Hydroquinone 2%

Purpose

Skin lightener

Uses

For the gradual fading of dark areas such as freckles, age and liver spots, or pigment in the skin that may

occur in pregnancy or from the use of oral contraceptives.

Warnings

For external use only

When using this product

- avoid contact with eyes

Stop use and ask doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin, even layer over the entire face, avoiding the eye area. Do not rinse off. Use twice daily. Apply as needed.

- Adults: apply a small amount as a thin layer on affected area once or twice daily, or use as directed by a doctor. If no improvement is seen after three months of treatment, use of this product should be discontinued. Lightening effect of this product may not be noticeable when used on very dark skin.
- Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using the product in order to prevent darkening from reoccurring.
- Children under 12 years of age: do not use unless directed by a doctor.

Inactive Ingredients

Water/Aqua/Eau, Ethoxydiglycol, Hamamelis Virginiana (Witch Hazel) Water, Methylpropanediol, Alcohol, Polysorbate 20, Kojic Acid, Salicylic Acid, Magnesium Ascorbyl Phosphate, Arctostaphylos Uva Ursi Leaf Extract, Arnica Montana Flower Extract, Citrus Limon (Lemon) Peel Extract, Foeniculum Vulgare (Fennel) Fruit Extract, Sodium Sulfite, Fragrance/Parfum, PEG-12 Dimethicone, Zinc Phenolsulfonate, Citric Acid, Sodium Metabisulfite, Sodium Hydroxide, Propylene Glycol, Phenoxyethanol, Chlorphenesin, DMDM Hydantoin, Benzoic Acid, Sorbic Acid, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool, Yellow 5 (CI 19140), Yellow 6 (CI 15985).

Questions

1-888-995-5656

Skin Lightening Treatment

12 mL / 0.41 Fl. Oz. U.S.

Drug Facts

Active Ingredient

Hydroquinone 2%

Purpose

Skin lightener

Uses

For the gradual fading of dark areas such as freckles, age and liver spots, or pigment in the skin that may occur in pregnancy or from the use of oral contraceptives.

Warnings

For external use only

When using this product

- avoid contact with eyes

Stop use and ask doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin, even layer over the entire face, avoiding the eye area. Do not rinse off. Use twice daily. Apply as needed.

- Adults: apply a small amount as a thin layer on affected area once or twice daily, or use as directed by a doctor. If no improvement is seen after three months of treatment, use of this product should be discontinued. Lightening effect of this product may not be noticeable when used on very dark skin.
- Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using the product in order to prevent darkening from reoccurring.
- Children under 12 years of age: do not use unless directed by a doctor.

Inactive Ingredients

Water/Aqua/Eau, Ethoxydiglycol, Cetearyl Alcohol, PPG-12/SMDI Copolymer, Diethylhexyl Sebacate, Polyacrylamide, Cetareth-20, Glycerin, C13-14 Isoparaffin, Dimethicone, Fragrance/Parfum, Retinol, Ascorbyl Palmitate, Magnesium Ascorbyl Phosphate, Lactic Acid, Arctostaphylos Uva Ursi Leaf Extract, Sodium C14-16 Olefin Sulfonate, Sodium Metabisulfite, Laureth-7, Glyceryl Stearate, PEG-100 Stearate, Tocopheryl Acetate, Citric Acid, Glycine Soja (Soybean) Oil, Propylene Glycol, Disodium EDTA, BHT, Methylparaben, Propylparaben, Benzoic Acid, Sorbic Acid, Chlorphenesin, Imidazolidinyl Urea, Phenoxyethanol, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene,

Linalool, Yellow 5 (CI 19140), Yellow 6 (CI 15985).

Questions

1-888-995-5656

Broad Spectrum SPF 50+ Sunscreen

12 mL / 0.41 Fl. Oz. U.S.

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 2.6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor

Other Information

- Protect this product from excessive heat and direct sun

Inactive Ingredients

Water/Aqua/Eau, Caprylyl Methicone, Dipropylene Glycol, Dicaprylyl Carbonate, PEG/PPG-17/6 Copolymer, Alcohol Denat., Methyl Glucose Sesquistearate, Potassium Cetyl Phosphate, Dipotassium Glycyrrhizate, Adenosine, Tocopheryl Acetate, Euterpe Oleracea Fruit Extract, Morus Alba Root Extract, Portulaca Oleracea Extract, Camellia Oleifera Leaf Extract, Dunaliella Salina Extract, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyacrylate-15, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Hydrogenated Palm Glycerides, Fragrance/Parfum, Isohexadecane, Panthenol, Butylene Glycol, PEG-10 Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polyacrylate-17, Polysorbate 80, Polydecene, C11-15 Pareth-40, C11-15 Pareth-7, Sorbitan Oleate, Disodium Lauryl Sulfosuccinate, Sodium Laureth-12 Sulfate, Potassium Hydroxide, Disodium EDTA, Tetrasodium EDTA, Phenoxyethanol, Caprylyl Glycol, Citral, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene, Linalool.

Questions

1-888-995-5656

Principal Display Panel - Reverse Skin Lightening Toner Label


RODAN+FIELDS®

REVERSE™

2

Skin Lightening Toner

Tonique éclaircissant pour
la peau



Principal Display Panel - Reverse Skin Lightening Treatment Label

RODAN+FIELDS®

REVERSE™

3

Skin Lightening Treatment

Traitement éclaircissant
pour la peau

RODAN+FIELDS®
REVERSE™

2

Skin Lightening Toner
Tonique éclaircissant pour
la peau

Active Ingredients:
Hydroquinone 2%
Purpose: Skin Lightener
Dist. Rodan & Fields, LLC
San Francisco, CA 94105
RVTTN30 8500-05-0022 (6000-05-4026)

QUESTIONS?

1-888-995-5656

NOT FOR RESALE

See outer packaging for product information

NON DESTINÉ À LA REVENTE

Voir l'emballage extérieur pour plus
d'informations sur le produit

30 mL/1.0 FL. Oz. U.S.

Principal Display Panel - Reverse Broad Spectrum Sunscreen Label

RODAN+FIELDS®

REVERSE™

4

Broad Spectrum
SPF 50+ Sunscreen

Écran solaire FPS 50+
à large spectre

RODAN+FIELDS[®]
REVERSE[™]

3 Skin Lightening Treatment
Traitement éclaircissant
pour la peau



Active Ingredients:
Hydroquinone 2%
Purpose: Skin Lightener
Dist. Rodan & Fields, LLC
San Francisco, CA 94105
RVTTT30 8500-05-0023
(6000-05-5094)

QUESTIONS?
1-888-995-5656

NOT FOR RESALE
See outer packaging for
product information
NON DESTINÉ À LA REVENTE
Voir l'emballage extérieur pour
plus d'informations sur le
produit

12 mL/0.41 FL. Oz. U.S.

Principal Display Panel - Reverse Lightening Regimen Travel Size Carton

RODAN+FIELDS

REVERSE

Regimen for the Appearance of Stubborn Dark Marks, Patches
and Age Spots

Based on Multi-Med[®] Therapy, the **REVERSE** Lightening Regimen is a complete skincare system

that combines cosmetic and OTC ingredients to gradually lighten stubborn dark marks, patches and excessive pigmentation. The highly effective formulas contains 2% Hydroquinone to address persistent discoloration for a more even, youthful complexion.

This 4-step Regimen was developed by Stanford-trained dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

RODAN+FIELDS®

LIGHTENING

Deep Exfoliating Wash

30 mL / 1.0 Fl. Oz. U.S.

Skin Lightening Toner

30 mL / 1.0 Fl. Oz. U.S.

Skin Lightening Treatment

12 mL / 0.41 Fl. Oz. U.S.

Broad Spectrum SPF 50+ Sunscreen

12 mL / 0.41 Fl. Oz. U.S.

RODAN+FIELDS[®]
REVERSE[™]

4 Broad Spectrum
SPF 50+ Sunscreen
Écran solaire FPS 50+
à large spectre



Active Ingredients:
Avobenzone 3%, Homosalate
10%, Octisalate 5%,
Octocrylene 2.6%

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
RVTSS12 8500-05-0021
(6000-05-5092)

QUESTIONS?
1-888-995-5656

NOT FOR RESALE
See outer packaging for
product information

NON DESTINÉ À LA REVENTE
Voir l'emballage extérieur pour
plus d'informations sur le
produit

12 mL/0.41 FL. Oz. U.S.

REVERS LIGHTENING REGIMEN FOR THE APPEARANCE OF STUBBORN DARK MARKS, PATCHES AND AGE SPOTS TRAVEL SIZE
hydroquinone, avobenzone, homosalate, octisalate, octocrylene kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-5035

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-5035-1	1 in 1 CARTON; Type 0: Not a Combination Product	07/24/2017	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	1 TUBE	12 mL
Part 3	1 TUBE	12 mL

Part 1 of 3

SKIN LIGHTENING TONER

hydroquinone lotion

Product Information

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydroquinone (UNII: XV74C1N1AE) (Hydroquinone - UNII:XV74C1N1AE)	Hydroquinone	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Diethylene Glycol Monoethyl Ether (UNII: A1A1I8X02B)	
Hamamelis Virginiana Top Water (UNII: NT00Y05A2V)	
Methylpropanediol (UNII: N8F53B3R4R)	
Alcohol (UNII: 3K9958V90M)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
Kojic Acid (UNII: 6K23F1TT52)	
Salicylic Acid (UNII: O414PZ4LPZ)	
Magnesium Ascorbyl Phosphate (UNII: 0R822556M5)	
Arctostaphylos Uva-Ursi Leaf (UNII: 3M5V3D1X36)	
Arnica Montana Flower (UNII: OZ0E5Y15PZ)	
Lemon Peel (UNII: 72O054U628)	
Fennel Seed (UNII: G3QC02NIE6)	
Sodium Sulfite (UNII: VTK01UQK3G)	
PEG-12 Dimethicone (UNII: ZEL54N6W95)	
Zinc Phenolsulfonate (UNII: 4O71YT5YB5)	
Citric Acid Monohydrate (UNII: 2968PHW8QP)	

Sodium Metabisulfite (UNII: 4VON5FNS3C)
Sodium Hydroxide (UNII: 55X04QC32I)
Propylene Glycol (UNII: 6DC9Q167V3)
Phenoxyethanol (UNII: HIE492ZZ3T)
Chlorphenesin (UNII: I670DAL4SZ)
DMDM Hydantoin (UNII: BYR0546TOW)
Benzoic Acid (UNII: 8SKN0B0MIM)
Sorbic Acid (UNII: X045WJ989B)
Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde (UNII: QUE43B9Z2Q)
Limonene, (+)- (UNII: GFD7C86Q1W)
Linalool, (+/-)- (UNII: D81QY6I88E)
FD&C Yellow No. 5 (UNII: I753WB2F1M)
FD&C Yellow No. 6 (UNII: H77VEI93A8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part358A	07/24/2017	

Part 2 of 3

SKIN LIGHTENING TREATMENT

hydroquinone liquid

Product Information

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydroquinone (UNII: XV74C1N1AE) (Hydroquinone - UNII:XV74C1N1AE)	Hydroquinone	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Diethylene Glycol Monoethyl Ether (UNII: A1A1I8X02B)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
PPG-12/SMDI Copolymer (UNII: 1BK9DDD24E)	
Diethylhexyl Sebacate (UNII: U9LS47Q72Q)	

Polyacrylamide (1500 MW) (UNII: 5D6TC4BRWV)
Polyoxyl 20 Cetostearyl Ether (UNII: YRC528SWUY)
Glycerin (UNII: PDC6A3C0OX)
C13-14 Isoparaffin (UNII: E4F12ROE70)
Dimethicone (UNII: 92RU3N3Y1O)
Retinol (UNII: G2SH0XKK91)
Ascorbyl Palmitate (UNII: QN83US2B0N)
Magnesium Ascorbyl Phosphate (UNII: 0R822556M5)
Lactic Acid (UNII: 33X04XA5AT)
Arctostaphylos Uva-Ursi Leaf (UNII: 3M5V3D1X36)
Sodium C14-16 Olefin Sulfonate (UNII: O9W3D3YF5U)
Sodium Metabisulfite (UNII: 4VON5FNS3C)
Laureth-7 (UNII: Z95S6G8201)
Glyceryl Monostearate (UNII: 230OU9XXE4)
PEG-100 Stearate (UNII: YD01N1999R)
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)
Citric Acid Monohydrate (UNII: 2968PHW8QP)
Soybean Oil (UNII: 241ATL177A)
Propylene Glycol (UNII: 6DC9Q167V3)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
Butylated Hydroxytoluene (UNII: 1P9D0Z171K)
Methylparaben (UNII: A2I8C7HI9T)
Propylparaben (UNII: Z8IX2SC1OH)
Benzoic Acid (UNII: 8SKN0B0MIM)
Sorbic Acid (UNII: X045WJ989B)
Chlorphenesin (UNII: I670DAL4SZ)
Imidurea (UNII: M629807ATL)
Phenoxyethanol (UNII: HIE492ZZ3T)
Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde (UNII: QUE43B9Z2Q)
Limonene, (+)- (UNII: GFD7C86Q1W)
Linalool, (+/-)- (UNII: D81QY6I88E)
FD&C Yellow No. 5 (UNII: I753WB2F1M)
FD&C Yellow No. 6 (UNII: H77VEI93A8)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		12 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part358A	07/24/2017		

Part 3 of 3

BROAD SPECTRUM SPF 50 SUNSCREEN
avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzene (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	3.0 g in 100 mL
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	10 g in 100 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	5 g in 100 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	2.6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Dipropylene Glycol (UNII: E107L85C40)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
PEG/PPG-17/6 Copolymer (UNII: P5QZM4T259)	
Alcohol (UNII: 3K9958V90M)	
Methyl Glucose Sesquistearate (UNII: V1YW10H14D)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Glycyrrhizinate Dipotassium (UNII: CA2Y0FE3FX)	
Adenosine (UNII: K72T3FS567)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Acai (UNII: 46AM2VJ0AW)	
Morus Alba Root (UNII: CST1G9BZGD)	
Purslane (UNII: M6S840WXG5)	
Camellia Oleifera Leaf (UNII: 5077EL0C60)	
Dunaliella Salina (UNII: F401DKI9A6)	
Sodium Acrylate/Sodium Acryloyldimethyltaurate Copolymer (400000 MW) (UNII: 1DXE3F3OZX)	
Cetyl Alcohol (UNII: 936JST6JCN)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-100 Stearate (UNII: YD01N1999R)	
Hydrogenated Palm Glycerides (UNII: YCZ8EM144Q)	
Isohexadecane (UNII: 918X10UF1E)	
Panthenol (UNII: WV9CM0O67Z)	
Butylene Glycol (UNII: 3XUS85K0RA)	
PEG-10 Dimethicone (600 CST) (UNII: 8PR7V1SVM0)	
Carbomer Interpolymer Type A (Allyl Sucrose Crosslinked) (UNII: 59TL3WG5CO)	
Polyorbate 80 (UNII: 6OZP39ZG8H)	
Hydrogenated Polydecene (550 MW) (UNII: U333RI6EB7)	
C11-15 Pareth-40 (UNII: L774F88277)	
C11-15 Pareth-7 (UNII: 261HPE0IS3)	
Sorbitan Monooleate (UNII: 06XEA2VD56)	
Disodium Lauryl Sulfosuccinate (UNII: P160Q81342)	

Sodium Laureth-12 Sulfate (UNII: 8M492LDU23)	
Potassium Hydroxide (UNII: WZH3C48M4T)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
Edetate Sodium (UNII: MP1J8420LU)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Citral (UNII: T7EU0O9VPP)	
Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde (UNII: QUE43B9Z2Q)	
Limonene, (+)- (UNII: GFD7C86Q1W)	
Linalool, (+/-)- (UNII: D81QY6I88E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		12 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/24/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/24/2017	

Labeler - Rodan & Fields (051659584)