

3X MEDICATED TOOTHACHE AND GUM GEL- benzocaine gel

Rite Aid

Active Ingredients Purpose

Benzocaine 20% Oral Pain Reliever

Menthol 0.26% Oral Pain Reliever

Zinc Chloride 0.15% Oral Astringent

Use

Use * for the temporary relief of pain due to minor irritation or injury of the mouth and gums

Methemoglobinemia warning: use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: * pale, gray, or blue colored skin (cyanosis) * headache * rapid heart rate * shortness of breath * dizziness or lightheadedness * fatigue or lack of energy

Allergy Alert

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

Do not use * more than directed * for more than 7 days unless told to do so by a dentist or doctor * for teething * in children under 2 years of age

Stop use and ask a doctor if * swelling, rash or fever develops * irritation, pain or redness persists or worsens * symptoms do not improve in 7 days * allergic reaction occurs

Keep out of reach of children In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions * cut open tip of tube on score mark * do not use if tip is cut prior to opening * adults and children 2 years of age and older: apply to affected area up to 4 times daily or as directed by a dentist or doctor * children under 12 years of age should be supervised in the use of this product * children under 2 years of age: do not use

Other information * do not use if tip is cut prior to opening * this preparation is intended for use in cases of toothache, only as a temporary expedient until a dentist can be consulted * do not use continuously (this formula will stay in place for extended duration of relief * avoid using toothpaste or drinking soft drinks or fruit juices for at least one hour after applying

Inactive ingredients ammonium glycyrrhizate, flavor, PEG-8, PEG-75, sodium saccharin,

sorbic acid

LORNAMEAD
1.000 X 1.000 X 4.313 - PRINTSIDE
SBS S170271 - 3/9/17



PROJECT: RITE AID 3X MEDICATED TOOTHACHE GEL CARTON ITEM #: 2821613R1 DIELINE #: S170271 SIZE: 1.000" X 1.000" X 4.313" FILE NAME: RA_3XMEDICATED_TOOTHACHE_GEL_CTN_2821613R1-OLAI PRINTER: MODPAC NOTE(S):	<table border="1"> <tr> <td>CYAN</td> <td>MAGENTA</td> <td>YELLOW</td> <td>BLACK</td> </tr> <tr> <td>PMS 202</td> <td>COLD FOIL</td> <td></td> <td></td> </tr> </table>	CYAN	MAGENTA	YELLOW	BLACK	PMS 202	COLD FOIL			CREATIVE _____ MARKETING _____ R&D _____ QUALITY _____ PURCHASING _____ CEO _____
CYAN	MAGENTA	YELLOW	BLACK							
PMS 202	COLD FOIL									

NEW YORK OFFICE | 1359 BROADWAY | 17TH FLOOR | NEW YORK, NY 10018
TONAWANDA OFFICE | 175 COOPER AVENUE | TONAWANDA, NEW YORK 14150

Toothache and Gum Reliever
 20% benzocaine to relive oral pain
 Astringent to help prevent infection
 Menthol to soothe gums
 3x medicated
 oral pain reliever/astringent
 Net Wt 0.42 oz (11.9 g)

3X MEDICATED TOOTHACHE AND GUM GEL			
benzocaine gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0613
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	20 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	0.26 g in 100 g
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	0.15 g in 100 g
Inactive Ingredients			
Ingredient Name			Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
SORBIC ACID (UNII: X045WJ989B)			
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)			
Product Characteristics			
Color	white (Cloudy white to beige)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0613-9	1 in 1 CARTON	05/06/2020	
1		11.7 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/06/2020	11/01/2027

Labeler - Rite Aid (014578892)

Registrant - Lornamead Products (119559733)

Establishment

Name	Address	ID/FEI	Business Operations
Lornamead Products		119559733	manufacture(11822-0613) , pack(11822-0613)

Revised: 1/2026

Rite Aid