

**FAMOTIDINE- famotidine tablet**  
**Bi-Mart**

-----  
***Drug Facts***

***Active ingredient (in each tablet)***

Famotidine 10 mg

***Purpose***

Acid reducer

***Uses***

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

***Warnings***

**Allergy alert:**

Do not use if you are allergic to famotidine or other acid reducers.

**Do not use**

- with other acid reducers
- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent wheezing, particularly with heartburn
- frequent **chest pain**
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens

- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.**In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### ***Directions***

- **adults and children 12 years and over:**
  - to **relieve**symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent**symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before**eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- **children under 12 years:**ask a doctor

### ***Other information***

- read the directions and warnings before use
- store at 20° - 25°C (68° - 77°F)
- protect from moisture

### ***Inactive ingredients***

Hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, sodium starch glycolate, polyethylene glycol, talc, titanium dioxide, triacetin.

### ***Questions?***

call toll-free **1-844-912-4012**

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL**



TRIACETIN (UNII: XHX3C3X673)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
TALC (UNII: 7SEV7J4R1U)				
Product Characteristics				
Color	white (white to off-white)		Score	no score
Shape	ROUND		Size	5mm
Flavor			Imprint Code	V;21
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-161-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA		ANDA215822	04/01/2025	

**Labeler** - Bi-Mart (027630078)

**Registrant** - Bi-Mart (027630078)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
VKT Pharma Private Limited		871408062	manufacture(37835-161)