

RASHES-HIVES- antimon. crud., apis mel., arsenicum alb., berber. vulg., bovista, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, histaminum hydrochloricum, lycopodium, mezereum, nux vom., petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Rashes 4762P

INDICATIONS & USAGE SECTION

Formulated for associated symptoms such as burning, itching, redness, swelling and discomfort.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Echinacea 6x, Rumex crisp. 6x, Taraxacum 6x, Urtica ur. 6x. Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Berber. vulg. 15x, Bovista 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Histaminum hydrochloricum 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulex irritans 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x,

OTC - PURPOSE SECTION

Formulated for associated symptoms such as burning, itching, redness, swelling and discomfort.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS SECTION

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL



Product uses are based on traditional homeopathic practice and have not been evaluated by the FDA nor for scientific-medical evidence. Product results are not based on randomized, controlled clinical trials (RCTs).

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30013

NEWTON
homeopathics®
PRO

NDC #
55714-4762-1

**Rashes
~Hives**

Formulated for
associated symptoms
such as burning, itching,
redness, swelling
and discomfort.

1 OZ (28 G)

Dispensed by health professionals - not sold over-the-counter.
Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.
Active Ingredients: Equal parts of Echinacea 6x, Rumex crisp 6x, Taraxacum 6x, Urtica ur 6x, Antimon crud 15x, Apis mel 15x, Arsenicum alb 15x, Berber vulg 15x, Bovista 15x, Bryonia 15x, Cantharis 15x, Chelidonium maj 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Histaminum hydrochloricum 15x, Lycopodium 15x, Mezereum 15x, Nux vom 15x, Petroleum 15x, Pulex irr 15x, Pulsatilla 15x, Rhus tox 15x, Sarsaparilla 15x, Sulphur 15x.
Inactive Ingredients: Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

RASHES-HIVES

antimon. crud., apis mel., arsenicum alb., berber. vulg., bovista, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, histaminum hydrochloricum, lycopodium, mezereum, nux vom., petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-4762
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)		TARAXACUM OFFICINALE	6 [hp_X] in 1 g
URTICA URENS (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)		URTICA URENS	6 [hp_X] in 1 g
SMILAX ORNATA ROOT (UNII: 2H1576D5WG) (SMILAX ORNATA ROOT - UNII:2H1576D5WG)		SMILAX ORNATA ROOT	15 [hp_X] in 1 g
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)		ANTIMONY TRISULFIDE	15 [hp_X] in 1 g
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)		APIS MELLIFERA	15 [hp_X] in 1 g
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)		ARSENIC TRIOXIDE	15 [hp_X] in 1 g
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)		BERBERIS VULGARIS ROOT BARK	15 [hp_X] in 1 g
LYCOPERDON UTRIFORME FRUITING BODY (UNII: K2A74U428F) (LYCOPERDON UTRIFORME FRUITING BODY - UNII:K2A74U428F)		LYCOPERDON UTRIFORME FRUITING BODY	15 [hp_X] in 1 g
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)		BRYONIA ALBA ROOT	15 [hp_X] in 1 g
LYTTA VESICATORIA (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)		LYTTA VESICATORIA	15 [hp_X] in 1 g
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)		CHELIDONIUM MAJUS	15 [hp_X] in 1 g
CROTON TIGLIUM SEED (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)		CROTON TIGLIUM SEED	15 [hp_X] in 1 g
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)		SOLANUM DULCAMARA TOP	15 [hp_X] in 1 g
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)		GRAPHITE	15 [hp_X] in 1 g
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)		HISTAMINE DIHYDROCHLORIDE	15 [hp_X] in 1 g
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)		LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 g
DAPHNE MEZEREUM BARK (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)		DAPHNE MEZEREUM BARK	15 [hp_X] in 1 g
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)		STRYCHNOS NUX-VOMICA SEED	15 [hp_X] in 1 g
KEROSENE (UNII: 1C89KKC04E) (KEROSENE - UNII:1C89KKC04E)		KEROSENE	15 [hp_X] in 1 g
PULEX IRRITANS (UNII: L63DD62R8R) (PULEX IRRITANS - UNII:L63DD62R8R)		PULEX IRRITANS	15 [hp_X] in 1 g
ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)		ANEMONE PULSATILLA	15 [hp_X] in 1 g
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)		TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 g
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)		SULFUR	15 [hp_X] in 1 g
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)		ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 g
RUMEX CRISPUS ROOT (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)		RUMEX CRISPUS ROOT	6 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4762-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/02/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/02/2019	

Labeler - Newton Laboratories, Inc. (788793610)**Registrant** - Newton Laboratories, Inc. (788793610)**Establishment**

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4762)

Revised: 9/2025

Newton Laboratories, Inc.