GELATO TOPICAL ANESTHETIC- benzocaine spray, metered Mycone Dental Supply Co., Inc DBA Keystone Industries and Deepak Products Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Benzocaine 20%

Purpose

Oral Anesthetic

Uses

- For the temporary relief of occasional minor irritation and pain associated with canker sores and minor dental procedures.
- For Professional Use Only.

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy Alert: Do not use on patients with a history of allergies to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Flammable. Do not use near fire or flame. Avoid smoking during use.

Do not use

- for teething
- in children under 2 years of age

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Avoid spraying in eyes.

Directions

Apply only amount needed to the oral mucosa to prevent or relieve pain.

• Children under 2 years of age: do not use

Other information

Store at room temperature. Do not store above 120°F (49°C). Dispose of in a manner consistent with local regulations.

Inactive Ingredients

Ethyl Alcohol, Flavor, Polyethylene Glycol, Sodium Saccharin, Hydrocarbon Propellant (Isobutane and propane).

Questions or comments?

1-800-333-3131



Drug Facts

Active ingredient Benzocaine 20%

Purpose Oral Anesthetic

Uses

- For the temporary relief of occasional minor irritation and pain associated with canker sores and minor dental procedures.
- For Professional Use Only.

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- · rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- · fatigue or lack of energy

Allergy Alert: Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics. Flammable. Do not use near fire or flame. Avoid smoking during use.

Drug Facts (continued)

Do not use

- for teething
- in children under 2 years of age

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Avoid spraying in eyes.

Directions

Apply only amount needed to the oral mucosa to prevent or relieve pain.

• Children under 2 years of age: do not use

Other information

Store at room temperature. Do not store above 120°F (49°C). Dispose of in a manner consistent with local regulations.

Inactive ingredients

Ethyl Alcohol, Flavor, Polyethylene Glycol, Sodium Saccharin, Hydrocarbon Propellant (Isobutane and propane).

Questions or comments?

1-800-333-3131

MANUFACTURED BY:

keyst<mark>*ne</mark>

480 S. Democrat Rd. Gibbstown, NJ 08027 USA keystoneindustries.com 1-800-333-3131

MADE IN USA

99088504 Rev 09/2018



Benzocaine 20%

Peppermint

Dosage: Single Spray 50 mg

Important: Read directions for proper use.

Re-order#: 03-01519



Net Wt. 2 oz. (57g)

GELATO TOPICAL ANESTHETIC

benzocaine spray, metered

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68400-323

Route of Administration DENTAL

Active Ingredient/Active Moiety

Ingredient Name

BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)

BENZOCAINE

BENZOCAINE

Strength

11.4 g in 57 g

Inactive Ingredients Ingredient Name Strength POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) SACCHARIN SODIUM (UNII: SB8ZUX40TY) ALCOHOL (UNII: 3K9958V90M) ISOBUTANE (UNII: BXR49TP611) PROPANE (UNII: T75W9911L6)

Product Characteristics			
Color	white (Clear)	Score	
Shape		Size	

Co	ntains					
Pa	ackaging					
#	Item Code	P	ackage Descripti	on	Marketing Start Date	Marketing End Date
1	NDC:68400- 323-35	57 g in 1 BOT Combination F	TLE, SPRAY; Type 0: No Product	ot a	09/01/2018	

Imprint Code

PEPPERMINT

Flavor

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part356	07/29/2013		

Labeler - Mycone Dental Supply Co., Inc DBA Keystone Industries and Deepak Products Inc (014769301)

Establishment				
Name	Address	ID/FEI	Business Operations	
Keystone Industries		014769301	manufacture(68400-323) , label(68400-323)	

Revised: 1/2022 Mycone Dental Supply Co., Inc DBA Keystone Industries and Deepak Products Inc