

## **HOT/COLD MEDICATED PATCH- hot cold patch patch**

**Dynarex**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**1451 Cold/Hot Medicated Patches Arm/Neck 67777-201-10**

**1452 Cold/Hot Medicated Patches Back 67777-201-20**

### ***Active Ingredient***

Menthol 5%

### ***Purpose***

Topical analgesic

### ***Use***

Temporarily relieves minor aches and pains of muscles and joints due to

- arthritis
- simple backache
- strains
- sprains
- bruises

### ***Warnings***

**For external use only**

#### **Do not use**

- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

#### **When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes

#### **Stop use and ask a doctor if**

- excessive redness or irritation is present
- conditions worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

#### **If pregnant or breast-feeding**

ask a health professional before use

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center Right away.

## Directions

Adults and children 12 years of age and over

- clean and dry affected area
- remove film from patch and apply to the skin
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- wear each patch up to 8 hours maximum

Children under 12 years of age, consult a doctor

## Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

## Inactive ingredients

Dihydroxyaluminum Aminoacetate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

## Label

**Reorder No. 1451**



Active ingredient	Purpose
Menthol 5%	Topical analgesic

**Use**  
Temporarily relieves minor aches and pains of muscles and joints due to  
■ arthritis ■ simple backache ■ strains ■ sprains ■ bruises

**Warnings**  
For external use only  
Do not use ■ on wounds or damaged skin ■ with a heating pad  
■ if you are allergic to any ingredients of this product

**When using this product**  
■ use only as directed  
■ avoid contact with the eyes, mucous membranes or rashes

**Stop use and ask a doctor if** ■ excessive redness or irritation is present  
■ conditions worsen ■ symptoms persist for more than 7 days  
■ symptoms clear up and occur again within a few days

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**  
Adults and children 12 years of age and over  
■ clean and dry affected area  
■ remove film from patch and apply to the skin  
■ apply 1 patch at a time to affected area, not more than 3 to 4 times daily  
■ wear each patch up to 8 hours maximum

Children under 12 years of age consult a doctor

**Other information**  
■ Avoid storing product in direct sunlight  
■ Protect product from excessive moisture

**Inactive ingredients**  
Dihydroxyaluminum Aminoacetate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

This product is not manufactured or distributed by Chattanooga, TN 37409; owner of the registered trademark iCyHot® Patch. R191202

**Reorder No. 1451**



**Reorder No. 1451**

**1 Bag**  
3.2" x 4.7"  
(8 cm x 12 cm)  
5 per bag

**1 Bag**  
3.2" x 4.7"  
(8 cm x 12 cm)  
5 per bag

**Reorder No. 1452**




**Drug Facts**

<b>Active ingredient</b> Menthol 5%	<b>Purpose</b> Topical analgesic
--	-------------------------------------

**Use**  
Temporarily relieves minor aches and pains of muscles and joints due to  
 ■ arthritis ■ simple backache ■ strains ■ sprains ■ bruises

**Warnings**  
 For external use only  
 Do not use ■ on wounds or damaged skin ■ with a heating pad  
 ■ if you are allergic to any ingredients of this product.  
 When using this product ■ use only as directed  
 ■ avoid contact with the eyes, mucous membranes or rashes  
 Stop use and ask a doctor if ■ excessive redness or irritation is present  
 ■ conditions worsen ■ symptoms persist for more than 7 days  
 ■ symptoms clear up and occur again within a few days  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. If swallowed, get medical help or contact a  
 Poison Control Center right away.

**Directions**  
 Adults and children 12 years of age and over  
 ■ clean and dry affected area  
 ■ remove film from patch and apply to the skin  
 ■ apply 1 patch at a time to affected area, not more than 3 to 4 times daily  
 ■ wear each patch up to 8 hours maximum  
 Children under 12 years of age: consult a doctor

**Other information**  
 ■ Avoid storing product in direct sunlight  
 ■ Protect product from excessive moisture

**Inactive ingredients**  
 Dihydroxyaluminum Aminoacetate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Manufactured for:  
 Dynarex Corporation  
 10 Glenshaw Street  
 Orangeburg, NY 10962  
 USA • www.dynarex.com  
 Made in China

  

 **SYMBOL GLOSSARY**  
 For an explanation of symbols used in Dynarex packaging, visit [dynarex.com/symbols.php](http://dynarex.com/symbols.php)

 6 16784 14521 1

**1** 3.9" x 7.9"  
 Bag (10 cm x 20 cm)  
 5 per bag

**Reorder No. 1452**

R191202

**Reorder No. 1452**




# COLD HOT

## Medicated Patches

**Back**

   

**Natural Menthol 5%**

- Immediate, deep penetrating pain relief
- Long lasting, effective up to 8 hours
- No-mess application

**1** 3.9" x 7.9"  
 Bag (10 cm x 20 cm)  
 5 per bag

HOT/COLD MEDICATED PATCH			
hot cold patch patch			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67777-201
<b>Route of Administration</b>	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	285 mg in 5700 mg	
Inactive Ingredients			
Ingredient Name	Strength		
KAOLIN (UNII: 24H4NWX5CO)			
PROPYLPARABEN (UNII: Z8IX2SC10H)			
DIHYDROXYALUMINUM AMINO ACETATE (UNII: DO250MG0W6)			
TARTARIC ACID (UNII: W48881119H)			
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
POVIDONE (UNII: FZ989GH94E)			
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
WATER (UNII: 059QF0KO0R)			
GLYCERIN (UNII: PDC6A3C0OX)			
METHYLPARABEN (UNII: A2I8C7HI9T)			

**POLYSORBATE 80** (UNI: 6OZP39ZG8H)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-201-10	180 in 1 CASE	12/13/2019	
1		5 in 1 BOX		
1		285 mg in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:67777-201-20	180 in 1 CASE	12/13/2019	
2		5 in 1 BOX		
2		285 mg in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/13/2019	

**Labeler** - Dynarex (008124539)

**Registrant** - Dynarex (008124539)

Revised: 12/2019

Dynarex