

**HYSAN ANALGESIC- methyl salicylate, camphor (synthetic) ointment**  
**HYSAN PHARMACEUTICAL CO LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Methyl Salicylate 22%

Camphor 2%

**Purpose**

External Analgesic

**Uses**

Temporarily relieves minor aches, pains of muscles and joint pains due to:

- simple backache
- arthritis
- strains
- sprains
- bruises

**Warnings**

- external use only
- use only as directed

**Do not use**

- on opened wounds
- on damaged skin

**When using this product**

- avoid contact with the eyes
- do not bandage tightly

**Stop use and ask a doctor if**

- a rash or irritation develops
- condition worsens
- symptoms persist for more than 7 days or clears up and occur again within a few days

**if pregnant or breast-feeding**, ask a health professional before use

**Keep out of reach of children** to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- adults and children 12 years and older, apply appropriate amount to the affected

area. Apply pressure and massage gently not more than 3 to 4 times daily

- children under 12 years of age, consult a doctor before using

### Other Information

- Be stored below 28°C (82°F)
- Closed tightly after used

### Inactive ingredients

eucalyptus Oil, menthol, paraffin

### Questions or comments?

(626) 354 1819 M-F 9am to 5pm

**海山牌**  
HYSAN BRAND  
**萬應止痛膏**

NDC 63255-330-01

**ANALGESIC OINTMENT**  
海山牌  
**萬應止痛膏**  
Net Wt.: 2.64 oz (75gm)  
Item # AO 00400

NDC 63255-330-01

**ANALGESIC OINTMENT**  
海山牌  
**萬應止痛膏**  
75g克/瓶  
Made in China (Product of Hong Kong)

**Drug Facts 藥品資料**

Active Ingredients 有效成份	Purpose 用途
Methyl Salicylate 22% ..... External Analgesic	外用舒痛
水楊酸甲酯 22% .....	外用舒痛
Camphor 2% ..... External Analgesic	外用舒痛
樟腦 2% .....	外用舒痛

**Uses 適應**  
Temporarily relieves minor aches, pains of muscles and joint pains due to:  
暫時舒緩輕微肌肉痛，及以下症狀引起的疼痛

- simple backache ■ arthritis ■ strains ■ sprains ■ bruises 肩痛 關節炎 拉傷 扭傷 瘀傷

**Warnings 警告**

- external use only 僅供外用
- use only as directed 直接塗於患處

**Do not use 切勿塗於**

- on opened wounds 發爛的傷口
- on damaged skin 破損的皮膚

**When using this product 使用本品時**

- avoid contact with the eyes 避免觸及眼睛
- do not bandage tightly 綁帶不可包紮得太緊

**Stop use and ask a doctor if 如有以下症狀，停止使用並往醫生診斷**

- a rash or irritation develops 出疹或發炎
- condition worsens 症狀加劇

**Drug Facts (continued) 藥品資料 (續)**

- symptoms persist for more than 7 days or clears up and occur again within a few days. 症狀持續在七日以上，或好轉後症狀在數天內又再重現。

**if pregnant or breast-feeding, ask a health professional before use.**  
孕婦或哺育人乳之婦女，塗用前請先詢問醫務專業人士。

**Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. 請放置於兒童無法觸及之處。如果不慎吞食，請立即取得醫療護理或毒性控制中心求助。**

**Directions 用法**

- adults and children 12 years and older, apply appropriate amount to the affected area. Apply pressure and massage gently not more than 3 to 4 times daily. 成年人及十二歲以上兒童，塗於患處，並輕輕按摩，藥力即滲透入內，每日塗於患處不可超過三至四次。
- children under 12 years of age, consult a doctor before using. 十二歲以下兒童，塗用前請先查詢醫生。

**Other Information 其他信息**

- Be stored below 28°C (82°F). 儲存於28°C(82°F)以下。
- Closed tightly after used. 使用後將蓋鎖緊。

**Inactive ingredients 輔助成份**  
Eucalyptus Oil 桉油 · Menthol 薄荷 · Paraffin 石蠟。

**Questions or comments? 疑問或意見**  
(626) 354 1819 M-F 9am to 5pm 星期一至五上午9時至下午5時

Hysan Pharmaceutical Co., Ltd.  
海山堂藥業有限公司  
4/F, Western Comm. Bldg., 29 Des Voeux Rd, West, H.K.  
E-mail: hysan@hysan.limabiz.com.hk  
HKC-04988  
Distributed by: East West (USA), Inc. Alhambra, CA 91801  
美亞藥業(美國)有限公司  
LOT: EXP:

4 892874 853020

## HYSAN ANALGESIC

methyl salicylate, camphor (synthetic) ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63255-330	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)		METHYL SALICYLATE	22 g in 100 g	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)		CAMPHOR (SYNTHETIC)	2 g in 100 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
EUCALYPTUS OIL (UNII: 2R04ONI662)				
MENTHOL (UNII: L7T10EIP3A)				
PARAFFIN (UNII: I9O0E3H2ZE)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63255-330-01	75 g in 1 JAR; Type 0: Not a Combination Product	08/02/2021	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part348		08/02/2021	

**Labeler** - HYSAN PHARMACEUTICAL CO LTD (666427133)

### Establishment

Name	Address	ID/FEI	Business Operations
HYSAN PHARMACEUTICAL CO LTD		666427133	manufacture(63255-330)

Revised: 7/2021

HYSAN PHARMACEUTICAL CO LTD