

ORAJEL 3X MEDICATED FOR TOOTHACHE AND GUM- benzocaine, menthol, zinc chloride gel
Church & Dwight Co., Inc.

Orajel 3X Medicated For Toothache and Gum, Gel

Benzocaine 20%

Menthol 0.26%

Zinc chloride 0.15%

Oral pain reliever and Oral astringent

Use

for the temporary relief of pain due to minor irritation or injury of the mouth and gums

Methemoglobinemia warning: use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: pale, gray, or blue colored skin (cyanosis), headache, rapid heart rate, shortness of breath, dizziness or lightheadedness, fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

- more than directed
- for more than 7 days unless directed by a dentist or doctor
- for teething
- in children under 2 years of age

Stop use and ask a doctor if

- symptoms do not improve in 7 days
- swelling, rash or fever develops
- irritation, pain or redness persists or worsens

In case of overdose or allergic reaction, get medical help or contact a Poison Control Center right away

Directions

Adults and children 2 years of age and over	Apply to affected area up to 4 times daily or as directed by a dentist or doctor
Children between 2 and 12 years of age	Ask a doctor before use. Should be supervised in the use of this product
Children under 2 years of age	Do not use

Other information

do not use if Tamper-Evident Tab is open before first use

ammonium glycyrrhizate, flavor, PEG-8, PEG-75, sodium saccharin, sorbic acid, water

Questions or comments?

call us at 1-800-952-5080 M-F 9am-5pm ET or visit our website at www.oraljel.com

#1 ORAL PAIN

RELIEF BRAND

FOR ADULTS

EXTRA
STRENGTH

Orajel™

3X TOOTHACHE & GUM

MEDICATED

IMMEDIATE PAIN RELIEF

ORAL PAIN

RELIEVER/

ASTRINGENT

Provides

Long-Lasting

Pain Relief*

Soothes

Irritated Gums

Delivers Targeted

Pain Relief

GEL

NET WT

0.25 OZ (7.0 g)

#1 ORAL PAIN RELIEF BRAND FOR ADULTS

EXTRA STRENGTH

Orajel™
3X TOOTHACHE & GUM MEDICATED

IMMEDIATE PAIN RELIEF

ORAL PAIN RELIEF/ANESTHESIA

- ✓ Provides Long-Lasting Pain Relief*
- ✓ Soothes Irritated Gums
- ✓ Delivers Targeted Pain Relief

SCAN ME



LEARN MORE

- ✓ Provides Long-Lasting Pain Relief*
- ✓ Soothes Irritated Gums
- ✓ Delivers Targeted Pain Relief

GEL

NET WT 0.25 OZ (7.0 g)

Orajel

TAMPER-EVIDENT TAB

Church & Dwight Co., Inc.
 Teaneck, NJ 07666 USA

Orajel is a trademark of Church & Dwight Co., Inc. The maker of the Orajel® brand does not manufacture other brand oral pain products.

*Up to 2 Hours



875-0040-0 700076



3 10310 28340 7

CHDW0003
 090328Q1

Drug Facts

Active Ingredients
 Benzocaine 20%
 Menthol 0.25%
 Zinc Chloride 0.15%
 Oral Anesthetic
 Oral Pain Reliever

Purpose
 Oral Pain Reliever

Warnings
 Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used the product before. Stop use and seek immediate medical attention if you or a child in your care develops: ■ pale, gray, or blue colored skin (cyanosis) ■ headache ■ rapid heart rate ■ shortness of breath ■ dizziness or lightheadedness ■ fatigue or lack of energy ■ allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, tetracaine, benzocaine or other "caine" anesthetics. Do not use ■ more than directed ■ for more than 7 days unless directed by a dentist or doctor ■ for teething ■ in children under 2 years of age ■ swelling, rash, or fever develops ■ irritation, pain or redness persists or worsens. Keep out of reach of children. In case of overdose or allergic reaction, get medical help or contact a Poison Control Center right away.

Directions
 Adults and children 2 years of age and over ■ as directed by a dentist or doctor. Apply to affected area up to 4 times daily. Children between 2 and 12 years of age ■ Ask a doctor before use. Should be supervised in the use of this product. Children under 2 years of age ■ Do not use.

Other information
 do not use if Tamper-Evident Tab is open before first use. Inactive ingredients ■ sorbitol, peppermint oil, xylitol, PEG-40, PEG-75, sodium saccharin, sorbic acid, water.

Questions or comments? call us at 1-800-562-5000 M-F 9am-5pm ET or visit our website at www.orajel.com

ORAJEL 3X MEDICATED FOR TOOTHACHE AND GUM

benzocaine, menthol, zinc chloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10237-790
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.6 mg in 1 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	1.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
SORBIC ACID (UNII: X045WJ989B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-790-25	1 in 1 PACKAGE	11/01/2019	
1		2.5 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10237-790-42	1 in 1 PACKAGE	11/01/2019	
2		4.2 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:10237-790-12	1 in 1 PACKAGE	11/01/2019	
3		3.5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	11/01/2019	

Labeler - Church & Dwight Co., Inc. (001211952)**Establishment**

Name	Address	ID/FEI	Business Operations
Church & Dwight Co., Inc.		043690812	manufacture(10237-790)

Revised: 11/2024

Church & Dwight Co., Inc.