

**ULTRA CLEAR TREATMENT- salicylic acid lotion**  
**ULTRACEUTICALS PTY LIMITED**

-----  
**Ultra Clear Treatment Lotion**  
**with salicylic and mandelic acid**

**Active ingredients Purpose**

Salicylic Acid 2% w/w Acne Treatment

**Uses**

For treatment of acne  
Helps clear acne blemishes and acne pimples

**Stop use and ask a doctor:**

If skin irritation becomes severe.

**When using this product**

Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water to remove.

**Warnings**

For external use only.

When using this product

Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water to remove.

**Directions**

- Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- If dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients

Water/Eau, PPG-15 Stearyl Ether, Arginine, Glycerin, Mandelic Acid, Niacinamide, Tribehenin PEG-20 Esters, Ethoxydiglycol, Methylpropanediol, Cetearyl Alcohol, Disodium Laurimodipropionate Tocopheryl Phosphates, Dimethicone, Bentonite, Caprylyl Glycol, Allantoin, Bisabolol, Hydrated Silica, Sodium PCA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polyacrylate Crosspolymer-6 Xanthan Gum, Disodium EDTA,

Phenylpropanol, Eucalyptus Globulus Leaf Oil, Fusanus Spicata Wood Oil,  
Phenoxyethanol, Eugenia Caryophyllus (Clove) Bud Oil, Aloe Barbadensis Leaf Juice  
Powder, Maltodextrin, T-Butyl Alcohol, Benzoic Acid, Dehydroacetic Acid.


Ultraceuticals

Ultra Clear Treatment Lotion

with Salicylic & Mandelic Acid

Acne Treatment Lotion

50mL / 1.69 fl OZ



| DRUG FACTS  |                |
|---|----------------|
| <b>Active ingredients</b>   | <b>Purpose</b> |
| Salicylic Acid 2% w/w.....  | Acne Treatment |
| <b>Uses</b>   |                |
| <ul style="list-style-type: none"> <li>For treatment of acne.</li> <li>Helps clear acne blemishes and acne pimples.</li> </ul>  |                |
| <b>Warnings</b>   |                |
| <ul style="list-style-type: none"> <li>For external use only.</li> </ul>  |                |
| <b>When using this product</b>  |                |
| <ul style="list-style-type: none"> <li>Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.</li> <li>Avoid contact with the eyes. If contact occurs, rinse eyes thoroughly with water to remove.</li> </ul>   |                |
| <b>Stop use and ask a doctor:</b>   |                |
| <ul style="list-style-type: none"> <li>If skin irritation becomes severe.</li> </ul>  |                |
| <b>Directions</b>   |                |
| <ul style="list-style-type: none"> <li>Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily.</li> <li>Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.</li> <li>If dryness or peeling occurs, reduce application to once a day or every other day.</li> </ul> |                |

| DRUG FACTS (continued)   |
|--|
| <b>Directions (continued)</b>  |
| <ul style="list-style-type: none"> <li>If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.</li> </ul>   |
| <b>Inactive ingredients:</b>   |
| Water / Eau, PPG-15 Stearyl Ether, Arginine, Glycerin, Mandelic Acid, Niacinamide, Tribehenin PEG-20 Esters, Ethoxydiglycol, Methylpropanediol, Cetearyl Alcohol, Disodium Laurimidopropionate, Tocopheryl Phosphates, Dimethicone, Bentonite, Caprylyl Glycol, Allantoin, Bisabolol, Hydrated Silica, Sodium PCA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polyacrylate Crosspolymer-6, Xanthan Gum, Disodium EDTA, Phenylpropanol, Eucalyptus Globulus Leaf Oil, Fusanus Spicata Wood Oil, Phenoxyethanol, Eugenia Caryophyllus (Clove) Bud Oil, Aloe Barbadensis Leaf Juice Powder, Maltodextrin, T-Butyl Alcohol, Benzoic Acid, Dehydroacetic Acid. |
| <b>Other information</b>   |
| Store below 25°C / 77°F  |
| <b>Questions?</b>  |
| Call 833 703 9067  |

UltraClear products are developed to provide optimal results when professionally recommended.

Non-Bleaching • Benzoyl Peroxide Free  
Formulated in Australia

This multi-action treatment lotion helps visibly improve skin affected by blemishes. This state-of-the-art formula combines powerful exfoliators (Mandelic Acid & Salicylic Acid) to decongest skin with antioxidants - Clove Oil and Vitamin E Phosphate.

Contains natural aroma extracted from plants.

Made in Australia

**Distributed By:**  
UltraClear Pty Ltd  
Suite 2, Level 4, 436-484 Victoria Rd  
Gladesville NSW 2111, Australia  
Email: advice@ultraclear.com.au  
[www.ultraclear.com](http://www.ultraclear.com)

© UltraClear Pty Ltd 2019

UltraClear is a trademark and brand of UltraClear Pty Ltd.



FTP-478-050

50 mL / 1.69 fl. OZ.



FTP-478-050C1

# ULTRA CLEAR TREATMENT

salicylic acid lotion

| Product Information |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:10028-051 |

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID    | 2 g in 100 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>LEVOMENOL</b> (UNII: 24WE03BX2T)  |          |
| <b>HYDRATED SILICA</b> (UNII: Y607T4G8P9)  |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)  |          |
| <b>DISODIUM LAURIMINODIPROPIONATE TOCOPHERYL PHOSPHATES</b> (UNII: 0K5Y9U1P6M)   |          |
| <b>BENTONITE</b> (UNII: A3N5ZCN45C)  |          |
| <b>SANTALUM SPICATUM OIL</b> (UNII: H9LVS6REV4)  |          |
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>CLOVE OIL</b> (UNII: 578389D6D0)  |          |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)   |          |
| <b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)   |          |
| <b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)   |          |
| <b>DEHYDROACETIC ACID</b> (UNII: 2KAG279R6R)   |          |
| <b>PPG-15 STEARYL ETHER</b> (UNII: 1II18XLS1L)   |          |
| <b>ARGININE</b> (UNII: 94ZLA3W45F)   |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>NIACINAMIDE</b> (UNII: 25X5118RD4)  |          |
| <b>TRIBEHENIN PEG-20 ESTERS</b> (UNII: 84K9EH29Y9)   |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |          |
| <b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)  |          |
| <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)  |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |          |
| <b>AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)</b> (UNII: Q7UI015FF9) |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)   |          |
| <b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)   |          |
| <b>MANDELIC ACID</b> (UNII: NH496X0UJX)  |          |
| <b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A118X02B)  |          |
| <b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)   |          |
| <b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)   |          |

### Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:10028-051-01 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | 12/15/2019           |                    |

|   |                  |  |            |
|---|------------------|--|------------|
| 2 | NDC:10028-051-02 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/09/2023 |
|---|------------------|--|------------|

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006                                     | 12/15/2019           |                    |

**Labeler** - ULTRACEUTICALS PTY LIMITED (744068995)

Revised: 10/2025

ULTRACEUTICALS PTY LIMITED