LINGLONGJIUHUO LINGLONG MOXIBUSTION- herbal moxibus tion tape Shanghai Jingqin Biological Technology Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

LingLongJiuHuo Linglong Moxibustion, JingQin

Active ingredient

butylene glycol (20%)

Inactive ingredient

Inactive ingredient:

water (77.52%)

hydroxyethylcellulose (1.6%)

polyethylene glycol 300000 (0.5%)

phenoxyethanol (0.3%)

chlorphenesin (0.08%)

Purpose

It is a heat disposable paster incorporating chemicals that provides heat therapy for body.

When using

Conditioning neck, back, hands and feet and other rheumatism pain and spleen and stomach caused by cold injury, deficiency diarrhea and other conditions.

Do not use

If irritation or discomfort occurs, discontinue the use and consult a physician.

Stop use

If irritation or discomfort occurs, discontinue the use and consult a physician.

Ask doctor

If irritation or discomfort occurs, discontinue the use and consult a physician.

Ask doctor/pharmacist

Ask doctor/pharmacist when you current use other drugs.

Keep out of reach of children

Keep out of reach of children and away from eyes and ears.

Questions

Please contact with us at the phone number on the package when you have any questions.

Pregnancy or breast feeding

Pregnant or breast feeding women shall follow doctor advice.

Indications & usage

Pain relief, hot release, warming uterus, hemostatic, can be used to improve the conditioning neck, back, hands and feet and other rheumatism pain and spleen and stomach caused by cold injury, deficiency diarrhea and other conditions.

Apply one paster on stomach venter.

Dosage & administration

1 piece at a time; once a day.

Dosage forms & strengths

It is a paster.

1 piece at a time; once a day.

The active ingredient strength is 20%.

Warnings

[Warnings] This product is a disposable product for external use and cannot be taken orally.

[Contraindications] Pregnant women, diabetics, skin ulcers, and acute bleeding disorders are prohibited.

If irritation or discomfort occurs, discontinue the use and consult a physician.

Very slippery on surfaces, clean spills immediately.

Keep out of reach of children and pets.

Package label. Principal display panel



贴/式/艾/灸 Plaster moxibustion

玲珑客户须知

玲珑灸需配合玲珑APP 为您提供一对一定制化服务 请勿在非玲珑APP指导下 使用玲珑灸

Tips for customers of Linglong moxibustion Linglong moxibustion should be used with Linglong app to provide one-to-one customized services. Do not use Linglong moxibustion without the guidance of Linglong app.

玲珑灸使用方法

第1步:打开包装袋,取出灸贴 第2步:吸取2滴管玲珑灸艾叶精油滴在艾灸药包上 第3步:敷贴在身体所需穴位6-8小时后撕掉。

特别提醒

敷贴前请保持身体所敷贴穴位的滋润度,秋冬天气敷 贴前,请注意皮肤保湿

控温贴使用方法

第1步:每一贴配有一片控温贴 第2步:撕去离型纸的一面 第3步:将控温贴贴在艾灸包的外面(棕色的一面),可 起到降温作用,可降温2-3度

灸后反应处理

因体质不同,每个人的艾灸反应也不同。若出现灸后 反应,请及时在APP服务群中咨询。

Usage and Directions of the LingLongJiuHuo Linglong Moxibustion Step 1: Open the packaging bag and take out the moxibustion patch Step 2: Pipette 2 drops of Linglong Moxibustion Moxa Leaf Essential Oil and drip to the moxibustion medicine zone Step 3: Attach it on the acupoint and tear it off after 6-8 hours Precautions:


Before applying, please keep the moisturizing degree of the acupoint applied. In autumn and winter, please keep the skin's moisturizing.

Usage of the temperature control stickers
Step 1: Each Linglong moxibustion patch is equipped with a temperature control sticker

Step 2: Tear off the Kraft paper

Attach the temperature control stick on the outside of moxibustion bag (brown side), which can reduce the temperature by 2-3 degrees

Post moxibustion reaction treatment
Due to different constitutions, everyone's moxibustion reaction is
also different. If there is any reaction after moxibustion, please
consult the app service group in time
Tips for customers of Linglong moxibustion







LINGLONG JIUHUO LINGLONG MOXIBUSTION

Product Information

Product Type HU	IUMAN OTC DRUG	Item Code (Source)	NDC:73510-525
-----------------	----------------	--------------------	---------------

Route of Administration CUTANEOUS, EXTRACORPOREAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA) (BUTYLENE GLYCOL - UNII:3XUS85K0RA)	BUTYLENE GLYCOL	1.6 g in 8 g

Inactive Ingredients	
Ingredient Name	Strength
HYDROXYETHYL CELLULOSE (280 MPA.S AT 2%) (UNII: 12VCE9HR9E)	0.128 g in 8 g
WATER (UNII: 059QF0KO0R)	6.2016 g in 8 g
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.024 g in 8 g
POLYETHYLENE GLYCOL 300000 (UNII: 4QIB4U4CQR)	0.04 g in 8 g
CHLO RPHENES IN (UNII: 1670 DAL4SZ)	0.0064 g in 8 g

Product Characteristics				
Color	bro wn	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73510-525-34	4 in 1 BOX	10/23/2020		
1	NDC:73510-525-25	5 in 1 BOX			
1	NDC:73510-525-05	5 in 1 BOX			
1	NDC:73510-525-01	8 g in 1 PACKAGE; Type 0: Not a Combination Product			

Marketing Info	rmation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/17/20 19	

Labeler - Shanghai Jingqin Biological Technology Co., Ltd. (554428240)

Registrant - Shanghai Jingqin Biological Technology Co., Ltd. (554428240)

Establishment			
Name	Address	ID/FEI	Business Operations

Hubei Lishizhen Modern Biological Medicine Group Co.,Ltd.	

421166905

manufacture(73510-525)

Establishment			
Name	Address	ID/FEI	Business Operations
Shanghai Jingqin Biological Technology Co., Ltd.		554428240	label(73510-525)

Revised: 10/2020

Shanghai Jingqin Biological Technology Co., Ltd.