

TOPCARE NASAL FOUR- phenylephrine hydrochloride spray
Topco Associates LLC

Topco Associates LLC. Nasal Four Drug Facts

Active ingredient

Phenylephrine hydrochloride 1%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies

Warnings

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Frequent or prolonged use may cause nasal congestion to come back or get worse.
- use only as directed
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over: 2 or 3 sprays in each nostril not more often than every 4 hours
- children under 12 years: ask a doctor
- Use instructions: with head in a normal, upright position, put atomizer tip into nostril. Squeeze bottle with firm, quick pressure while inhaling. Wipe nozzle clean after each use.

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, boric acid, purified water, sodium borate

Questions or comments?

1-888-423-0139

Principal Display Panel

TopCare® health

COMPARE TO 4-WAY® FAST ACTING NASAL SPRAY ACTIVE INGREDIENT

FAST ACTING

Nasal Four

NASAL SPRAY

NASAL DECONGESTANT

PHENYLEPHRINE HCl 1%

FAST RELIEF OF:

1 Nasal Congestion

2 Swollen Nasal Membranes

3 Sinus Congestion

4 Sinus Pressure

1 FL OZ (30 mL)



TOPCARE NASAL FOUR
phenylephrine hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-648
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BORIC ACID (UNII: R57ZHV85D4)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-648-10	1 in 1 CARTON	12/10/2002	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/10/2002	

Labeler - Topco Associates LLC (006935977)

Revised: 10/2024

Topco Associates LLC