CURAD MAXIMUM STRENGTH TRIPLE ANTIBIOTIC- bacitracin, neomycin, polymyxin b, pramoxine hydrochloride ointment
Medline Industries, LP

---

031 Curad Maximum Strength Triple Antibiotic

Active ingredients (in each gram)

Bacitracin 500 units

Neomycin 3.5 mg

Polymyxin B 10,000 units

Pramoxin hydrochloride 10 mg

Purposes

First aid antibiotic

First aid antibiotic

First aid antibiotic

Pain reliever

Uses

- First aid to help prevent infection in and temporarily relieves pain due to
- minor cuts
- scrapes
- burns

Warnings

- **For external use only**

Do not use

- if allergic to any of the ingredients
- in or near the eyes
- on large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition lasts or gets worse

- symptoms last for more than 7 days, or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 2 years and older:
- clean affected area
- apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily
- may be covered with a sterile bandage.

Children under 2 years: ask a doctor

Other information

Store at controlled room temperature 68º-77ºF (20º-25ºC).

Inactive ingredient

petrolatum

Manufacturing Information

Manufactured for:

Medline Industries, LP

Three Lakes Drive Northfield, IL 60093 USA

Made in USA of domestic and imported materials
www.medline.com

1-800-MEDLINE (633-5463)

REF: CUR001232

V1 RD22SFZ

Package Label

NDC: 53329-031-01

CURAD®

MAXIMUM STRENGTH

TRIPLE ANTIBIOTIC + PAIN RELIEF

BACITRACIN ZINC/NEOMYCIN SULFATE/POLYMYXIN-B SULFATE/PRAMOXINE HCl
FIRST AID ANTIBIOTIC/PAIN RELIEVING OINTMENT

MEDLINE Family-owned. Trusted by hospitals for over 50 years

Made in USA of domestic and imported materials.
1-800-633-5463 V1 RD22SFZ

NET WT. 1 OZ (28.4 g)

REF CUR001232

Drug Facts

Active ingredients (in each gram) — **Purposes**

Bacitracin 500 units	First aid antibiotic
Neomycin 3.5 mg	First aid antibiotic
Polymyxin B 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	Pain reliever

Uses ■ first aid to help prevent infection in and temporarily relieves pain due to ■ minor cuts ■ scrapes ■ burns

Warnings

■ For external use only

Do not use ■ if allergic to any of the ingredients ■ in or near the eyes ■ on large areas of the body

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Drug Facts (continued)

Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition lasts or gets worse ■ symptoms last for more than 7 days, or clear up and come back within a few days ■ a rash or other allergic reactions develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions Adults and children 2 years and older: ■ clean affected area ■ apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily. ■ may be covered with a sterile bandage. Children under 2 years: ask a doctor

Other information

Store at controlled room temperature 68°-77°F (20°-25°C).

Inactive ingredient petrolatum

2404982

CURAD MAXIMUM STRENGTH TRIPLE ANTIBIOTIC

bacitracin, neomycin, polymyxin b, pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:53329-031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

			Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-031-01	1 in 1 BOX	12/01/2019	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/01/2019	

Labeler - Medline Industries, LP (025460908)

Revised: 11/2024 Medline Industries, LP