

ABROTANUM- abrotanum pellet
Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Single label image contains content for sections 1-14.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

**ABROTANUM
500C**

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS EST 63545

Drug Facts: Active ingredients: Listed above
Uses: This product is intended for traditional homeopathic uses, such as for vomiting

Warnings: • If pregnant or breast-feeding, ask a health professional before use. • If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
DO NOT OPEN - USE ONLY IF SEALED

abrotanum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-713
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARTEMISIA ABROTANUM FLOWERING TOP (UNII: QG07G580U0) (ARTEMISIA ABROTANUM FLOWERING TOP - UNII:QG07G580U0)	ARTEMISIA ABROTANUM FLOWERING TOP	500 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-713-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/17/2019	

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

**ABROTANUM
500C**

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPLUS EST 63545

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses, such as for vomiting

Warnings: • **if pregnant or breast-feeding,** ask a health professional before use. • If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved homeopathic		12/17/2019	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-713)

Revised: 7/2022

Hahnemann Laboratories, Inc.