SUNZONE FAMILY SPF 60 BROAD SPECTRUM- octinoxate, octocrylene, octisalate, oxybenzone, avobenzone and homosalate. aerosol, spray Empack Spraytech Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS FOR SUNZONE FAMILY SPF 60

Active Ingredients

Octinoxate5.0%

Octocrylene..... 5.0%

Octisalate.....5.0%

Oxybenzone..... 6.0%

Avobenzone.....3.0%

Homosalate.....12.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused be the sun

Warnings

For external use only

Flammable; Do not use near heat, flame, or while smoking

Do not use on damaged of broken skin

When using this product keep away from face to avoid breathing it

Do not puncture or incinerate. Contents under pressure.

Do not store at temperatures above 120 ⁰F

Stop use and ask a doctor if rash occurs

Keep Out of Reach of Children.

If product is swallowed, get medical help or contact a Poison Control Center right away

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Reapply
- • after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Hold container 4 to 6 inches from the skin to apply
- Do not spray directly into face. Spray on hand then apply to face
- Do not apply in windy conditions

- Use in a well-ventilated area
- Sun protection measures. Spending time in the sun increase the risk of skin cancer and early skin again. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including
- Limit time in the sun, especially from 10 a.m 2 p.m.
 Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor

Spray liberally and spread evenly by hand 15 minutes before sun exposure.

Other Information

- Protect this product from excessive heat and direct sun
- May stain some fabrics and surfaces

Inactive Ingredients

Acrylates Copolymer, Alcohol Denat., Aloe Barbadensis Leaf Extract, Bisabolol,

Bis-Hydroxyethoxypropyl Dimethicone, Camellia Oleifera (Japanese Green Tea) Leaf Extract,

Ethylhexylglycerin, Ethylhexyl Methoxycrylene, Fragrance, Phenoxyethanol, Tocopherol Acetate (Vitamin E)

CLEAR CONTINUOUS SPRAY



SUNZONE FAMILY SPF 60 BROAD SPECTRUM

octinoxate, octocrylene, octisalate, oxybenzone, avobenzone and homosalate. aerosol, spray

| Product Information | | | | | | | | |
|-------------------------|----------------|--------------------|---------------|--|--|--|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:50021-062 | | | | | |
| Route of Administration | TOPICAL | | | | | | | |
| | | | | | | | | |

| Active Ingredient/A | U | | | | |
|--|---|---------------------------|------------|-----------------------|-------------------------|
| Ingredient Name | | | | fStrength | Strength |
| D CTINO XATE (UNII: 4Y51 | 27MUD51) (OCTINOXATE - UNII:4Y5 | OCTINOX | ATE | 7.75 g in 155 g | |
| OCTOCRYLENE (UNII: 5A | A68WGF6WM) (OCTOCRYLENE - UI | NII:5A68WGF6WM) | OCTOCR | YLENE | $7.75 \ g$ in $155 \ g$ |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | | | | LATE 7.75 g in 155 g | |
| OXYBENZONE (UNII: 950 | XYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y) | | | ZONE | 9.30~g~in~155~g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | | | AVOBENZ | ONE 4.65 g in 155 g | |
| HOMOSALATE (UNII: V0) | HOMOSA | HOMOSALATE | | | |
| Inactive Ingredients | | | | | |
| | Ingredient N | lame | | | Strength |
| ALCOHOL (UNII: 3K9958 | V90M) | | | | |
| ALOE VERA LEAF (UNII: | ZY81Z83H0X) | | | | |
| LEVOMENOL (UNII: 24WI | E03BX2T) | | | | |
| CAMELLIA OLEIFERA LI | EAF (UNII: 5077EL0C60) | | | | |
| ETHYLHEXYLGLYCERIN | I (UNII: 147D247K3P) | | | | |
| PHENOXYETHANOL (UN | II: HIE492ZZ3T) | | | | |
| ALPHA-TOCOPHEROL A | CETATE (UNII: 9E8X80D2L0) | | | | |
| BIS-HYDRO XYETHO XYP | ROPYL DIMETHICONE (50 CST) | (UNII: YP714N2H05) |) | | |
| DIETHYLHEXYL 2,6-NAP | HTHALATE (UNII: 10 DQ J7 YGXM) | | | | |
| Packaging | | | | | |
| # Item Code | Package Description | Marketing | Start Date | te Marketing End Date | |
| 1 NDC:50021-062-01 | 155 g in 1 CAN | | | | |
| | | | | | |
| Marketing Inform | mation | | | | |
| Marketing Category | | Marketing Start Date Mark | | keting End Dat | |
| OTC monograph not final | Application Number or Monograph Citation part352 | | 11/16/2012 | | Reung Enu Da |
| JIC HUBING INDER HUBING | partooz | | 11/10/2012 | | |

Labeler - Empack Spraytech Inc. (252047519)

Registrant - Empack Spraytech Inc. (252047519)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|------------------------|
| Empack Spraytech Inc | | 252047519 | manufacture(50021-062) |

Revised: 11/2012

Empack Spraytech Inc.