

DAIRY-GRAIN-NIGHTSHADE- iris vers., solidago, antimon. crud., arg. nit., arsenicum alb., avena, baptisia, belladonna, bryonia, capsicum, carduus ben., cinchona, dulcamara, fagopyrum, gelsemium, hyoscyamus, ipecac., lac vac., lachesis, lycopodium, nat. mur., phos., podoph. pelt., pulsatilla, rhus tox., sac. lac., secale, sepia, stramonium, tabacum, triticum, ustilago maidis, verbascum, lycopersicum, solanum nig., solanum tub., stigmata, torula cerevisiae. liquid

Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Dairy 4832L

INDICATIONS & USAGE SECTION

Formulated for symptoms associated with sensitivity and intolerance to dairy, grain and nightshade foods such as bloating, headache, indigestion, itching and eruptions.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Iris versicolor 6x, Solidago virgaurea 6x, Antimonium crudum 15x, Argentum nitricum 15x, Arsenicum album 15x, Avena sativa 15x, Baptisia tinctoria 15x, Belladonna 15x, Bryonia 15x, Capsicum annuum 15x, Carduus benedictus 15x, Cinchona officinalis 15x, Dulcamara 15x, Fagopyrum esculentum 15x, Gelsemium sempervirens 15x, Hyoscyamus niger 15x, Ipecacuanha 15x, Lac vaccinum 15x, Lachesis mutus 15x, Lycopodium clavatum 15x, Natrum muriaticum 15x, Phosphorus 15x, Podophyllum peltatum 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Saccharum lactis 15x, Secale cornutum 15x, Sepia 15x, Stramonium 15x, Tabacum 15x, Triticum repens 15x, Ustilago maidis 15x, Verbascum thapsus 15x, Lycopersicum esculentum 16x, Solanum nigrum 16x, Solanum tuberosum 16x, Stigmata maidis 16x, Torula cerevisiae 16x.

OTC - PURPOSE SECTION

Formulated for symptoms associated with sensitivity and intolerance to dairy, grain and nightshade foods such as bloating, headache, indigestion, itching and eruptions.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane

alcohol 20%.

QUESTIONS SECTION

newtonlabs.net - Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 Conyers, GA 30013

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL



Product uses are based on traditional homeopathic practice and have not been evaluated by the FDA nor for scientific-medical evidence. Product results are not based on randomized, controlled clinical trials (RCTs).

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est # 1051203 • Conyers, GA 30013

NEWTON
homeopathics®
PRO

NDC #
55714-4832-1

**Dairy~Grain
~Nightshades**

Formulated for symptoms associated with sensitivity to dairy, grain, and nightshade foods such as bloating, headache, indigestion, itching and eruptions.

1 FL OZ (30 ML)

Dispensed by health professionals - not sold over-the-counter.
Directions: Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional.
Active Ingredients: Equal parts of Iris vers 6x, Solidago 6x, Antimon crud 15x, Arg nit 15x, Arsenicum alb 15x, Avena 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Capsicum 15x, Carduus ben 15x, Cinchona 15x, Dulcamara 15x, Fagopyrum 15x, Gelsemium 15x, Hyoscyamus 15x, Ipecac 15x, Lac vac 15x, Lachesis 15x, Lycopodium 15x, Nat mur 15x, Phos 15x, Podoph pelt 15x, Pulsatilla 15x, Rhus tox 15x, Sac lac 15x, Secale 15x, Sepia 15x, Stramonium 15x, Tabacum 15x, Triticum 15x, Ustilago maidis 15x, Verbascum 15x, Lycopersicum 16x, Solanum nig 16x, Solanum tub 16x, Stigmata 16x, Torula cerevisiae 16x.
Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.



DAIRY-GRAIN-NIGHTSHADE

iris vers., solidago, antimon. crud., arg. nit., arsenicum alb., avena, baptisia, belladonna, bryonia, capsicum, carduus ben., cinchona, dulcamara, fagopyrum, gelsemium, hyoscyamus, ipecac., lac vac., lachesis, lycopodium, nat. mur., phos., podoph. pelt., pulsatilla, rhus tox., sac. lac., secale, sepia, stramonium, tabacum, triticum, ustilago maidis, verbascum, lycopersicum, solanum nig., solanum tub., stigmata, torula cerevisiae. liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-4832
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
IRIS VERSICOLOR ROOT (UNII: X43D4L3DQC) (IRIS VERSICOLOR ROOT - UNII:X43D4L3DQC)		IRIS VERSICOLOR ROOT	6 [hp_X] in 1 mL
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)		AVENA SATIVA FLOWERING TOP	15 [hp_X] in 1 mL
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)		CAPSICUM	15 [hp_X] in 1 mL
CENTAUREA BENEDICTA (UNII: 6L5ZL09795) (CENTAUREA BENEDICTA - UNII:6L5ZL09795)		CENTAUREA BENEDICTA	15 [hp_X] in 1 mL
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)		CINCHONA OFFICINALIS BARK	15 [hp_X] in 1 mL
CORN SILK (UNII: 7D3VB244UX) (CORN SILK - UNII:7D3VB244UX)		CORN SILK	16 [hp_X] in 1 mL
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)		ANTIMONY TRISULFIDE	15 [hp_X] in 1 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)		TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 mL
HYOSCYAMUS NIGER (UNII: 4WRK2153H3) (HYOSCYAMUS NIGER - UNII:4WRK2153H3)		HYOSCYAMUS NIGER	15 [hp_X] in 1 mL
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)		IPECAC	15 [hp_X] in 1 mL
ELYMUS REPENS ROOT (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)		ELYMUS REPENS ROOT	15 [hp_X] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)		LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)		SOLANUM DULCAMARA TOP	15 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)		BRYONIA ALBA ROOT	15 [hp_X] in 1 mL
FAGOPYRUM ESCULENTUM (UNII: B10M69172N) (FAGOPYRUM ESCULENTUM - UNII:B10M69172N)		FAGOPYRUM ESCULENTUM	15 [hp_X] in 1 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)		GELSEMIUM SEMPERVIRENS ROOT	15 [hp_X] in 1 mL
DATURA STRAMONIUM (UNII: G6W4F0V8Z3) (DATURA STRAMONIUM - UNII:G6W4F0V8Z3)		DATURA STRAMONIUM	15 [hp_X] in 1 mL
USTILAGO MAYDIS (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)		USTILAGO MAYDIS	15 [hp_X] in 1 mL
SOLANUM LYCOPERSICUM (UNII: 0243Q4990L) (SOLANUM LYCOPERSICUM - UNII:0243Q4990L)		SOLANUM LYCOPERSICUM	16 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)		ARSENIC TRIOXIDE	15 [hp_X] in 1 mL

SOLANUM TUBEROSUM (UNII: 2A8I57T4MX) (SOLANUM TUBEROSUM - UNII:2A8I57T4MX)	SOLANUM TUBEROSUM	16 [hp_X] in 1 mL
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	16 [hp_X] in 1 mL
CLAVICEPS PURPUREA SCLEROTIUM (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)	CLAVICEPS PURPUREA SCLEROTIUM	15 [hp_X] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	6 [hp_X] in 1 mL
SILVER NITRATE (UNII: 95IT3W8JZE) (SILVER CATION - UNII:57N7B0K90A)	SILVER NITRATE	15 [hp_X] in 1 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	15 [hp_X] in 1 mL
TOBACCO LEAF (UNII: 6YR2608RSU) (TOBACCO LEAF - UNII:6YR2608RSU)	TOBACCO LEAF	15 [hp_X] in 1 mL
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	15 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	15 [hp_X] in 1 mL
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	15 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	15 [hp_X] in 1 mL
ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 mL
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) (ANHYDROUS LACTOSE - UNII:3SY5LH9PMK)	LACTOSE, UNSPECIFIED FORM	15 [hp_X] in 1 mL
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	15 [hp_X] in 1 mL
VERBASCUM THAPSUS (UNII: C9TD27U172) (VERBASCUM THAPSUS - UNII:C9TD27U172)	VERBASCUM THAPSUS	15 [hp_X] in 1 mL
SOLANUM NIGRUM WHOLE (UNII: 0FMD6WW47M) (SOLANUM NIGRUM WHOLE - UNII:0FMD6WW47M)	SOLANUM NIGRUM WHOLE	16 [hp_X] in 1 mL
COW MILK (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	15 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4832-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/02/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved		09/02/2019	

homeopathic		09/02/2019	
-------------	--	------------	--

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment			
Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4832)

Revised: 7/2025

Newton Laboratories, Inc.