

# **HEMORRHOIDAL- hard fat, phenylephrine hcl suppository**

## **Major Pharmaceuticals**

-----

### **Major Hemorrhoidal Suppositories**

#### **Active Ingredients (in each suppository)**

Hard Fat 88.44%

Phenylephrine hydrochloride 0.25%

#### **Purpose**

Protectant

Vasoconstrictor

#### **Uses**

- temporarily shrinks hemorrhoidal tissue
- gives temporary relief to the itching, burning and discomfort associated with hemorrhoids

#### **Warnings**

For rectal use only

#### **Ask a doctor before use if you have**

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

#### **Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug for high blood pressure or depression

#### **When using this product,**

do not use more than directed

#### **Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days

#### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe.
- gently dry by patting or blotting with a tissue or a soft cloth before insertion of suppository.
- detach one suppository from the strip
- separate the two tabs of the white plastic wrap
- with thumb and forefinger of each hand, grasp the tabs and peel downward, unwrapping the suppository
- insert one suppository into the rectum

**adults and children 12 years and over:** insert one suppository rectally up to 4 times daily

**children under 12 years:** ask a doctor

**Other information**

store below 30°C (86°F) to avoid melting.

**Inactive ingredients**

corn starch, methylparaben, propylparaben

**MAJOR®**

**Hemorrhoidal Suppositories**

- NON STAINING
- FAST ACTING
- AIDS IN PROTECTING IRRITATED TISSUE
- SHRINKS SWOLLEN HEMORRHOIDAL TISSUE

**MAJOR®**

NDC 0904-6977-12

# Hemorrhoidal Suppositories

Relieves Hemorrhoidal Pain and Burning

**12 Suppositories**

**MAJOR®**

**Hemorrhoidal Suppositories**

FOR YOUR SAFETY, SUPPOSITORIES ARE  
PACKAGED IN TAMPER RESISTANT PLASTIC  
WRAPPER. DO NOT USE IF PLASTIC  
WRAPPER IS TORN OR OPENED

## Drug Facts

**Active ingredients (in each suppository)** **Purposes**  
Hard Fat 88.7% .....Protectant  
Phenylephrine HCl 0.25% .....Vasoconstrictor

### Uses

- temporarily shrinks hemorrhoidal tissue
- temporarily relieves the itching, burning and discomfort associated with hemorrhoids

### Warnings

**For rectal use only**

**Ask a doctor before use if you have**

- heart disease ■ thyroid disease ■ high blood pressure
- diabetes ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug for high blood pressure or depression

**When using this product,** do not use more than directed

**Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days

## Drug Facts (continued)

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

- when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe.
- gently dry by patting or blotting with a tissue or a soft cloth before insertion of suppository.
- detach one suppository from the strip
- separate the two tabs of the white plastic wrap
- with thumb and forefinger of each hand, grasp the tabs and peel downward, unwrapping the suppository
- insert one suppository into the rectum
- adults and children 12 years and over:** insert one suppository rectally up to 4 times daily
- children under 12 years:** ask a doctor

### Other information

store below 30°C (86°F) to avoid melting.

### Inactive ingredients

corn starch, methylparaben, propylparaben

### Questions or comments?

1-800-616-2471

LOT NO. & EXP

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Major Hemorrhoidal Suppositories 12ct

Distributed by

Major Pharmaceuticals

17177 N. Laurel Park Drive

Suite 233

Livonia, MI 48152

MajorHemSupp.jpg

## HEMORRHOIDAL

hard fat, phenylephrine hcl suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-6977
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HARD FAT</b> (UNII: 8334LX7S21) (HARD FAT - UNII:8334LX7S21)	HARD FAT	1.77 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6977-12	2 in 1 CARTON	12/18/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	12/18/2019	

**Labeler** - Major Pharmaceuticals (191427277)

**Registrant** - DSC Laboratories Inc. (097807374)

Establishment			
Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(0904-6977)

Revised: 12/2024

Major Pharmaceuticals