

**BRONKAID MAX- ephedrine sulfate tablet, coated**  
**Foundation Consumer Healthcare LLC**

-----  
**Bronkaid®**  
**Max**

***Drug Facts***

**Active ingredient (in each caplet)**

Ephedrine sulfate 25 mg

**Purpose**

Bronchodilator

**Uses**

- for temporary relief of mild symptoms of intermittent asthma:
- wheezing
- tightness of chest
- shortness of breath

**Warnings**

**Asthma alert**

**Because asthma may be life threatening, see a doctor if you**

- are not better in 60 minutes
- get worse
- need more than 6 caplets in 24 hours
- use more than 4 caplets in 24 hours for 3 or more days a week
- have more than 2 asthma attacks in a week

These may be signs that your asthma is getting worse.

- This product will not give you asthma relief as quickly as an inhaled bronchodilator.

**Do not use**

- unless a doctor said you have asthma
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- ever been hospitalized for asthma

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- seizures
- narrow angle glaucoma
- a psychiatric or emotional condition
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

- taking prescription drugs for asthma, obesity, weight control, depression, or psychiatric or emotional conditions
- taking any drug that contains phenylephrine, pseudoephedrine, ephedrine, or caffeine (such as for allergy, cough-cold, or pain)

**When using this product**

- **your blood pressure or heart rate may go up. This could increase your risk of heart attack or stroke, which may cause death.**
- **your risk of heart attack or stroke increases if you:**
  - **have a history of high blood pressure or heart disease**
  - **take this product more frequently or take more than the recommended dose**
- avoid foods or beverages that contain caffeine
- avoid dietary supplements containing ingredients reported or claimed to have a stimulant effect

**Stop use and ask a doctor if**

- your asthma is getting worse (see Asthma Alert)
- you have difficulty sleeping
- you have a rapid heart beat
- you have tremors, nervousness, or seizure

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- adults and children 12 years and over: take 1 caplet every 4 hours as needed. Do not take more than 6 caplets in 24 hours or as directed by a doctor.
- children under 12 years of age: do not use

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium starch glycolate, stearic acid, talc

**Questions or comments?**

call **1-855-565-9800** weekdays 9 AM to 5 PM EST

Dist. by: Foundation Consumer Healthcare, LLC.  
Pittsburgh, PA 15212

**PRINCIPAL DISPLAY PANEL - 24 Caplet Blister Pack Carton**

NDC 69536-250-24

BRONKAID<sup>®</sup> MAX

NEW FORMULA

Ephedrine Sulfate 25 mg/  
Bronchodilator

STRONGEST FORMULA  
available in a 1 caplet dose

✓ Restores  
Free Breathing

Relief of Mild  
Intermittent  
Asthma Symptoms

PHARMACIST  
RECOMMENDED BRAND

24  
CAPLETS



## BRONKAID MAX

ephedrine sulfate tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69536-250
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EPHEDRINE SULFATE (UNII: U6X61U5ZEG) (EPHEDRINE - UNII:GN83C131XS)	EPHEDRINE SULFATE	25 mg

### Inactive Ingredients

Ingredient Name	Strength

<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

<b>Product Characteristics</b>			
<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	BRONK25
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69536-250-24	4 in 1 CARTON	09/01/2020	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69536-250-60	5 in 1 CARTON	09/01/2020	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M012	09/01/2020	

**Labeler** - Foundation Consumer Healthcare LLC (079675882)

Revised: 3/2024

Foundation Consumer Healthcare LLC