# **EQUATE PAIN RELIEVER-** acetaminophen tablet, film coated WALMART INC.

-----

# Wal-Mart Pain Reliever Drug Facts

## Active ingredient (in each caplet)

Acetaminophen 500 mg

# **Purpose**

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- · minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

# **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

- pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if you have

liver disease

## Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

do not take more than directed (see overdose warning)

# Adults and children 12 years and over:

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

Children under 12 years: ask a doctor

# **Inactive ingredients**

carnauba wax, corn starch\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid \*may contain one or more of these ingredients

#### **Questions or comments?**

1-888-287-1915

# Package/Label Principal Display Panel

equate<sup>™</sup>

Compare to Tylenol® Caplets active ingredient

**EXTRA STRENGTH** 

Pain Reliever

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

For Adults

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

**Actual Size** 

500 mg EACH

250 CAPLETS



#### DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

#### Active ingredient (in each caplet)

Purpose

Acetaminophen 500 mg......Pain reliever/fever reducer

**Uses** temporarily relieves minor aches and pains due to:

- the common cold headache backache minor pain of arthritis
- toothache premenstrual and menstrual cramps muscular aches
- temporarily reduces fever

#### Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions do not take more than directed (see overdose warning) Adults and children 12 years and over:

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

Children under 12 years: ask a doctor

**Inactive ingredients** carnauba wax, corn starch\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*. stearic acid \*may contain one or more of these ingredients

Questions or comments? 1-888-287-1915

Store at 20-25°C (68-77°F).



PLASTIC

Satisfaction guaranteed – Or we'll replace it or give you your money back, For questions or comments please call **1-888-287-1915**.

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

PRODUCT OF CHINA
\*\*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Tylenol®.

# **EQUATE PAIN RELIEVER**

acetaminophen tablet, film coated

### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:79903-174

**Route of Administration** 

ORAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics				
Color	WHITE	Score	no score	
Shape	OVAL	Size	18mm	
Flavor		Imprint Code	L24K	
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:79903-174- 25	250 in 1 BOTTLE; Type 0: Not a Combination Product	01/11/2023				
2	NDC:79903-174- 50	2 in 1 PACKAGE	01/11/2023				
2		250 in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	01/11/2023		

# Labeler - WALMART INC. (051957769)

Revised: 10/2023 WALMART INC.